

Schedule of Rates and Fees

Domestic Sewage Service Rates are published in Chapter 5 of the Northeast Ohio Regional Sewer District's *Code of Regulations – Sewer Use Code* and can be found here: [View PDF](#)

Industrial Sewage Service Rates are published in Chapter 6 of the Northeast Ohio Regional Sewer District's *Code of Regulations – Sewer Use Code* and can be found here: [View PDF](#)

Hauled Waste Service Rates are published in Chapter 7 of the Northeast Ohio Regional Sewer District's *Code of Regulations – Sewer Use Code* and can be found here: [View PDF](#)

Permit Application Fee	\$225.00
Lost, Stolen, or damaged decal replacement fee	\$100.00

Publicly Owned Sewage Treatment Plant Sludge Service Rate

<u>Parameter</u>	<u>Rate</u>
Flow	\$15.75 per 1,000 gallons
Suspended Solids (TSS)	\$0.48029 per pound
Biochemical Oxygen Demand (TBOD)	\$0.49980 per pound

Sanitary/Combined Sewer and Storm Sewer Grit Rate

The rate for sanitary/combined sewer and storm sewer grit hauled to the Northeast Ohio Regional Sewer District will be \$175.00 per ton.

Scavenger Waste Service Rate

The rate for scavenger waste hauled to the Northeast Ohio Regional Sewer District will be determined using the industrial rate formula found in Section 1.0602 of Chapter 6 of the Northeast Ohio Regional Sewer District's *Code of Regulations – Sewer Use Code*.

Temporary Discharge Permits

Permit Application Fee	\$280.00
Discharge Rate	See Industrial Sewage Service Rate*

*The applicable fixed cost recovery charge shall be applied for each month the temporary permit is in place.

Non-Discharge Status Program

Program Application Fee	\$280.00
-------------------------	----------

Sewer Service Charges Based On Usage of The System (SSCBOUTS) Program

Program Application Fee	\$620.00
Program Annual Fee	\$310.00

Analytical Services – Laboratory Prices

Water/Wastewater Testing

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Alkalinity</i>	Alkalinity by Autoanalyzer	EPA 310.2	\$18.00
<i>Anions</i>	Bromide, Chloride, Fluoride, Nitrate as N, Nitrite as N, Phosphate as P, Sulfate by Ion Chromatography	EPA 300.0	\$22.00 each \$80.00 full list
<i>Bis (2-ethylhexyl) phthalate</i>	Base/Neutral & Acids	EPA 625.1	\$125.00
<i>BOD</i>	Biochemical Oxygen Demand		
<i>CBOD (5-day)</i>	Carbonaceous	5210B Standard Methods	\$30.00
<i>SBOD (5-day)</i>	Soluble	5210B Standard Methods	\$33.00
<i>TBOD (5-day)</i>	Total	5210B Standard Methods	\$28.00
<i>Chloride</i>	Chloride by Titration	4500 Cl ⁻ C Standard Methods	\$24.00
<i>Chlorine, Total Residual</i>	Chlorine, Total Residual by Titration	4500Cl E Standard Methods	\$31.00
<i>Chlorophyll a</i>	Chlorophyll a by Fluorescence	EPA 445.0	\$86.00
<i>COD</i>	Chemical Oxygen Demand	EPA 410.4	\$28.00
<i>COD, Soluble</i>	Soluble Chemical Oxygen Demand	EPA 410.4	\$31.00
<i>Conductivity</i>	Conductivity	2510B Standard Methods	\$16.00
<i>Cyanide, Available</i>	Available Cyanide	OIA 1677-09	\$45.00
<i>Cyanide, Free</i>	Free Cyanide	OIA 1677-09	\$45.00
<i>Cyanide, Total</i>	Total Cyanide	ASTM D7511-12	\$32.00

Northeast Ohio Regional Sewer District

Schedule of Rates and Fees

Page 3

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Cyanobacteria</i>			
<i>Cyanobacteria Identification</i>	Microscopic Identification and Enumeration of Cyanobacteria	In-House	\$110.00
<i>Microcystins</i>	Total Microcystins by ELISA-ADDA	EPA 546	\$120.00
<i>Anatoxin-a & Cylindrospermopsin</i>	Anatoxin-a & Cylindrospermopsin by LC/MS/MS	EPA 545	\$400.00
<i>Saxitoxin</i>	Total Saxitoxin by ELISA	Abraxis Method	\$355.00
<i>E. Coli & Total Coliforms</i>	E. Coli Colilert Quanti-Tray (24-hour)	9223B Standard Methods	\$29.00
<i>E. Coli & Total Coliforms</i>	E. Coli Colilert Quanti-Tray (18-hour)	9223B Standard Methods	\$32.00
<i>Enterococci</i>	Enterococci by Enterolert	EPA 1600	\$210.00
<i>Ferric Chloride</i>	% Ferric Chloride (by weight)	AWWA B407-12	\$35.00
<i>Fluoride</i>	Fluoride by Ion Selective Electrode	NA	\$23.00
<i>Hexavalent chromium</i>	Hexavalent Chromium, Cr+6	3500 Cr B Standard Methods	\$14.00
<i>Legionella sp.</i>	Legionella	CDC Culture Method	\$450.00
<i>Mercury</i>	Mercury	EPA 245.1	\$28.00
<i>Mercury, Low Level</i>	Mercury - Low Level	EPA 1631E	\$66.00
<i>Metals Hardness</i>	Calculated Total Hardness as CaCO ₃	2340 Standard Methods & EPA 200.7 or EPA 200.8	\$14.00
<i>Metals Prep</i>	Hot Block Digestion for Total Recoverable Metals	SW-846 3005A & 3010A	\$16.00
<i>Metals Prep</i>	Microwave Digestion for Total Recoverable Metals	SW-846 EPA 3015A	\$24.00
<i>Metals</i>	Metals by ICP: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	EPA 200.7	\$6.50 per metal
<i>Metals</i>	Metals by ICP-MS: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	EPA 200.8	\$10.00 per metal
<i>Nitrogen, NH₃</i>	Ammonia as N Undistilled	EPA 350.1	\$28.00
<i>Nitrogen, NH₃</i>	Ammonia as N Distilled	EPA 350.1	\$34.00
<i>Nitrogen, NO₃</i>	Nitrate as N	ASTM D7781-14	\$24.00
<i>Nitrogen, NO₂</i>	Nitrite as N	ASTM D7781-14	\$24.00
<i>Nitrogen, NO₃-NO₂</i>	Nitrate plus Nitrite as N	ASTM D7881-14	\$28.00
<i>Nitrogen, TKN</i>	Total Kjeldahl Nitrogen as N	EPA 351.2	\$28.00

Northeast Ohio Regional Sewer District

Schedule of Rates and Fees

Page 4

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
Oil and Grease	Oil and Grease, n-Hexane Extractable Material	EPA 1664B	\$28.00
pH	pH	4500-H ⁺ B Standard Methods	\$13.00
Phosphorus, Dissolved Reactive	Dissolved Reactive Phosphorus (DRP)	EPA 365.1	\$24.00
Phosphorus, Dissolved Reactive, Low Level	Dissolved Reactive Phosphorus (DRP) - Low Level	EPA 365.1	\$45.00
Phosphorus, Total	Total Phosphorus	EPA 365.1	\$18.00
Solids, TDS	Total Dissolved Solids	2540C Standard Methods	\$18.00
Solids, TS	Total Solids	2540B Standard Methods	\$18.00
Solids, TSS	Total Suspended Solids	2540D Standard Methods	\$18.00
TOC	Total Organic Carbon	5310B Standard Methods	\$36.00
TOC, Dissolved	Dissolved Organic Carbon	5310B Standard Methods	\$45.00
Turbidity	Turbidity	EPA 180.1	\$16.00
Whole Effluent Toxicity Testing <i>c. daphnia</i>	WET Ceriodaphnia dubia - acute and chronic For treated effluent	EPA 1002.0	\$930.00
Whole Effluent Toxicity Testing <i>c. daphnia</i>	WET Ceriodaphnia dubia - acute and chronic For upstream	EPA 1002.0	\$235.00
Whole Effluent Toxicity Testing <i>p. promelas</i>	WET Pimephales promelas - acute and chronic For treated effluent	EPA 1000.0	\$930.00
Whole Effluent Toxicity Testing <i>p. promelas</i>	WET Pimephales promelas - acute and chronic For upstream	EPA 1000.0	\$235.00

Drinking Water Testing

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
Conductivity	Conductivity	2510B Standard Methods	\$16.00
<i>E. Coli</i> & Total Coliforms	<i>E. Coli</i> & Total Coliforms by MMO-MUG	9223B Standard Methods	\$24.00
<i>E. Coli</i> & Total Coliforms	<i>E. Coli</i> & Total Coliforms by Colilert Quanti-Tray	9223B Standard Methods	\$29.00

Northeast Ohio Regional Sewer District

Schedule of Rates and Fees

Page 5

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Fluoride</i>	Fluoride by Ion Selective Electrode	4500-F C	\$25.00
		Standard Methods	
<i>Nitrate</i>	Nitrate	NECi Nitrate Reductase	\$25.00
<i>Nitrate-Nitrite</i>	Nitrate Nitrite	NECi Nitrate Reductase	\$25.00
<i>Nitrite</i>	Nitrite	NECi Nitrate Reductase	\$25.00
<i>Metals Hardness</i>	Calculated Total Hardness as CaCO ₃	2340 Standard Methods & EPA 200.7 or EPA 200.8	\$14.00
<i>Metals</i>	Metals by ICP Ag, Al, Ba, Be, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Na, Ni, Zn	EPA 200.7	\$6.50 per metal
<i>Metals</i>	Metals by ICP-MS Ag, Al, As, Ba, Be, Cd, Cr, Cu, Mn, Ni, Pb, Sb, Se, Tl, Zn	EPA 200.8	\$10.00 per metal
<i>Anions</i>	Chloride, Fluoride, Nitrate as N, Nitrite as N, Phosphate as P, Sulfate	EPA 300.0	\$22.00 each
<i>Microcystins, Total</i>	Total Microcystins by ELISA-ADDA	Ohio EPA DES 701.0, 2.2	\$125.00
<i>Solids, TDS</i>	Total Dissolved Solids	2540C Standard Methods	\$18.00

Solids Testing

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Ammonia</i>	Ammonia as N in solids	EPA 350.1	\$30.00
<i>Cyanide, Total</i>	Total Cyanide	NEORS SOP 2187-00	\$48.00
<i>Mercury</i>	Mercury in solids	EPA 245.1	\$30.00
<i>Metals Prep</i>	Microwave Digestion for Total Recoverable Metals	SW-846 3051A	\$24.00
<i>Metals</i>	Metals by ICP in solids: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, U, V, Zn	EPA 200.7	\$12.00 per metal
<i>pH</i>	pH	SW-846 9045 D	\$15.00

Northeast Ohio Regional Sewer District

Schedule of Rates and Fees

Page 6

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Solids, Fixed</i>	Fixed Solids	2540 G Standard Methods	\$18.00
<i>Solids, Total (TS)</i>	Total Solids	2540 G Standard Methods	\$18.00
<i>Solids, Volatile (VS)</i>	Volatile Solids	2540 G Standard Methods	\$18.00
<i>TKN</i>	Total Kjeldahl Nitrogen as N	EPA 351.2	\$30.00
<i>Total Phosphorus</i>	Total Phosphorus	EPA 365.1	\$20.00

Miscellaneous Testing

<u>Parameter</u>	<u>Test Description</u>	<u>Method</u>	<u>Price</u>
<i>Mercury in Fish</i>	Mercury in Fish Tissue	ASTM D4638-95a and 245.1	\$260.00
<i>Metals in Fish</i>	Metals in Fish Tissue: As, Pb, Se	ASTM D4638-95a and 200.8	\$290.00
<i>Microscopic Analysis</i>	Microscopic Analysis of Activated Sludge	Inhouse	\$145.00
<i>Microscopic Analysis</i>	Microscopic Analysis of Algae	Inhouse	\$150.00
<i>Microbial Source Tracking (MST)</i>			
	Sample Filtration and Storage	Inhouse	\$31.00
	General Bacteroides (GenBac)	Inhouse	\$325.00
	Human Marker (Hf183)	Inhouse	\$325.00
	White-Tailed Deer Marker	Inhouse	\$325.00
	Goose Marker	Inhouse	\$325.00
	Raccoon Marker	Inhouse	\$500.00
	Canine Marker	Inhouse	\$325.00
	Bird Marker Gull (Catellicoccus)	Inhouse	\$325.00