

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 10:58	Ag	<	0.1	ug/L	EPA-200.7
7/3/2007 10:30	Ag	<	0.1	ug/L	EPA-200.7
7/11/2007 9:45	Ag	<	0.1	ug/L	EPA-200.7
7/19/2007 11:16	Ag	<	0.1	ug/L	EPA-200.7
7/26/2007 11:43	Ag	<	0.1	ug/L	EPA-200.7
8/8/2007 11:20	Ag	<	0.1	ug/L	EPA-200.7
8/15/2007 8:19	Ag	<	0.1	ug/L	EPA-200.7
8/23/2007 10:50	Ag	<	0.1	ug/L	EPA-200.7
8/30/2007 10:48	Ag	<	0.1	ug/L	EPA-200.7
9/6/2007 10:03	Ag	<	0.1	ug/L	EPA-200.7
9/13/2007 11:45	Ag	<	0.1	ug/L	EPA-200.7
9/19/2007 11:36	Ag	<	0.1	ug/L	EPA-200.7
6/26/2007 10:58	Al		78.1	ug/L	EPA-200.7
7/3/2007 10:30	Al		30.4	ug/L	EPA-200.7
7/11/2007 9:45	Al		40.5	ug/L	EPA-200.7
7/19/2007 11:16	Al		49.7	ug/L	EPA-200.7
7/26/2007 11:43	Al		50.1	ug/L	EPA-200.7
8/8/2007 11:20	Al		282	ug/L	EPA-200.7
8/15/2007 8:19	Al		27.5	ug/L	EPA-200.7
8/23/2007 10:50	Al		290	ug/L	EPA-200.7
8/30/2007 10:48	Al		20.2	ug/L	EPA-200.7
9/6/2007 10:03	Al		23.7	ug/L	EPA-200.7
9/13/2007 11:45	Al		21.6	ug/L	EPA-200.7
9/19/2007 11:36	Al		18.2	ug/L	EPA-200.7
6/26/2007 10:58	Alkalinity		110	mg/LCaCO3	EPA-310.2
7/3/2007 10:30	Alkalinity		117	mg/LCaCO3	EPA-310.2
7/11/2007 9:45	Alkalinity		115	mg/LCaCO3	EPA-310.2
7/19/2007 11:16	Alkalinity		109	mg/LCaCO3	EPA-310.2
7/26/2007 11:43	Alkalinity		105	mg/LCaCO3	EPA-310.2
8/8/2007 11:20	Alkalinity		84	mg/LCaCO3	EPA-310.2
8/15/2007 8:19	Alkalinity		118	mg/LCaCO3	EPA-310.2
8/23/2007 10:50	Alkalinity		118	mg/LCaCO3	EPA-310.2
8/30/2007 10:48	Alkalinity		117	mg/LCaCO3	EPA-310.2
9/6/2007 10:03	Alkalinity		114	mg/LCaCO3	EPA-310.2
9/13/2007 11:45	Alkalinity		111	mg/LCaCO3	EPA-310.2
9/19/2007 11:36	Alkalinity		110	mg/LCaCO3	EPA-310.2
6/26/2007 10:58	As	j	1	ug/L	EPA-200.7
7/3/2007 10:30	As	j	0.9	ug/L	EPA-200.7
7/11/2007 9:45	As	j	0.7	ug/L	EPA-200.7
7/19/2007 11:16	As	j	1.6	ug/L	EPA-200.7
7/26/2007 11:43	As	j	1.6	ug/L	EPA-200.7
8/8/2007 11:20	As		2.1	ug/L	EPA-200.7
8/15/2007 8:19	As	j	1	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 10:50	As	j	1.7	ug/L	EPA-200.7
8/30/2007 10:48	As	j	0.8	ug/L	EPA-200.7
9/6/2007 10:03	As	<	0.4	ug/L	EPA-200.7
9/13/2007 11:45	As	j	1.4	ug/L	EPA-200.7
9/19/2007 11:36	As	<	0.4	ug/L	EPA-200.7
6/26/2007 10:58	Be	<	0.1	ug/L	EPA-200.7
7/3/2007 10:30	Be	<	0.1	ug/L	EPA-200.7
7/11/2007 9:45	Be	<	0.1	ug/L	EPA-200.7
7/19/2007 11:16	Be	<	0.1	ug/L	EPA-200.7
7/26/2007 11:43	Be	<	0.1	ug/L	EPA-200.7
8/8/2007 11:20	Be	<	0.1	ug/L	EPA-200.7
8/15/2007 8:19	Be	<	0.1	ug/L	EPA-200.7
8/23/2007 10:50	Be	<	0.1	ug/L	EPA-200.7
8/30/2007 10:48	Be	<	0.1	ug/L	EPA-200.7
9/6/2007 10:03	Be	<	0.1	ug/L	EPA-200.7
9/13/2007 11:45	Be	<	0.1	ug/L	EPA-200.7
9/19/2007 11:36	Be	<	0.1	ug/L	EPA-200.7
6/26/2007 10:58	BOD	<	2	mg/L	SM 5210
7/3/2007 10:30	BOD	<	2	mg/L	SM 5210
7/11/2007 9:45	BOD	<	2	mg/L	SM 5210
7/19/2007 11:16	BOD	<	2	mg/L	SM 5210
7/26/2007 11:43	BOD		2	mg/L	SM 5210
8/8/2007 11:20	BOD		3	mg/L	SM 5210
8/15/2007 8:19	BOD	<	2	mg/L	SM 5210
8/23/2007 10:50	BOD	<	2	mg/L	SM 5210
8/30/2007 10:48	BOD	<	2	mg/L	SM 5210
9/6/2007 10:03	BOD	<	2	mg/L	SM 5210
9/13/2007 11:45	BOD	<	2	mg/L	SM 5210
9/19/2007 11:36	BOD	<	2	mg/L	SM 5210
6/26/2007 10:58	Ca		59200	ug/L	EPA-200.7
7/3/2007 10:30	Ca		58200	ug/L	EPA-200.7
7/11/2007 9:45	Ca		54300	ug/L	EPA-200.7
7/19/2007 11:16	Ca		49900	ug/L	EPA-200.7
7/26/2007 11:43	Ca		46000	ug/L	EPA-200.7
8/8/2007 11:20	Ca		42400	ug/L	EPA-200.7
8/15/2007 8:19	Ca		65800	ug/L	EPA-200.7
8/23/2007 10:50	Ca		63300	ug/L	EPA-200.7
8/30/2007 10:48	Ca		61600	ug/L	EPA-200.7
9/6/2007 10:03	Ca		59900	ug/L	EPA-200.7
9/13/2007 11:45	Ca		43900	ug/L	EPA-200.7
9/19/2007 11:36	Ca		56600	ug/L	EPA-200.7
6/26/2007 10:58	CaCO3		212	mg/LCaCO3	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 10:30	CaCO3		209	mg/LCaCO3	EPA-200.7
7/11/2007 9:45	CaCO3		195	mg/LCaCO3	EPA-200.7
7/19/2007 11:16	CaCO3		180	mg/LCaCO3	EPA-200.7
7/26/2007 11:43	CaCO3		166	mg/LCaCO3	EPA-200.7
8/8/2007 11:20	CaCO3		148	mg/LCaCO3	EPA-200.7
8/15/2007 8:19	CaCO3		233	mg/LCaCO3	EPA-200.7
8/23/2007 10:50	CaCO3		224	mg/LCaCO3	EPA-200.7
8/30/2007 10:48	CaCO3		218	mg/LCaCO3	EPA-200.7
9/6/2007 10:03	CaCO3		215	mg/LCaCO3	EPA-200.7
9/13/2007 11:45	CaCO3		159	mg/LCaCO3	EPA-200.7
9/19/2007 11:36	CaCO3		202	mg/LCaCO3	EPA-200.7
6/26/2007 10:58	Cd	<	0.2	ug/L	EPA-200.7
7/3/2007 10:30	Cd	<	0.2	ug/L	EPA-200.7
7/11/2007 9:45	Cd	<	0.2	ug/L	EPA-200.7
7/19/2007 11:16	Cd	<	0.2	ug/L	EPA-200.7
7/26/2007 11:43	Cd	<	0.2	ug/L	EPA-200.7
8/8/2007 11:20	Cd	j	0.2	ug/L	EPA-200.7
8/15/2007 8:19	Cd	<	0.2	ug/L	EPA-200.7
8/23/2007 10:50	Cd	<	0.2	ug/L	EPA-200.7
8/30/2007 10:48	Cd	<	0.2	ug/L	EPA-200.7
9/6/2007 10:03	Cd	<	0.2	ug/L	EPA-200.7
9/13/2007 11:45	Cd	<	0.2	ug/L	EPA-200.7
9/19/2007 11:36	Cd	<	0.2	ug/L	EPA-200.7
6/26/2007 10:58	Co	j	0.3	ug/L	EPA-200.7
7/3/2007 10:30	Co	j	0.2	ug/L	EPA-200.7
7/11/2007 9:45	Co	j	0.2	ug/L	EPA-200.7
7/19/2007 11:16	Co	j	0.2	ug/L	EPA-200.7
7/26/2007 11:43	Co	j	0.2	ug/L	EPA-200.7
8/8/2007 11:20	Co	j	0.6	ug/L	EPA-200.7
8/15/2007 8:19	Co	j	0.2	ug/L	EPA-200.7
8/23/2007 10:50	Co		1.2	ug/L	EPA-200.7
8/30/2007 10:48	Co	j	0.2	ug/L	EPA-200.7
9/6/2007 10:03	Co	j	0.2	ug/L	EPA-200.7
9/13/2007 11:45	Co	j	0.2	ug/L	EPA-200.7
9/19/2007 11:36	Co	j	0.1	ug/L	EPA-200.7
6/26/2007 10:58	COD		7	mg/L	EPA 410.4
7/3/2007 10:30	COD		11	mg/L	EPA 410.4
7/11/2007 9:45	COD		14	mg/L	EPA 410.4
7/19/2007 11:16	COD	<	4	mg/L	EPA 410.4
7/26/2007 11:43	COD		11	mg/L	EPA 410.4
8/8/2007 11:20	COD		18	mg/L	EPA 410.4
8/15/2007 8:19	COD		4	mg/L	EPA 410.4
8/23/2007 10:50	COD		5	mg/L	EPA 410.4

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
8/30/2007 10:48	COD		16	mg/L	EPA 410.4
9/6/2007 10:03	COD		25	mg/L	EPA 410.4
9/13/2007 11:45	COD		19	mg/L	EPA 410.4
9/19/2007 11:36	COD		6	mg/L	EPA 410.4
6/26/2007 10:58	Cr	<	0.5	ug/L	EPA-200.7
7/3/2007 10:30	Cr	<	0.5	ug/L	EPA-200.7
7/11/2007 9:45	Cr	<	0.5	ug/L	EPA-200.7
7/19/2007 11:16	Cr	<	0.5	ug/L	EPA-200.7
7/26/2007 11:43	Cr	<	0.5	ug/L	EPA-200.7
8/8/2007 11:20	Cr	j	0.6	ug/L	EPA-200.7
8/15/2007 8:19	Cr	<	0.5	ug/L	EPA-200.7
8/23/2007 10:50	Cr	j	0.6	ug/L	EPA-200.7
8/30/2007 10:48	Cr	<	0.5	ug/L	EPA-200.7
9/6/2007 10:03	Cr	<	0.5	ug/L	EPA-200.7
9/13/2007 11:45	Cr	<	0.5	ug/L	EPA-200.7
9/19/2007 11:36	Cr	<	0.5	ug/L	EPA-200.7
6/26/2007 10:58	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/3/2007 10:30	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/11/2007 9:45	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/19/2007 11:16	Cr+6	j	1.48	ug/L	SM 3500-Cr-D
7/26/2007 11:43	Cr+6	j	2.55	ug/L	SM 3500-Cr-D
8/8/2007 11:20	Cr+6	j	2.45	ug/L	SM 3500-Cr-D
8/15/2007 8:19	Cr+6	j	2.59	ug/L	SM 3500-Cr-D
8/23/2007 10:50	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/30/2007 10:48	Cr+6	j	4.65	ug/L	SM 3500-Cr-D
9/6/2007 10:03	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/13/2007 11:45	Cr+6	j	1.32	ug/L	SM 3500-Cr-D
9/19/2007 11:36	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/26/2007 10:58	Cu		2.9	ug/L	EPA-200.7
7/3/2007 10:30	Cu		2.8	ug/L	EPA-200.7
7/11/2007 9:45	Cu		2.6	ug/L	EPA-200.7
7/19/2007 11:16	Cu		3.1	ug/L	EPA-200.7
7/26/2007 11:43	Cu		2.5	ug/L	EPA-200.7
8/8/2007 11:20	Cu		4.1	ug/L	EPA-200.7
8/15/2007 8:19	Cu		3	ug/L	EPA-200.7
8/23/2007 10:50	Cu		4.8	ug/L	EPA-200.7
8/30/2007 10:48	Cu		3.1	ug/L	EPA-200.7
9/6/2007 10:03	Cu		2.5	ug/L	EPA-200.7
9/13/2007 11:45	Cu		3	ug/L	EPA-200.7
9/19/2007 11:36	Cu		2.2	ug/L	EPA-200.7
6/26/2007 10:58	Fe		137	ug/L	EPA-200.7
7/3/2007 10:30	Fe		47.5	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 9:45	Fe		70	ug/L	EPA-200.7
7/19/2007 11:16	Fe		122	ug/L	EPA-200.7
7/26/2007 11:43	Fe		76.9	ug/L	EPA-200.7
8/8/2007 11:20	Fe		488	ug/L	EPA-200.7
8/15/2007 8:19	Fe		43.5	ug/L	EPA-200.7
8/23/2007 10:50	Fe		382	ug/L	EPA-200.7
8/30/2007 10:48	Fe		30.7	ug/L	EPA-200.7
9/6/2007 10:03	Fe		31.7	ug/L	EPA-200.7
9/13/2007 11:45	Fe		159	ug/L	EPA-200.7
9/19/2007 11:36	Fe		25.5	ug/L	EPA-200.7
6/26/2007 10:58	Field Cond		1214	uS/cm	SM 2510A
7/3/2007 10:30	Field Cond		1180	uS/cm	SM 2510A
7/11/2007 9:45	Field Cond		1090	uS/cm	SM 2510A
7/19/2007 11:16	Field Cond		1050	uS/cm	SM 2510A
7/26/2007 11:43	Field Cond		996	uS/cm	SM 2510A
8/15/2007 8:19	Field Cond		1231	uS/cm	SM 2510A
8/23/2007 10:50	Field Cond		977	uS/cm	SM 2510A
8/30/2007 10:48	Field Cond		1139	uS/cm	SM 2510A
9/6/2007 10:03	Field Cond		1172	uS/cm	SM 2510A
9/13/2007 11:45	Field Cond		843	uS/cm	SM 2510A
9/19/2007 11:36	Field Cond		935	uS/cm	SM 2510A
6/26/2007 10:58	Field DO		9.47	mg/L	SM 4500-O G
7/3/2007 10:30	Field DO		12.27	mg/L	SM 4500-O G
7/11/2007 9:45	Field DO		8.11	mg/L	SM 4500-O G
7/26/2007 11:43	Field DO		11.08	mg/L	SM 4500-O G
8/15/2007 8:19	Field DO		7.89	mg/L	SM 4500-O G
8/30/2007 10:48	Field DO		8.1	mg/L	SM 4500-O G
9/6/2007 10:03	Field DO		9.98	mg/L	SM 4500-O G
6/26/2007 10:58	Field Temp		22.93	C	EPA 170.1
7/3/2007 10:30	Field Temp		18.6	C	EPA 170.1
7/11/2007 9:45	Field Temp		23.33	C	EPA 170.1
7/19/2007 11:16	Field Temp		21.88	C	EPA 170.1
7/26/2007 11:43	Field Temp		20.05	C	EPA 170.1
8/8/2007 11:20	Field Temp		23.7	C	EPA 170.1
8/15/2007 8:19	Field Temp		20.44	C	EPA 170.1
8/23/2007 10:50	Field Temp		21.73	C	EPA 170.1
8/30/2007 10:48	Field Temp		21.94	C	EPA 170.1
9/6/2007 10:03	Field Temp		20.82	C	EPA 170.1
9/13/2007 11:45	Field Temp		16.49	C	EPA 170.1
9/19/2007 11:36	Field Temp		17.5	C	EPA 170.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 10:58	Hg	<	0.05	ug/L	EPA 245.1
7/3/2007 10:30	Hg	<	0.05	ug/L	EPA 245.1
7/11/2007 9:45	Hg	<	0.05	ug/L	EPA 245.1
7/19/2007 11:16	Hg	<	0.05	ug/L	EPA 245.1
7/26/2007 11:43	Hg	<	0.05	ug/L	EPA 245.1
8/8/2007 11:20	Hg	<	0.05	ug/L	EPA 245.1
8/15/2007 8:19	Hg	<	0.05	ug/L	EPA 245.1
8/23/2007 10:50	Hg	<	0.05	ug/L	EPA 245.1
8/30/2007 10:48	Hg	<	0.05	ug/L	EPA 245.1
9/6/2007 10:03	Hg	<	0.05	ug/L	EPA 245.1
9/13/2007 11:45	Hg	<	0.05	ug/L	EPA 245.1
9/19/2007 11:36	Hg	<	0.05	ug/L	EPA 245.1
6/26/2007 10:58	K		5320	ug/L	EPA-200.7
7/3/2007 10:30	K		4760	ug/L	EPA-200.7
7/11/2007 9:45	K		5000	ug/L	EPA-200.7
7/19/2007 11:16	K		4730	ug/L	EPA-200.7
7/26/2007 11:43	K		4160	ug/L	EPA-200.7
8/8/2007 11:20	K		4610	ug/L	EPA-200.7
8/15/2007 8:19	K		5650	ug/L	EPA-200.7
8/23/2007 10:50	K		5970	ug/L	EPA-200.7
8/30/2007 10:48	K		5560	ug/L	EPA-200.7
9/6/2007 10:03	K		5300	ug/L	EPA-200.7
9/13/2007 11:45	K		4140	ug/L	EPA-200.7
9/19/2007 11:36	K		4380	ug/L	EPA-200.7
6/26/2007 10:58	Mg		15500	ug/L	EPA-200.7
7/3/2007 10:30	Mg		15500	ug/L	EPA-200.7
7/11/2007 9:45	Mg		14400	ug/L	EPA-200.7
7/19/2007 11:16	Mg		13400	ug/L	EPA-200.7
7/26/2007 11:43	Mg		12300	ug/L	EPA-200.7
8/8/2007 11:20	Mg		10300	ug/L	EPA-200.7
8/15/2007 8:19	Mg		16700	ug/L	EPA-200.7
8/23/2007 10:50	Mg		15900	ug/L	EPA-200.7
8/30/2007 10:48	Mg		15700	ug/L	EPA-200.7
9/6/2007 10:03	Mg		15900	ug/L	EPA-200.7
9/13/2007 11:45	Mg		12000	ug/L	EPA-200.7
9/19/2007 11:36	Mg		14700	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 10:58	Mn		9.6	ug/L	EPA-200.7
7/3/2007 10:30	Mn		5.4	ug/L	EPA-200.7
7/11/2007 9:45	Mn		7.7	ug/L	EPA-200.7
7/19/2007 11:16	Mn		9.4	ug/L	EPA-200.7
7/26/2007 11:43	Mn		6.8	ug/L	EPA-200.7
8/8/2007 11:20	Mn		22.6	ug/L	EPA-200.7
8/15/2007 8:19	Mn		3.5	ug/L	EPA-200.7
8/23/2007 10:50	Mn		15.8	ug/L	EPA-200.7
8/30/2007 10:48	Mn		2.3	ug/L	EPA-200.7
9/6/2007 10:03	Mn		2.2	ug/L	EPA-200.7
9/13/2007 11:45	Mn		2.7	ug/L	EPA-200.7
9/19/2007 11:36	Mn		1.4	ug/L	EPA-200.7
6/26/2007 10:58	Mo		3.7	ug/L	EPA-200.7
7/3/2007 10:30	Mo		3.7	ug/L	EPA-200.7
7/11/2007 9:45	Mo		4.3	ug/L	EPA-200.7
7/19/2007 11:16	Mo		3.8	ug/L	EPA-200.7
7/26/2007 11:43	Mo		3.5	ug/L	EPA-200.7
8/8/2007 11:20	Mo		3.3	ug/L	EPA-200.7
8/15/2007 8:19	Mo		3.7	ug/L	EPA-200.7
8/23/2007 10:50	Mo		3.6	ug/L	EPA-200.7
8/30/2007 10:48	Mo		4.2	ug/L	EPA-200.7
9/6/2007 10:03	Mo		4	ug/L	EPA-200.7
9/13/2007 11:45	Mo		3.5	ug/L	EPA-200.7
9/19/2007 11:36	Mo		3.3	ug/L	EPA-200.7
6/26/2007 10:58	Na		160000	ug/L	EPA-200.7
7/3/2007 10:30	Na		155000	ug/L	EPA-200.7
7/11/2007 9:45	Na	~	137000	ug/L	EPA-200.7
7/19/2007 11:16	Na		138000	ug/L	EPA-200.7
7/26/2007 11:43	Na		125000	ug/L	EPA-200.7
8/8/2007 11:20	Na		99100	ug/L	EPA-200.7
8/15/2007 8:19	Na		145000	ug/L	EPA-200.7
8/23/2007 10:50	Na		128000	ug/L	EPA-200.7
8/30/2007 10:48	Na		149000	ug/L	EPA-200.7
9/6/2007 10:03	Na		140000	ug/L	EPA-200.7
9/13/2007 11:45	Na		101000	ug/L	EPA-200.7
9/19/2007 11:36	Na		117000	ug/L	EPA-200.7
6/26/2007 10:58	NH3		0.02	mg/L	EPA-350.1
7/3/2007 10:30	NH3	<	0.01	mg/L	EPA-350.1
7/11/2007 9:45	NH3		0.01	mg/L	EPA-350.1
7/19/2007 11:16	NH3	<	0.01	mg/L	EPA-350.1
7/26/2007 11:43	NH3		0.03	mg/L	EPA-350.1
8/8/2007 11:20	NH3		0.04	mg/L	EPA-350.1
8/15/2007 8:19	NH3		0.04	mg/L	EPA-350.1

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 10:50	NH3		0.03	mg/L	EPA-350.1
8/30/2007 10:48	NH3	<	0.003	mg/L	EPA-350.1
9/6/2007 10:03	NH3	j	0.01	mg/L	EPA-350.1
9/13/2007 11:45	NH3	j	0.01	mg/L	EPA-350.1
9/19/2007 11:36	NH3		0.02	mg/L	EPA-350.1
6/26/2007 10:58	Ni	j	1.9	ug/L	EPA-200.7
7/3/2007 10:30	Ni	j	1.8	ug/L	EPA-200.7
7/11/2007 9:45	Ni	j	1.7	ug/L	EPA-200.7
7/19/2007 11:16	Ni	j	1.8	ug/L	EPA-200.7
7/26/2007 11:43	Ni	j	1.5	ug/L	EPA-200.7
8/8/2007 11:20	Ni		3.2	ug/L	EPA-200.7
8/15/2007 8:19	Ni		2.1	ug/L	EPA-200.7
8/23/2007 10:50	Ni		4.6	ug/L	EPA-200.7
8/30/2007 10:48	Ni		3	ug/L	EPA-200.7
9/6/2007 10:03	Ni	j	1.7	ug/L	EPA-200.7
9/13/2007 11:45	Ni		2.5	ug/L	EPA-200.7
9/19/2007 11:36	Ni	j	1.5	ug/L	EPA-200.7
6/26/2007 10:58	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/3/2007 10:30	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/11/2007 9:45	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/19/2007 11:16	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/26/2007 11:43	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/8/2007 11:20	NO2		0.02	mg/L	SM 4500-NO2-B
8/15/2007 8:19	NO2	<	0.002	mg/L	SM 4500-NO2-B
8/23/2007 10:50	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/30/2007 10:48	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/6/2007 10:03	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/13/2007 11:45	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/19/2007 11:36	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/26/2007 10:58	NO3		0.4	mg/L	EPA 353.2
7/3/2007 10:30	NO3		0.25	mg/L	EPA 353.2
7/11/2007 9:45	NO3		0.13	mg/L	EPA 353.2
7/19/2007 11:16	NO3		0.28	mg/L	EPA 353.2
7/26/2007 11:43	NO3		0.38	mg/L	EPA 353.2
8/8/2007 11:20	NO3		1.14	mg/L	EPA 353.2
8/15/2007 8:19	NO3		0.8	mg/L	EPA 353.2
8/23/2007 10:50	NO3		0.99	mg/L	EPA 353.2
8/30/2007 10:48	NO3		0.25	mg/L	EPA 353.2
9/6/2007 10:03	NO3		0.05	mg/L	EPA 353.2
9/13/2007 11:45	NO3		0.42	mg/L	EPA 353.2
9/19/2007 11:36	NO3		0.33	mg/L	EPA 353.2
6/26/2007 10:58	NO3+NO2		0.4	mg/L	EPA 353.2

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 10:30	NO3+NO2		0.24	mg/L	EPA 353.2
7/11/2007 9:45	NO3+NO2		0.13	mg/L	EPA 353.2
7/19/2007 11:16	NO3+NO2		0.28	mg/L	EPA 353.2
7/26/2007 11:43	NO3+NO2		0.38	mg/L	EPA 353.2
8/8/2007 11:20	NO3+NO2		1.16	mg/L	EPA 353.2
8/15/2007 8:19	NO3+NO2		0.75	mg/L	EPA 353.2
8/23/2007 10:50	NO3+NO2		0.99	mg/L	EPA 353.2
8/30/2007 10:48	NO3+NO2		0.24	mg/L	EPA 353.2
9/6/2007 10:03	NO3+NO2		0.05	mg/L	EPA 353.2
9/13/2007 11:45	NO3+NO2		0.42	mg/L	EPA 353.2
9/19/2007 11:36	NO3+NO2		0.33	mg/L	EPA 353.2
6/26/2007 10:58	Pb	<	0.3	ug/L	EPA-200.7
7/3/2007 10:30	Pb	j	0.8	ug/L	EPA-200.7
7/11/2007 9:45	Pb	<	0.3	ug/L	EPA-200.7
7/19/2007 11:16	Pb	<	0.3	ug/L	EPA-200.7
7/26/2007 11:43	Pb	<	0.3	ug/L	EPA-200.7
8/8/2007 11:20	Pb	<	0.3	ug/L	EPA-200.7
8/15/2007 8:19	Pb	<	0.3	ug/L	EPA-200.7
8/23/2007 10:50	Pb	<	0.3	ug/L	EPA-200.7
8/30/2007 10:48	Pb	<	0.3	ug/L	EPA-200.7
9/6/2007 10:03	Pb	<	0.3	ug/L	EPA-200.7
9/13/2007 11:45	Pb	<	0.3	ug/L	EPA-200.7
9/19/2007 11:36	Pb	<	0.3	ug/L	EPA-200.7
6/26/2007 10:58	pH		8.27	S.U.	
7/3/2007 10:30	pH		8.51	S.U.	
7/11/2007 9:45	pH		8.29	S.U.	
7/19/2007 11:16	pH		8.27	S.U.	
7/26/2007 11:43	pH		8.48	S.U.	
8/8/2007 11:20	pH		7.36	S.U.	
8/15/2007 8:19	pH		8.11	S.U.	
8/23/2007 10:50	pH		8.44	S.U.	
8/30/2007 10:48	pH		8.03	S.U.	
9/6/2007 10:03	pH		8.52	S.U.	
9/13/2007 11:45	pH		8.06	S.U.	
9/19/2007 11:36	pH		8.28	S.U.	
6/26/2007 10:58	Sb	j	0.8	ug/L	EPA-200.7
7/3/2007 10:30	Sb	<	0.4	ug/L	EPA-200.7
7/11/2007 9:45	Sb	j	0.7	ug/L	EPA-200.7
7/19/2007 11:16	Sb	<	0.4	ug/L	EPA-200.7
7/26/2007 11:43	Sb	<	0.4	ug/L	EPA-200.7
8/8/2007 11:20	Sb	<	0.4	ug/L	EPA-200.7
8/15/2007 8:19	Sb	<	0.4	ug/L	EPA-200.7
8/23/2007 10:50	Sb	j	0.6	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
8/30/2007 10:48	Sb	<	0.4	ug/L	EPA-200.7
9/6/2007 10:03	Sb	<	0.4	ug/L	EPA-200.7
9/13/2007 11:45	Sb	j	0.5	ug/L	EPA-200.7
9/19/2007 11:36	Sb	j	0.7	ug/L	EPA-200.7
6/26/2007 10:58	Se	j	1.7	ug/L	EPA-200.7
7/3/2007 10:30	Se	<	0.9	ug/L	EPA-200.7
7/11/2007 9:45	Se	<	0.9	ug/L	EPA-200.7
7/19/2007 11:16	Se	<	0.9	ug/L	EPA-200.7
7/26/2007 11:43	Se	<	0.9	ug/L	EPA-200.7
8/8/2007 11:20	Se	j	1.9	ug/L	EPA-200.7
8/15/2007 8:19	Se	j	1.2	ug/L	EPA-200.7
8/23/2007 10:50	Se	j	2.1	ug/L	EPA-200.7
8/30/2007 10:48	Se	j	1.4	ug/L	EPA-200.7
9/6/2007 10:03	Se	j	2.1	ug/L	EPA-200.7
9/13/2007 11:45	Se	j	1.2	ug/L	EPA-200.7
9/19/2007 11:36	Se	j	1.6	ug/L	EPA-200.7
6/26/2007 10:58	Sn	<	4.6	ug/L	EPA-200.7
7/3/2007 10:30	Sn	<	4.6	ug/L	EPA-200.7
7/11/2007 9:45	Sn	<	4.6	ug/L	EPA-200.7
7/19/2007 11:16	Sn	<	4.6	ug/L	EPA-200.7
7/26/2007 11:43	Sn	<	4.6	ug/L	EPA-200.7
8/8/2007 11:20	Sn	<	4.6	ug/L	EPA-200.7
8/15/2007 8:19	Sn	<	4.6	ug/L	EPA-200.7
8/23/2007 10:50	Sn	<	4.6	ug/L	EPA-200.7
8/30/2007 10:48	Sn	<	4.6	ug/L	EPA-200.7
9/6/2007 10:03	Sn	<	4.6	ug/L	EPA-200.7
9/13/2007 11:45	Sn	<	4.6	ug/L	EPA-200.7
9/19/2007 11:36	Sn	<	4.6	ug/L	EPA-200.7
6/26/2007 10:58	Soluble-P		0.04	mg/L	EPA 365.1
7/3/2007 10:30	Soluble-P		0.02	mg/L	EPA 365.1
7/11/2007 9:45	Soluble-P		0.02	mg/L	EPA 365.1
7/19/2007 11:16	Soluble-P		0.04	mg/L	EPA 365.1
7/26/2007 11:43	Soluble-P		0.03	mg/L	EPA 365.1
8/8/2007 11:20	Soluble-P		0.04	mg/L	EPA 365.1
8/15/2007 8:19	Soluble-P		0.03	mg/L	EPA 365.1
8/23/2007 10:50	Soluble-P		0.05	mg/L	EPA 365.1
8/30/2007 10:48	Soluble-P		0.03	mg/L	EPA 365.1
9/6/2007 10:03	Soluble-P		0.02	mg/L	EPA 365.1
9/13/2007 11:45	Soluble-P		0.03	mg/L	EPA 365.1
9/19/2007 11:36	Soluble-P		0.03	mg/L	EPA 365.1
6/26/2007 10:58	TDS		654	mg/L	SM2540C
7/3/2007 10:30	TDS		656	mg/L	SM2540C

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 9:45	TDS		596	mg/L	SM2540C
7/19/2007 11:16	TDS		560	mg/L	SM2540C
7/26/2007 11:43	TDS		539	mg/L	SM2540C
8/8/2007 11:20	TDS		452	mg/L	SM2540C
8/15/2007 8:19	TDS		692	mg/L	SM2540C
8/23/2007 10:50	TDS		595	mg/L	SM2540C
8/30/2007 10:48	TDS		615	mg/L	SM2540C
9/6/2007 10:03	TDS		611	mg/L	SM2540C
9/13/2007 11:45	TDS		473	mg/L	SM2540C
9/19/2007 11:36	TDS		575	mg/L	SM2540C
6/26/2007 10:58	Ti	<	0.6	ug/L	EPA-200.7
7/3/2007 10:30	Ti	<	0.6	ug/L	EPA-200.7
7/11/2007 9:45	Ti	<	0.6	ug/L	EPA-200.7
7/19/2007 11:16	Ti	<	0.6	ug/L	EPA-200.7
7/26/2007 11:43	Ti	<	0.6	ug/L	EPA-200.7
8/8/2007 11:20	Ti		2.4	ug/L	EPA-200.7
8/15/2007 8:19	Ti	<	0.6	ug/L	EPA-200.7
8/23/2007 10:50	Ti	j	1.5	ug/L	EPA-200.7
8/30/2007 10:48	Ti	<	0.6	ug/L	EPA-200.7
9/6/2007 10:03	Ti	<	0.6	ug/L	EPA-200.7
9/13/2007 11:45	Ti	<	0.6	ug/L	EPA-200.7
9/19/2007 11:36	Ti	<	0.6	ug/L	EPA-200.7
6/26/2007 10:58	TI		7.3	ug/L	EPA-200.7
7/3/2007 10:30	TI		6.9	ug/L	EPA-200.7
7/11/2007 9:45	TI		7.5	ug/L	EPA-200.7
7/19/2007 11:16	TI		5.4	ug/L	EPA-200.7
7/26/2007 11:43	TI		6.1	ug/L	EPA-200.7
8/8/2007 11:20	TI		6.4	ug/L	EPA-200.7
8/15/2007 8:19	TI		8	ug/L	EPA-200.7
8/23/2007 10:50	TI		6.2	ug/L	EPA-200.7
8/30/2007 10:48	TI		6.3	ug/L	EPA-200.7
9/6/2007 10:03	TI		6.9	ug/L	EPA-200.7
9/13/2007 11:45	TI		7.6	ug/L	EPA-200.7
9/19/2007 11:36	TI		7.7	ug/L	EPA-200.7
6/26/2007 10:58	TMET		49.9	ug/L	EPA-200.7
7/3/2007 10:30	TMET	<	10	ug/L	EPA-200.7
7/11/2007 9:45	TMET	<	10	ug/L	EPA-200.7
7/19/2007 11:16	TMET	<	10	ug/L	EPA-200.7
7/26/2007 11:43	TMET	<	10	ug/L	EPA-200.7
8/8/2007 11:20	TMET		12.5	ug/L	EPA-200.7
8/15/2007 8:19	TMET	<	10	ug/L	EPA-200.7
8/23/2007 10:50	TMET		15.7	ug/L	EPA-200.7
8/30/2007 10:48	TMET	<	10	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/6/2007 10:03	TMET	<	10	ug/L	EPA-200.7
9/13/2007 11:45	TMET	<	10	ug/L	EPA-200.7
9/19/2007 11:36	TMET	<	10	ug/L	EPA-200.7
6/26/2007 10:58	Total-P		0.08	mg/L	EPA 365.1
7/3/2007 10:30	Total-P		0.03	mg/L	EPA 365.1
7/11/2007 9:45	Total-P		0.04	mg/L	EPA 365.1
7/19/2007 11:16	Total-P		0.05	mg/L	EPA 365.1
7/26/2007 11:43	Total-P		0.05	mg/L	EPA 365.1
8/8/2007 11:20	Total-P		0.07	mg/L	EPA 365.1
8/15/2007 8:19	Total-P		0.04	mg/L	EPA 365.1
8/23/2007 10:50	Total-P		0.06	mg/L	EPA 365.1
8/30/2007 10:48	Total-P		0.03	mg/L	EPA 365.1
9/6/2007 10:03	Total-P		0.04	mg/L	EPA 365.1
9/13/2007 11:45	Total-P		0.05	mg/L	EPA 365.1
9/19/2007 11:36	Total-P		0.04	mg/L	EPA 365.1
6/26/2007 10:58	TS		716	mg/L	SM2540B
7/3/2007 10:30	TS		694	mg/L	SM2540B
7/11/2007 9:45	TS		612	mg/L	SM2540B
7/19/2007 11:16	TS		586	mg/L	SM2540B
7/26/2007 11:43	TS		559	mg/L	SM2540B
8/8/2007 11:20	TS		498	mg/L	SM2540B
8/15/2007 8:19	TS		752	mg/L	SM2540B
8/23/2007 10:50	TS		676	mg/L	SM2540B
8/30/2007 10:48	TS		641	mg/L	SM2540B
9/6/2007 10:03	TS		683	mg/L	SM2540B
9/13/2007 11:45	TS		497	mg/L	SM2540B
9/19/2007 11:36	TS		646	mg/L	SM2540B
6/26/2007 10:58	TSS	<	11	mg/L	SM2540D
7/3/2007 10:30	TSS		2	mg/L	SM2540D
7/11/2007 9:45	TSS		3	mg/L	SM2540D
7/19/2007 11:16	TSS		4	mg/L	SM2540D
7/26/2007 11:43	TSS		3	mg/L	SM2540D
8/8/2007 11:20	TSS		10	mg/L	SM2540D
8/15/2007 8:19	TSS	<	1	mg/L	SM2540D
8/23/2007 10:50	TSS		26	mg/L	SM2540D
8/30/2007 10:48	TSS		2	mg/L	SM2540D
9/6/2007 10:03	TSS	<	1	mg/L	SM2540D
9/13/2007 11:45	TSS	<	1	mg/L	SM2540D
9/19/2007 11:36	TSS	<	1	mg/L	SM2540D
6/26/2007 10:58	Turbidity		4.17	NTU	EPA 180.1
7/3/2007 10:30	Turbidity		0.93	NTU	EPA 180.1
7/11/2007 9:45	Turbidity		1.12	NTU	EPA 180.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/26/2007 11:43	Turbidity		1.74	NTU	EPA 180.1
8/8/2007 11:20	Turbidity		8.06	NTU	EPA 180.1
8/15/2007 8:19	Turbidity		0.69	NTU	EPA 180.1
8/23/2007 10:50	Turbidity		19.8	NTU	EPA 180.1
8/30/2007 10:48	Turbidity		1.22	NTU	EPA 180.1
9/6/2007 10:03	Turbidity	<	0.1	NTU	EPA 180.1
9/13/2007 11:45	Turbidity	<	0.1	NTU	EPA 180.1
9/19/2007 11:36	Turbidity		0.26	NTU	EPA 180.1
6/26/2007 10:58	V	<	0.2	ug/L	EPA-200.7
7/3/2007 10:30	V	<	0.2	ug/L	EPA-200.7
7/11/2007 9:45	V	<	0.2	ug/L	EPA-200.7
7/19/2007 11:16	V	<	0.2	ug/L	EPA-200.7
7/26/2007 11:43	V	<	0.2	ug/L	EPA-200.7
8/8/2007 11:20	V	j	0.4	ug/L	EPA-200.7
8/15/2007 8:19	V	<	0.2	ug/L	EPA-200.7
8/23/2007 10:50	V	j	0.3	ug/L	EPA-200.7
8/30/2007 10:48	V	<	0.2	ug/L	EPA-200.7
9/6/2007 10:03	V	<	0.2	ug/L	EPA-200.7
9/13/2007 11:45	V	<	0.2	ug/L	EPA-200.7
9/19/2007 11:36	V	<	0.2	ug/L	EPA-200.7
6/26/2007 10:58	Zn		45.1	ug/L	EPA-200.7
7/3/2007 10:30	Zn	j	2.7	ug/L	EPA-200.7
7/11/2007 9:45	Zn	j	3	ug/L	EPA-200.7
7/19/2007 11:16	Zn	<	3.7	ug/L	EPA-200.7
7/26/2007 11:43	Zn	j	1.7	ug/L	EPA-200.7
8/8/2007 11:20	Zn	j	4.6	ug/L	EPA-200.7
8/15/2007 8:19	Zn	j	1.3	ug/L	EPA-200.7
8/23/2007 10:50	Zn	j	5.7	ug/L	EPA-200.7
8/30/2007 10:48	Zn	j	2.7	ug/L	EPA-200.7
9/6/2007 10:03	Zn	j	1.4	ug/L	EPA-200.7
9/13/2007 11:45	Zn	j	4	ug/L	EPA-200.7
9/19/2007 11:36	Zn	j	2.3	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 13:55	Ag	<	0.1	ug/L	EPA-200.7
6/26/2007 11:22	Ag	<	0.1	ug/L	EPA-200.7
7/3/2007 10:05	Ag	<	0.1	ug/L	EPA-200.7
7/11/2007 10:03	Ag	<	0.1	ug/L	EPA-200.7
7/19/2007 11:32	Ag	<	0.1	ug/L	EPA-200.7
7/26/2007 12:09	Ag	<	0.1	ug/L	EPA-200.7
8/8/2007 11:45	Ag	<	0.1	ug/L	EPA-200.7
8/15/2007 8:39	Ag	<	0.1	ug/L	EPA-200.7
8/23/2007 10:22	Ag	<	0.1	ug/L	EPA-200.7
8/30/2007 11:06	Ag	<	0.1	ug/L	EPA-200.7
9/6/2007 10:25	Ag	<	0.1	ug/L	EPA-200.7
9/13/2007 12:15	Ag	<	0.1	ug/L	EPA-200.7
9/19/2007 11:52	Ag	<	0.1	ug/L	EPA-200.7
6/18/2007 13:55	Al		29.4	ug/L	EPA-200.7
6/26/2007 11:22	Al		37.7	ug/L	EPA-200.7
7/3/2007 10:05	Al		21.6	ug/L	EPA-200.7
7/11/2007 10:03	Al		42	ug/L	EPA-200.7
7/19/2007 11:32	Al		141	ug/L	EPA-200.7
7/26/2007 12:09	Al		63.5	ug/L	EPA-200.7
8/8/2007 11:45	Al		367	ug/L	EPA-200.7
8/15/2007 8:39	Al		35.9	ug/L	EPA-200.7
8/23/2007 10:22	Al		92.2	ug/L	EPA-200.7
8/30/2007 11:06	Al		17.9	ug/L	EPA-200.7
9/6/2007 10:25	Al		21	ug/L	EPA-200.7
9/13/2007 12:15	Al		26.5	ug/L	EPA-200.7
9/19/2007 11:52	Al		23.7	ug/L	EPA-200.7
6/18/2007 13:55	Alkalinity		123	mg/LCaCO3	EPA-310.2
6/26/2007 11:22	Alkalinity		116	mg/LCaCO3	EPA-310.2
7/3/2007 10:05	Alkalinity		113	mg/LCaCO3	EPA-310.2
7/11/2007 10:03	Alkalinity		113	mg/LCaCO3	EPA-310.2
7/19/2007 11:32	Alkalinity		108	mg/LCaCO3	EPA-310.2
7/26/2007 12:09	Alkalinity		101	mg/LCaCO3	EPA-310.2
8/8/2007 11:45	Alkalinity		81	mg/LCaCO3	EPA-310.2
8/15/2007 8:39	Alkalinity		118	mg/LCaCO3	EPA-310.2
8/23/2007 10:22	Alkalinity		124	mg/LCaCO3	EPA-310.2
8/30/2007 11:06	Alkalinity		119	mg/LCaCO3	EPA-310.2
9/6/2007 10:25	Alkalinity		118	mg/LCaCO3	EPA-310.2
9/13/2007 12:15	Alkalinity		109	mg/LCaCO3	EPA-310.2
9/19/2007 11:52	Alkalinity		113	mg/LCaCO3	EPA-310.2
6/18/2007 13:55	As	j	0.4	ug/L	EPA-200.7
6/26/2007 11:22	As	j	1	ug/L	EPA-200.7
7/3/2007 10:05	As	j	0.75	ug/L	EPA-200.7
7/11/2007 10:03	As	j	0.5	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 11:32	As	j	1.5	ug/L	EPA-200.7
7/26/2007 12:09	As	j	1.4	ug/L	EPA-200.7
8/8/2007 11:45	As		2.2	ug/L	EPA-200.7
8/15/2007 8:39	As	j	0.9	ug/L	EPA-200.7
8/23/2007 10:22	As	j	1.2	ug/L	EPA-200.7
8/30/2007 11:06	As	j	0.7	ug/L	EPA-200.7
9/6/2007 10:25	As	<	0.4	ug/L	EPA-200.7
9/13/2007 12:15	As	j	1.1	ug/L	EPA-200.7
9/19/2007 11:52	As	<	0.4	ug/L	EPA-200.7
6/18/2007 13:55	Be	<	0.1	ug/L	EPA-200.7
6/26/2007 11:22	Be	<	0.1	ug/L	EPA-200.7
7/3/2007 10:05	Be	<	0.1	ug/L	EPA-200.7
7/11/2007 10:03	Be	<	0.1	ug/L	EPA-200.7
7/19/2007 11:32	Be	<	0.1	ug/L	EPA-200.7
7/26/2007 12:09	Be	<	0.1	ug/L	EPA-200.7
8/8/2007 11:45	Be	<	0.1	ug/L	EPA-200.7
8/15/2007 8:39	Be	<	0.1	ug/L	EPA-200.7
8/23/2007 10:22	Be	<	0.1	ug/L	EPA-200.7
8/30/2007 11:06	Be	<	0.1	ug/L	EPA-200.7
9/6/2007 10:25	Be	<	0.1	ug/L	EPA-200.7
9/13/2007 12:15	Be	<	0.1	ug/L	EPA-200.7
9/19/2007 11:52	Be	<	0.1	ug/L	EPA-200.7
6/18/2007 13:55	BOD	<	2	mg/L	SM 5210
6/26/2007 11:22	BOD	<	2	mg/L	SM 5210
7/3/2007 10:05	BOD	<	2	mg/L	SM 5210
7/11/2007 10:03	BOD	<	2	mg/L	SM 5210
7/19/2007 11:32	BOD	<	2	mg/L	SM 5210
7/26/2007 12:09	BOD		2	mg/L	SM 5210
8/8/2007 11:45	BOD		2	mg/L	SM 5210
8/15/2007 8:39	BOD	<	2	mg/L	SM 5210
8/23/2007 10:22	BOD	<	2	mg/L	SM 5210
8/30/2007 11:06	BOD	<	2	mg/L	SM 5210
9/6/2007 10:25	BOD		2	mg/L	SM 5210
9/13/2007 12:15	BOD	<	2	mg/L	SM 5210
9/19/2007 11:52	BOD	<	2	mg/L	SM 5210
6/18/2007 13:55	Ca		57500	ug/L	EPA-200.7
6/26/2007 11:22	Ca		59000	ug/L	EPA-200.7
7/3/2007 10:05	Ca		60850	ug/L	EPA-200.7
7/11/2007 10:03	Ca		53100	ug/L	EPA-200.7
7/19/2007 11:32	Ca		51200	ug/L	EPA-200.7
7/26/2007 12:09	Ca		46900	ug/L	EPA-200.7
8/8/2007 11:45	Ca		41700	ug/L	EPA-200.7
8/15/2007 8:39	Ca		68700	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 10:22	Ca		63100	ug/L	EPA-200.7
8/30/2007 11:06	Ca		65300	ug/L	EPA-200.7
9/6/2007 10:25	Ca		63400	ug/L	EPA-200.7
9/13/2007 12:15	Ca		43800	ug/L	EPA-200.7
9/19/2007 11:52	Ca		61600	ug/L	EPA-200.7
6/18/2007 13:55	CaCO3		209	mg/LCaCO3	EPA-200.7
6/26/2007 11:22	CaCO3		215	mg/LCaCO3	EPA-200.7
7/3/2007 10:05	CaCO3		219.5	mg/LCaCO3	EPA-200.7
7/11/2007 10:03	CaCO3		194	mg/LCaCO3	EPA-200.7
7/19/2007 11:32	CaCO3		186	mg/LCaCO3	EPA-200.7
7/26/2007 12:09	CaCO3		168	mg/LCaCO3	EPA-200.7
8/8/2007 11:45	CaCO3		147	mg/LCaCO3	EPA-200.7
8/15/2007 8:39	CaCO3		243	mg/LCaCO3	EPA-200.7
8/23/2007 10:22	CaCO3		222	mg/LCaCO3	EPA-200.7
8/30/2007 11:06	CaCO3		230	mg/LCaCO3	EPA-200.7
9/6/2007 10:25	CaCO3		228	mg/LCaCO3	EPA-200.7
9/13/2007 12:15	CaCO3		159	mg/LCaCO3	EPA-200.7
9/19/2007 11:52	CaCO3		221	mg/LCaCO3	EPA-200.7
6/18/2007 13:55	Cd	<	0.2	ug/L	EPA-200.7
6/26/2007 11:22	Cd	<	0.2	ug/L	EPA-200.7
7/3/2007 10:05	Cd	<	0.2	ug/L	EPA-200.7
7/11/2007 10:03	Cd	<	0.2	ug/L	EPA-200.7
7/19/2007 11:32	Cd	<	0.2	ug/L	EPA-200.7
7/26/2007 12:09	Cd	<	0.2	ug/L	EPA-200.7
8/8/2007 11:45	Cd	j	0.2	ug/L	EPA-200.7
8/15/2007 8:39	Cd	<	0.2	ug/L	EPA-200.7
8/23/2007 10:22	Cd	<	0.2	ug/L	EPA-200.7
8/30/2007 11:06	Cd	<	0.2	ug/L	EPA-200.7
9/6/2007 10:25	Cd	<	0.2	ug/L	EPA-200.7
9/13/2007 12:15	Cd	<	0.2	ug/L	EPA-200.7
9/19/2007 11:52	Cd	<	0.2	ug/L	EPA-200.7
6/18/2007 13:55	Co	j	0.5	ug/L	EPA-200.7
6/26/2007 11:22	Co	j	0.4	ug/L	EPA-200.7
7/3/2007 10:05	Co	j	0.3	ug/L	EPA-200.7
7/11/2007 10:03	Co	j	0.4	ug/L	EPA-200.7
7/19/2007 11:32	Co	j	0.5	ug/L	EPA-200.7
7/26/2007 12:09	Co	j	0.3	ug/L	EPA-200.7
8/8/2007 11:45	Co	j	0.6	ug/L	EPA-200.7
8/15/2007 8:39	Co	j	0.4	ug/L	EPA-200.7
8/23/2007 10:22	Co	j	0.6	ug/L	EPA-200.7
8/30/2007 11:06	Co	j	0.3	ug/L	EPA-200.7
9/6/2007 10:25	Co	j	0.4	ug/L	EPA-200.7
9/13/2007 12:15	Co	j	0.4	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 11:52	Co	j	0.7	ug/L	EPA-200.7
6/18/2007 13:55	COD	j	6	mg/L	EPA 410.4
6/26/2007 11:22	COD		7	mg/L	EPA 410.4
7/3/2007 10:05	COD		8	mg/L	EPA 410.4
7/11/2007 10:03	COD		18	mg/L	EPA 410.4
7/19/2007 11:32	COD	<	4	mg/L	EPA 410.4
7/26/2007 12:09	COD		17	mg/L	EPA 410.4
8/8/2007 11:45	COD	<	5	mg/L	EPA 410.4
8/15/2007 8:39	COD	<	4	mg/L	EPA 410.4
8/23/2007 10:22	COD	<	5	mg/L	EPA 410.4
8/30/2007 11:06	COD		20	mg/L	EPA 410.4
9/6/2007 10:25	COD		21	mg/L	EPA 410.4
9/13/2007 12:15	COD		7	mg/L	EPA 410.4
9/19/2007 11:52	COD		9	mg/L	EPA 410.4
6/18/2007 13:55	Cr	<	0.5	ug/L	EPA-200.7
6/26/2007 11:22	Cr	<	0.5	ug/L	EPA-200.7
7/3/2007 10:05	Cr	<	0.5	ug/L	EPA-200.7
7/11/2007 10:03	Cr	<	0.5	ug/L	EPA-200.7
7/19/2007 11:32	Cr	j	1.6	ug/L	EPA-200.7
7/26/2007 12:09	Cr	<	0.5	ug/L	EPA-200.7
8/8/2007 11:45	Cr	j	0.9	ug/L	EPA-200.7
8/15/2007 8:39	Cr	<	0.5	ug/L	EPA-200.7
8/23/2007 10:22	Cr	j	0.6	ug/L	EPA-200.7
8/30/2007 11:06	Cr	<	0.5	ug/L	EPA-200.7
9/6/2007 10:25	Cr	<	0.5	ug/L	EPA-200.7
9/13/2007 12:15	Cr	<	0.5	ug/L	EPA-200.7
9/19/2007 11:52	Cr	<	0.5	ug/L	EPA-200.7
6/18/2007 13:55	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/26/2007 11:22	Cr+6	j	1.01	ug/L	SM 3500-Cr-D
7/3/2007 10:05	Cr+6	j	1.135	ug/L	SM 3500-Cr-D
7/11/2007 10:03	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/19/2007 11:32	Cr+6	j	1.07	ug/L	SM 3500-Cr-D
7/26/2007 12:09	Cr+6	j	2.71	ug/L	SM 3500-Cr-D
8/8/2007 11:45	Cr+6	j	2.02	ug/L	SM 3500-Cr-D
8/15/2007 8:39	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/23/2007 10:22	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/30/2007 11:06	Cr+6	j	1.15	ug/L	SM 3500-Cr-D
9/6/2007 10:25	Cr+6	j	1.13	ug/L	SM 3500-Cr-D
9/13/2007 12:15	Cr+6	j	1.12	ug/L	SM 3500-Cr-D
9/19/2007 11:52	Cr+6	j	1.11	ug/L	SM 3500-Cr-D
6/18/2007 13:55	Cu		4.5	ug/L	EPA-200.7
6/26/2007 11:22	Cu		3	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 10:05	Cu		2.75	ug/L	EPA-200.7
7/11/2007 10:03	Cu		2.8	ug/L	EPA-200.7
7/19/2007 11:32	Cu		3.7	ug/L	EPA-200.7
7/26/2007 12:09	Cu		2.8	ug/L	EPA-200.7
8/8/2007 11:45	Cu		4.6	ug/L	EPA-200.7
8/15/2007 8:39	Cu		3.2	ug/L	EPA-200.7
8/23/2007 10:22	Cu		4.4	ug/L	EPA-200.7
8/30/2007 11:06	Cu		3.2	ug/L	EPA-200.7
9/6/2007 10:25	Cu		2.7	ug/L	EPA-200.7
9/13/2007 12:15	Cu		3.1	ug/L	EPA-200.7
9/19/2007 11:52	Cu		2.2	ug/L	EPA-200.7
6/18/2007 13:55	Fe		142	ug/L	EPA-200.7
6/26/2007 11:22	Fe		129	ug/L	EPA-200.7
7/3/2007 10:05	Fe		84.95	ug/L	EPA-200.7
7/11/2007 10:03	Fe		154	ug/L	EPA-200.7
7/19/2007 11:32	Fe		368	ug/L	EPA-200.7
7/26/2007 12:09	Fe		164	ug/L	EPA-200.7
8/8/2007 11:45	Fe		648	ug/L	EPA-200.7
8/15/2007 8:39	Fe		89.6	ug/L	EPA-200.7
8/23/2007 10:22	Fe		173	ug/L	EPA-200.7
8/30/2007 11:06	Fe		65.7	ug/L	EPA-200.7
9/6/2007 10:25	Fe		86.9	ug/L	EPA-200.7
9/13/2007 12:15	Fe		145	ug/L	EPA-200.7
9/19/2007 11:52	Fe		282	ug/L	EPA-200.7
6/18/2007 13:55	Field Cond		2419	uS/cm	SM 2510A
6/26/2007 11:22	Field Cond		1218	uS/cm	SM 2510A
7/3/2007 10:05	Field Cond		1290	uS/cm	SM 2510A
7/11/2007 10:03	Field Cond		1100	uS/cm	SM 2510A
7/19/2007 11:32	Field Cond		1068	uS/cm	SM 2510A
7/26/2007 12:09	Field Cond		967	uS/cm	SM 2510A
8/15/2007 8:39	Field Cond		1237	uS/cm	SM 2510A
8/23/2007 10:22	Field Cond		1046	uS/cm	SM 2510A
8/30/2007 11:06	Field Cond		1175	uS/cm	SM 2510A
9/6/2007 10:25	Field Cond		1266	uS/cm	SM 2510A
9/13/2007 12:15	Field Cond		850	uS/cm	SM 2510A
9/19/2007 11:52	Field Cond		981	uS/cm	SM 2510A
6/18/2007 13:55	Field DO		10.1	mg/L	SM 4500-O G
6/26/2007 11:22	Field DO		9.67	mg/L	SM 4500-O G
7/3/2007 10:05	Field DO		10.36	mg/L	SM 4500-O G
7/11/2007 10:03	Field DO		6.58	mg/L	SM 4500-O G
7/26/2007 12:09	Field DO		10.37	mg/L	SM 4500-O G
8/15/2007 8:39	Field DO		7.73	mg/L	SM 4500-O G
8/30/2007 11:06	Field DO		7.63	mg/L	SM 4500-O G

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
9/6/2007 10:25	Field DO		9	mg/L	SM 4500-O G
6/18/2007 13:55	Field Temp		25.3	C	EPA 170.1
6/26/2007 11:22	Field Temp		23.77	C	EPA 170.1
7/3/2007 10:05	Field Temp		18.8	C	EPA 170.1
7/11/2007 10:03	Field Temp		23.76	C	EPA 170.1
7/19/2007 11:32	Field Temp		22.11	C	EPA 170.1
7/26/2007 12:09	Field Temp		20.17	C	EPA 170.1
8/8/2007 11:45	Field Temp		24.7	C	EPA 170.1
8/15/2007 8:39	Field Temp		20.89	C	EPA 170.1
8/23/2007 10:22	Field Temp		21.79	C	EPA 170.1
8/30/2007 11:06	Field Temp		22.23	C	EPA 170.1
9/6/2007 10:25	Field Temp		21.96	C	EPA 170.1
9/13/2007 12:15	Field Temp		16.83	C	EPA 170.1
9/19/2007 11:52	Field Temp		18.4	C	EPA 170.1
6/26/2007 11:22	Hg	<	0.05	ug/L	EPA 245.1
7/3/2007 10:05	Hg	<	0.05	ug/L	EPA 245.1
7/11/2007 10:03	Hg	<	0.05	ug/L	EPA 245.1
7/19/2007 11:32	Hg	<	0.05	ug/L	EPA 245.1
7/26/2007 12:09	Hg	<	0.05	ug/L	EPA 245.1
8/8/2007 11:45	Hg	<	0.05	ug/L	EPA 245.1
8/15/2007 8:39	Hg	<	0.05	ug/L	EPA 245.1
8/23/2007 10:22	Hg	<	0.05	ug/L	EPA 245.1
8/30/2007 11:06	Hg	<	0.05	ug/L	EPA 245.1
9/6/2007 10:25	Hg	<	0.05	ug/L	EPA 245.1
9/13/2007 12:15	Hg	<	0.05	ug/L	EPA 245.1
9/19/2007 11:52	Hg	<	0.05	ug/L	EPA 245.1
6/18/2007 13:55	K		5460	ug/L	EPA-200.7
6/26/2007 11:22	K		5280	ug/L	EPA-200.7
7/3/2007 10:05	K		4970	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 10:03	K		5170	ug/L	EPA-200.7
7/19/2007 11:32	K		4950	ug/L	EPA-200.7
7/26/2007 12:09	K		4400	ug/L	EPA-200.7
8/8/2007 11:45	K		4470	ug/L	EPA-200.7
8/15/2007 8:39	K		5900	ug/L	EPA-200.7
8/23/2007 10:22	K		5930	ug/L	EPA-200.7
8/30/2007 11:06	K		5840	ug/L	EPA-200.7
9/6/2007 10:25	K		5620	ug/L	EPA-200.7
9/13/2007 12:15	K		4120	ug/L	EPA-200.7
9/19/2007 11:52	K		4850	ug/L	EPA-200.7
6/18/2007 13:55	Mg		15900	ug/L	EPA-200.7
6/26/2007 11:22	Mg		16300	ug/L	EPA-200.7
7/3/2007 10:05	Mg		16450	ug/L	EPA-200.7
7/11/2007 10:03	Mg		15000	ug/L	EPA-200.7
7/19/2007 11:32	Mg		14000	ug/L	EPA-200.7
7/26/2007 12:09	Mg		12400	ug/L	EPA-200.7
8/8/2007 11:45	Mg		10300	ug/L	EPA-200.7
8/15/2007 8:39	Mg		17300	ug/L	EPA-200.7
8/23/2007 10:22	Mg		15600	ug/L	EPA-200.7
8/30/2007 11:06	Mg		16400	ug/L	EPA-200.7
9/6/2007 10:25	Mg		17000	ug/L	EPA-200.7
9/13/2007 12:15	Mg		12100	ug/L	EPA-200.7
9/19/2007 11:52	Mg		16300	ug/L	EPA-200.7
6/18/2007 13:55	Mn		30.4	ug/L	EPA-200.7
6/26/2007 11:22	Mn		34.7	ug/L	EPA-200.7
7/3/2007 10:05	Mn		20.35	ug/L	EPA-200.7
7/11/2007 10:03	Mn		34.8	ug/L	EPA-200.7
7/19/2007 11:32	Mn		43.4	ug/L	EPA-200.7
7/26/2007 12:09	Mn		23.2	ug/L	EPA-200.7
8/8/2007 11:45	Mn		29.7	ug/L	EPA-200.7
8/15/2007 8:39	Mn		16.2	ug/L	EPA-200.7
8/23/2007 10:22	Mn		20.4	ug/L	EPA-200.7
8/30/2007 11:06	Mn		13.6	ug/L	EPA-200.7
9/6/2007 10:25	Mn		18.7	ug/L	EPA-200.7
9/13/2007 12:15	Mn		20	ug/L	EPA-200.7
9/19/2007 11:52	Mn		41.4	ug/L	EPA-200.7
6/18/2007 13:55	Mo		6.9	ug/L	EPA-200.7
6/26/2007 11:22	Mo		9	ug/L	EPA-200.7
7/3/2007 10:05	Mo		4.25	ug/L	EPA-200.7
7/11/2007 10:03	Mo		6.4	ug/L	EPA-200.7
7/19/2007 11:32	Mo		8.1	ug/L	EPA-200.7
7/26/2007 12:09	Mo		7.3	ug/L	EPA-200.7
8/8/2007 11:45	Mo		5.1	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2007 8:39	Mo		5.3	ug/L	EPA-200.7
8/23/2007 10:22	Mo		5.3	ug/L	EPA-200.7
8/30/2007 11:06	Mo		6.3	ug/L	EPA-200.7
9/6/2007 10:25	Mo		5.7	ug/L	EPA-200.7
9/13/2007 12:15	Mo		4.9	ug/L	EPA-200.7
9/19/2007 11:52	Mo		4.4	ug/L	EPA-200.7
6/18/2007 13:55	Na		159000	ug/L	EPA-200.7
6/26/2007 11:22	Na		156000	ug/L	EPA-200.7
7/3/2007 10:05	Na		168500	ug/L	EPA-200.7
7/11/2007 10:03	Na	~	141000	ug/L	EPA-200.7
7/19/2007 11:32	Na		138000	ug/L	EPA-200.7
7/26/2007 12:09	Na		120000	ug/L	EPA-200.7
8/8/2007 11:45	Na		96500	ug/L	EPA-200.7
8/15/2007 8:39	Na		144000	ug/L	EPA-200.7
8/23/2007 10:22	Na		122000	ug/L	EPA-200.7
8/30/2007 11:06	Na		146000	ug/L	EPA-200.7
9/6/2007 10:25	Na		151000	ug/L	EPA-200.7
9/13/2007 12:15	Na		99000	ug/L	EPA-200.7
9/19/2007 11:52	Na		127000	ug/L	EPA-200.7
6/18/2007 13:55	NH3		0.03	mg/L	EPA-350.1
6/26/2007 11:22	NH3		0.04	mg/L	EPA-350.1
7/3/2007 10:05	NH3	<	0.01	mg/L	EPA-350.1
7/11/2007 10:03	NH3	<	0.01	mg/L	EPA-350.1
7/19/2007 11:32	NH3		0.04	mg/L	EPA-350.1
7/26/2007 12:09	NH3		0.09	mg/L	EPA-350.1
8/8/2007 11:45	NH3		0.08	mg/L	EPA-350.1
8/15/2007 8:39	NH3		0.02	mg/L	EPA-350.1
8/23/2007 10:22	NH3		0.01	mg/L	EPA-350.1
8/30/2007 11:06	NH3		0.02	mg/L	EPA-350.1
9/6/2007 10:25	NH3	j	0.01	mg/L	EPA-350.1
9/13/2007 12:15	NH3		0.01	mg/L	EPA-350.1
9/19/2007 11:52	NH3		0.03	mg/L	EPA-350.1
6/18/2007 13:55	Ni		2.4	ug/L	EPA-200.7
6/26/2007 11:22	Ni		2.2	ug/L	EPA-200.7
7/3/2007 10:05	Ni		2.05	ug/L	EPA-200.7
7/11/2007 10:03	Ni		2.1	ug/L	EPA-200.7
7/19/2007 11:32	Ni		2.6	ug/L	EPA-200.7
7/26/2007 12:09	Ni	j	1.8	ug/L	EPA-200.7
8/8/2007 11:45	Ni		3.2	ug/L	EPA-200.7
8/15/2007 8:39	Ni		2.3	ug/L	EPA-200.7
8/23/2007 10:22	Ni		3.5	ug/L	EPA-200.7
8/30/2007 11:06	Ni		2.8	ug/L	EPA-200.7
9/6/2007 10:25	Ni	j	1.9	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
9/13/2007 12:15	Ni	j	1.5	ug/L	EPA-200.7
9/19/2007 11:52	Ni		2.3	ug/L	EPA-200.7
6/18/2007 13:55	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/26/2007 11:22	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/3/2007 10:05	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/11/2007 10:03	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/19/2007 11:32	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/26/2007 12:09	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/8/2007 11:45	NO2		0.02	mg/L	SM 4500-NO2-B
8/15/2007 8:39	NO2	<	0	mg/L	SM 4500-NO2-B
8/23/2007 10:22	NO2	<	0.002	mg/L	SM 4500-NO2-B
8/30/2007 11:06	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/6/2007 10:25	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/13/2007 12:15	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/19/2007 11:52	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/18/2007 13:55	NO3		0.32	mg/L	EPA 353.2
6/26/2007 11:22	NO3		0.33	mg/L	EPA 353.2
7/3/2007 10:05	NO3		0.12	mg/L	EPA 353.2
7/11/2007 10:03	NO3		0.09	mg/L	EPA 353.2
7/19/2007 11:32	NO3		0.3	mg/L	EPA 353.2
7/26/2007 12:09	NO3		0.48	mg/L	EPA 353.2
8/8/2007 11:45	NO3		1.15	mg/L	EPA 353.2
8/15/2007 8:39	NO3		0.82	mg/L	EPA 353.2
8/23/2007 10:22	NO3		1.01	mg/L	EPA 353.2
8/30/2007 11:06	NO3		0.19	mg/L	EPA 353.2
9/6/2007 10:25	NO3		0.03	mg/L	EPA 353.2
9/13/2007 12:15	NO3		0.4	mg/L	EPA 353.2
9/19/2007 11:52	NO3		0.28	mg/L	EPA 353.2
6/18/2007 13:55	NO3+NO2		0.32	mg/L	EPA 353.2
6/26/2007 11:22	NO3+NO2		0.33	mg/L	EPA 353.2
7/3/2007 10:05	NO3+NO2		0.12	mg/L	EPA 353.2
7/11/2007 10:03	NO3+NO2		0.09	mg/L	EPA 353.2
7/19/2007 11:32	NO3+NO2		0.3	mg/L	EPA 353.2
7/26/2007 12:09	NO3+NO2		0.49	mg/L	EPA 353.2
8/8/2007 11:45	NO3+NO2		1.17	mg/L	EPA 353.2
8/15/2007 8:39	NO3+NO2		0.77	mg/L	EPA 353.2
8/23/2007 10:22	NO3+NO2		1.01	mg/L	EPA 353.2
8/30/2007 11:06	NO3+NO2		0.19	mg/L	EPA 353.2
9/6/2007 10:25	NO3+NO2		0.03	mg/L	EPA 353.2
9/13/2007 12:15	NO3+NO2		0.4	mg/L	EPA 353.2
9/19/2007 11:52	NO3+NO2		0.28	mg/L	EPA 353.2
6/18/2007 13:55	Pb	<	0.3	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 11:22	Pb	<	0.3	ug/L	EPA-200.7
7/11/2007 10:03	Pb	<	0.3	ug/L	EPA-200.7
7/19/2007 11:32	Pb	<	0.3	ug/L	EPA-200.7
7/26/2007 12:09	Pb	<	0.3	ug/L	EPA-200.7
8/8/2007 11:45	Pb	<	0.3	ug/L	EPA-200.7
8/15/2007 8:39	Pb	<	0.3	ug/L	EPA-200.7
8/23/2007 10:22	Pb	<	0.3	ug/L	EPA-200.7
8/30/2007 11:06	Pb	<	0.3	ug/L	EPA-200.7
9/6/2007 10:25	Pb	<	0.3	ug/L	EPA-200.7
9/13/2007 12:15	Pb	<	0.3	ug/L	EPA-200.7
9/19/2007 11:52	Pb	<	0.3	ug/L	EPA-200.7
6/18/2007 13:55	pH		8.66	S.U.	
6/26/2007 11:22	pH		8.14	S.U.	
7/3/2007 10:05	pH		8.3	S.U.	
7/11/2007 10:03	pH		8	S.U.	
7/19/2007 11:32	pH		8.01	S.U.	
7/26/2007 12:09	pH		8.48	S.U.	
8/8/2007 11:45	pH		7.24	S.U.	
8/15/2007 8:39	pH		7.91	S.U.	
8/23/2007 10:22	pH		8.2	S.U.	
8/30/2007 11:06	pH		8.06	S.U.	
9/6/2007 10:25	pH		8.38	S.U.	
9/13/2007 12:15	pH		7.95	S.U.	
9/19/2007 11:52	pH		7.92	S.U.	
6/18/2007 13:55	Sb	<	0.4	ug/L	EPA-200.7
6/26/2007 11:22	Sb	<	0.4	ug/L	EPA-200.7
7/3/2007 10:05	Sb	<	0.4	ug/L	EPA-200.7
7/11/2007 10:03	Sb	j	0.7	ug/L	EPA-200.7
7/19/2007 11:32	Sb	<	0.4	ug/L	EPA-200.7
7/26/2007 12:09	Sb	<	0.4	ug/L	EPA-200.7
8/8/2007 11:45	Sb	j	0.4	ug/L	EPA-200.7
8/15/2007 8:39	Sb	<	0.4	ug/L	EPA-200.7
8/23/2007 10:22	Sb	j	0.7	ug/L	EPA-200.7
8/30/2007 11:06	Sb	<	0.4	ug/L	EPA-200.7
9/6/2007 10:25	Sb	<	0.4	ug/L	EPA-200.7
9/13/2007 12:15	Sb	j	0.6	ug/L	EPA-200.7
9/19/2007 11:52	Sb	<	0.4	ug/L	EPA-200.7
6/18/2007 13:55	Se	<	0.9	ug/L	EPA-200.7
6/26/2007 11:22	Se	j	1.3	ug/L	EPA-200.7
7/3/2007 10:05	Se	<	0.9	ug/L	EPA-200.7
7/11/2007 10:03	Se	<	0.9	ug/L	EPA-200.7
7/19/2007 11:32	Se	<	0.9	ug/L	EPA-200.7
7/26/2007 12:09	Se	j	1.3	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/8/2007 11:45	Se	j	2	ug/L	EPA-200.7
8/15/2007 8:39	Se	j	1.1	ug/L	EPA-200.7
8/23/2007 10:22	Se	j	2.1	ug/L	EPA-200.7
8/30/2007 11:06	Se	j	1.7	ug/L	EPA-200.7
9/6/2007 10:25	Se	j	1.8	ug/L	EPA-200.7
9/13/2007 12:15	Se	j	1	ug/L	EPA-200.7
9/19/2007 11:52	Se	<	0.9	ug/L	EPA-200.7
6/18/2007 13:55	Sn	<	4.6	ug/L	EPA-200.7
6/26/2007 11:22	Sn	<	4.6	ug/L	EPA-200.7
7/3/2007 10:05	Sn	<	4.6	ug/L	EPA-200.7
7/11/2007 10:03	Sn	<	4.6	ug/L	EPA-200.7
7/19/2007 11:32	Sn	<	4.6	ug/L	EPA-200.7
7/26/2007 12:09	Sn	<	4.6	ug/L	EPA-200.7
8/8/2007 11:45	Sn	<	4.6	ug/L	EPA-200.7
8/15/2007 8:39	Sn	<	4.6	ug/L	EPA-200.7
8/23/2007 10:22	Sn	<	4.6	ug/L	EPA-200.7
8/30/2007 11:06	Sn	<	4.6	ug/L	EPA-200.7
9/6/2007 10:25	Sn	<	4.6	ug/L	EPA-200.7
9/13/2007 12:15	Sn	<	4.6	ug/L	EPA-200.7
9/19/2007 11:52	Sn	<	4.6	ug/L	EPA-200.7
6/18/2007 13:55	Soluble-P		0.01	mg/L	EPA 365.1
6/26/2007 11:22	Soluble-P		0.04	mg/L	EPA 365.1
7/3/2007 10:05	Soluble-P	<	0.01	mg/L	EPA 365.1
7/11/2007 10:03	Soluble-P	<	0.01	mg/L	EPA 365.1
7/19/2007 11:32	Soluble-P		0.02	mg/L	EPA 365.1
7/26/2007 12:09	Soluble-P		0.02	mg/L	EPA 365.1
8/8/2007 11:45	Soluble-P		0.04	mg/L	EPA 365.1
8/15/2007 8:39	Soluble-P		0.02	mg/L	EPA 365.1
8/23/2007 10:22	Soluble-P		0.04	mg/L	EPA 365.1
8/30/2007 11:06	Soluble-P		0.02	mg/L	EPA 365.1
9/6/2007 10:25	Soluble-P	j	0.01	mg/L	EPA 365.1
9/13/2007 12:15	Soluble-P		0.02	mg/L	EPA 365.1
9/19/2007 11:52	Soluble-P		0.02	mg/L	EPA 365.1
6/18/2007 13:55	TDS		661	mg/L	SM2540C
6/26/2007 11:22	TDS		688	mg/L	SM2540C
7/3/2007 10:05	TDS		715.5	mg/L	SM2540C
7/11/2007 10:03	TDS		573	mg/L	SM2540C
7/19/2007 11:32	TDS		580	mg/L	SM2540C
7/26/2007 12:09	TDS		513	mg/L	SM2540C
8/8/2007 11:45	TDS		454	mg/L	SM2540C
8/15/2007 8:39	TDS		706	mg/L	SM2540C
8/23/2007 10:22	TDS		612	mg/L	SM2540C
8/30/2007 11:06	TDS		633	mg/L	SM2540C

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
9/6/2007 10:25	TDS		681	mg/L	SM2540C
9/13/2007 12:15	TDS		493	mg/L	SM2540C
9/19/2007 11:52	TDS		623	mg/L	SM2540C
6/18/2007 13:55	Ti	<	0.6	ug/L	EPA-200.7
6/26/2007 11:22	Ti	<	0.6	ug/L	EPA-200.7
7/3/2007 10:05	Ti	<	0.6	ug/L	EPA-200.7
7/11/2007 10:03	Ti	<	0.6	ug/L	EPA-200.7
7/19/2007 11:32	Ti	j	1.1	ug/L	EPA-200.7
7/26/2007 12:09	Ti	<	0.6	ug/L	EPA-200.7
8/8/2007 11:45	Ti		3.5	ug/L	EPA-200.7
8/15/2007 8:39	Ti	<	0.6	ug/L	EPA-200.7
8/23/2007 10:22	Ti	<	0.6	ug/L	EPA-200.7
8/30/2007 11:06	Ti	<	0.6	ug/L	EPA-200.7
9/6/2007 10:25	Ti	<	0.6	ug/L	EPA-200.7
9/13/2007 12:15	Ti	<	0.6	ug/L	EPA-200.7
9/19/2007 11:52	Ti	<	0.6	ug/L	EPA-200.7
6/18/2007 13:55	TI		5.7	ug/L	EPA-200.7
6/26/2007 11:22	TI		7.5	ug/L	EPA-200.7
7/3/2007 10:05	TI		7.25	ug/L	EPA-200.7
7/11/2007 10:03	TI		7.4	ug/L	EPA-200.7
7/19/2007 11:32	TI		5	ug/L	EPA-200.7
7/26/2007 12:09	TI		6.5	ug/L	EPA-200.7
8/8/2007 11:45	TI		6.2	ug/L	EPA-200.7
8/15/2007 8:39	TI		6.5	ug/L	EPA-200.7
8/23/2007 10:22	TI		6	ug/L	EPA-200.7
8/30/2007 11:06	TI		5.8	ug/L	EPA-200.7
9/6/2007 10:25	TI		6.8	ug/L	EPA-200.7
9/13/2007 12:15	TI		6.9	ug/L	EPA-200.7
9/19/2007 11:52	TI		8	ug/L	EPA-200.7
6/18/2007 13:55	TMET		21.6	ug/L	EPA-200.7
6/26/2007 11:22	TMET		40.2	ug/L	EPA-200.7
7/3/2007 10:05	TMET	<	10	ug/L	EPA-200.7
7/11/2007 10:03	TMET	<	10	ug/L	EPA-200.7
7/19/2007 11:32	TMET		13.7	ug/L	EPA-200.7
7/26/2007 12:09	TMET	<	10	ug/L	EPA-200.7
8/8/2007 11:45	TMET		15.6	ug/L	EPA-200.7
8/15/2007 8:39	TMET	<	10	ug/L	EPA-200.7
8/23/2007 10:22	TMET		13.8	ug/L	EPA-200.7
8/30/2007 11:06	TMET	<	10	ug/L	EPA-200.7
9/6/2007 10:25	TMET	<	10	ug/L	EPA-200.7
9/13/2007 12:15	TMET	<	10	ug/L	EPA-200.7
9/19/2007 11:52	TMET	<	10	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 13:55	Total-P		0.06	mg/L	EPA 365.1
6/26/2007 11:22	Total-P		0.06	mg/L	EPA 365.1
7/3/2007 10:05	Total-P		0.02	mg/L	EPA 365.1
7/11/2007 10:03	Total-P		0.04	mg/L	EPA 365.1
7/19/2007 11:32	Total-P		0.05	mg/L	EPA 365.1
7/26/2007 12:09	Total-P		0.05	mg/L	EPA 365.1
8/8/2007 11:45	Total-P		0.07	mg/L	EPA 365.1
8/15/2007 8:39	Total-P		0.03	mg/L	EPA 365.1
8/23/2007 10:22	Total-P		0.05	mg/L	EPA 365.1
8/30/2007 11:06	Total-P		0.04	mg/L	EPA 365.1
9/6/2007 10:25	Total-P		0.02	mg/L	EPA 365.1
9/13/2007 12:15	Total-P		0.075	mg/L	EPA 365.1
9/19/2007 11:52	Total-P		0.03	mg/L	EPA 365.1
6/18/2007 13:55	TS		713	mg/L	SM2540B
6/26/2007 11:22	TS		704	mg/L	SM2540B
7/3/2007 10:05	TS		758.5	mg/L	SM2540B
7/11/2007 10:03	TS		619	mg/L	SM2540B
7/19/2007 11:32	TS		600	mg/L	SM2540B
7/26/2007 12:09	TS		551	mg/L	SM2540B
8/8/2007 11:45	TS		501	mg/L	SM2540B
8/15/2007 8:39	TS		751	mg/L	SM2540B
8/23/2007 10:22	TS		648	mg/L	SM2540B
8/30/2007 11:06	TS		659	mg/L	SM2540B
9/6/2007 10:25	TS		754	mg/L	SM2540B
9/13/2007 12:15	TS		511	mg/L	SM2540B
9/19/2007 11:52	TS		689	mg/L	SM2540B
6/18/2007 13:55	TSS		2	mg/L	SM2540D
6/26/2007 11:22	TSS		1	mg/L	SM2540D
7/3/2007 10:05	TSS		2	mg/L	SM2540D
7/11/2007 10:03	TSS		6	mg/L	SM2540D
7/19/2007 11:32	TSS		8	mg/L	SM2540D
7/26/2007 12:09	TSS		4	mg/L	SM2540D
8/8/2007 11:45	TSS		16	mg/L	SM2540D
8/15/2007 8:39	TSS		2	mg/L	SM2540D
8/23/2007 10:22	TSS		2	mg/L	SM2540D
8/30/2007 11:06	TSS	<	1	mg/L	SM2540D
9/6/2007 10:25	TSS	<	1	mg/L	SM2540D
9/13/2007 12:15	TSS	<	1	mg/L	SM2540D
9/19/2007 11:52	TSS		1	mg/L	SM2540D
6/18/2007 13:55	Turbidity		1.01	NTU	EPA 180.1
6/26/2007 11:22	Turbidity		1.56	NTU	EPA 180.1
7/11/2007 10:03	Turbidity		2.48	NTU	EPA 180.1
7/26/2007 12:09	Turbidity		2.28	NTU	EPA 180.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
8/8/2007 11:45	Turbidity		9.67	NTU	EPA 180.1
8/15/2007 8:39	Turbidity		0.8	NTU	EPA 180.1
8/23/2007 10:22	Turbidity		1.62	NTU	EPA 180.1
8/30/2007 11:06	Turbidity		0.82	NTU	EPA 180.1
9/6/2007 10:25	Turbidity	<	0.1	NTU	EPA 180.1
9/13/2007 12:15	Turbidity		0.86	NTU	EPA 180.1
9/19/2007 11:52	Turbidity		2.2	NTU	EPA 180.1
6/18/2007 13:55	V	<	0.2	ug/L	EPA-200.7
6/26/2007 11:22	V	<	0.2	ug/L	EPA-200.7
7/3/2007 10:05	V	<	0.2	ug/L	EPA-200.7
7/11/2007 10:03	V	<	0.2	ug/L	EPA-200.7
7/19/2007 11:32	V	<	0.2	ug/L	EPA-200.7
7/26/2007 12:09	V	<	0.2	ug/L	EPA-200.7
8/8/2007 11:45	V	j	0.6	ug/L	EPA-200.7
8/15/2007 8:39	V	<	0.2	ug/L	EPA-200.7
8/23/2007 10:22	V	<	0.2	ug/L	EPA-200.7
8/30/2007 11:06	V	<	0.2	ug/L	EPA-200.7
9/6/2007 10:25	V	<	0.2	ug/L	EPA-200.7
9/13/2007 12:15	V	<	0.2	ug/L	EPA-200.7
9/19/2007 11:52	V	<	0.2	ug/L	EPA-200.7
6/18/2007 13:55	Zn		14.7	ug/L	EPA-200.7
6/26/2007 11:22	Zn		35	ug/L	EPA-200.7
7/3/2007 10:05	Zn	j	3.3	ug/L	EPA-200.7
7/11/2007 10:03	Zn	j	3.7	ug/L	EPA-200.7
7/19/2007 11:32	Zn	j	5.8	ug/L	EPA-200.7
7/26/2007 12:09	Zn	j	3	ug/L	EPA-200.7
8/8/2007 11:45	Zn	j	6.9	ug/L	EPA-200.7
8/15/2007 8:39	Zn	j	2.4	ug/L	EPA-200.7
8/23/2007 10:22	Zn	j	5.3	ug/L	EPA-200.7
8/30/2007 11:06	Zn	j	3	ug/L	EPA-200.7
9/6/2007 10:25	Zn	j	2.8	ug/L	EPA-200.7
9/13/2007 12:15	Zn	j	3	ug/L	EPA-200.7
9/19/2007 11:52	Zn	j	2.6	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 14:07	Ag	<	0.1	ug/L	EPA-200.7
6/26/2007 11:45	Ag	<	0.1	ug/L	EPA-200.7
7/3/2007 9:35	Ag	<	0.1	ug/L	EPA-200.7
7/11/2007 10:20	Ag	<	0.1	ug/L	EPA-200.7
7/19/2007 11:52	Ag	<	0.1	ug/L	EPA-200.7
7/26/2007 12:31	Ag	<	0.1	ug/L	EPA-200.7
8/8/2007 11:55	Ag	<	0.1	ug/L	EPA-200.7
8/15/2007 7:55	Ag	<	0.1	ug/L	EPA-200.7
8/23/2007 9:53	Ag	<	0.1	ug/L	EPA-200.7
8/30/2007 11:33	Ag	<	0.1	ug/L	EPA-200.7
9/6/2007 9:34	Ag	<	0.1	ug/L	EPA-200.7
9/19/2007 12:10	Ag	<	0.1	ug/L	EPA-200.7
6/18/2007 14:07	Al		196	ug/L	EPA-200.7
6/26/2007 11:45	Al		48.2	ug/L	EPA-200.7
7/3/2007 9:35	Al		60.8	ug/L	EPA-200.7
7/11/2007 10:20	Al		138	ug/L	EPA-200.7
7/19/2007 11:52	Al		52.4	ug/L	EPA-200.7
7/26/2007 12:31	Al		260	ug/L	EPA-200.7
8/8/2007 11:55	Al		393.5	ug/L	EPA-200.7
8/15/2007 7:55	Al		60	ug/L	EPA-200.7
8/23/2007 9:53	Al		92.9	ug/L	EPA-200.7
8/30/2007 11:33	Al		22.7	ug/L	EPA-200.7
9/6/2007 9:34	Al		20.2	ug/L	EPA-200.7
9/13/2007 12:32	Al		31.95	ug/L	EPA-200.7
9/19/2007 12:10	Al		26.7	ug/L	EPA-200.7
6/18/2007 14:07	Alkalinity		115	mg/LCaCO3	EPA-310.2
6/26/2007 11:45	Alkalinity		113	mg/LCaCO3	EPA-310.2
7/3/2007 9:35	Alkalinity		111	mg/LCaCO3	EPA-310.2
7/11/2007 10:20	Alkalinity		115	mg/LCaCO3	EPA-310.2
7/19/2007 11:52	Alkalinity		111	mg/LCaCO3	EPA-310.2
7/26/2007 12:31	Alkalinity		97	mg/LCaCO3	EPA-310.2
8/8/2007 11:55	Alkalinity		82.5	mg/LCaCO3	EPA-310.2
8/15/2007 7:55	Alkalinity		126	mg/LCaCO3	EPA-310.2
8/23/2007 9:53	Alkalinity		124	mg/LCaCO3	EPA-310.2
8/30/2007 11:33	Alkalinity		127	mg/LCaCO3	EPA-310.2
9/6/2007 9:34	Alkalinity		119	mg/LCaCO3	EPA-310.2
9/13/2007 12:32	Alkalinity		115	mg/LCaCO3	EPA-310.2
9/19/2007 12:10	Alkalinity		116	mg/LCaCO3	EPA-310.2
6/18/2007 14:07	As	j	0.6	ug/L	EPA-200.7
6/26/2007 11:45	As	j	0.8	ug/L	EPA-200.7
7/3/2007 9:35	As	j	0.6	ug/L	EPA-200.7
7/11/2007 10:20	As	j	1.1	ug/L	EPA-200.7
7/19/2007 11:52	As	j	1.7	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/26/2007 12:31	As		2.2	ug/L	EPA-200.7
8/8/2007 11:55	As		2.35	ug/L	EPA-200.7
8/15/2007 7:55	As	j	1.1	ug/L	EPA-200.7
8/23/2007 9:53	As	j	1.7	ug/L	EPA-200.7
8/30/2007 11:33	As	<	0.4	ug/L	EPA-200.7
9/6/2007 9:34	As	<	0.4	ug/L	EPA-200.7
9/19/2007 12:10	As	j	1.1	ug/L	EPA-200.7
6/18/2007 14:07	Be	<	0.1	ug/L	EPA-200.7
6/26/2007 11:45	Be	<	0.1	ug/L	EPA-200.7
7/3/2007 9:35	Be	<	0.1	ug/L	EPA-200.7
7/11/2007 10:20	Be	<	0.1	ug/L	EPA-200.7
7/19/2007 11:52	Be	<	0.1	ug/L	EPA-200.7
7/26/2007 12:31	Be	<	0.1	ug/L	EPA-200.7
8/8/2007 11:55	Be	<	0.1	ug/L	EPA-200.7
8/15/2007 7:55	Be	<	0.1	ug/L	EPA-200.7
8/23/2007 9:53	Be	<	0.1	ug/L	EPA-200.7
8/30/2007 11:33	Be	<	0.1	ug/L	EPA-200.7
9/6/2007 9:34	Be	<	0.1	ug/L	EPA-200.7
9/19/2007 12:10	Be	<	0.1	ug/L	EPA-200.7
6/18/2007 14:07	BOD		2	mg/L	SM 5210
6/26/2007 11:45	BOD	<	2	mg/L	SM 5210
7/3/2007 9:35	BOD	<	2	mg/L	SM 5210
7/11/2007 10:20	BOD		3	mg/L	SM 5210
7/19/2007 11:52	BOD		2	mg/L	SM 5210
7/26/2007 12:31	BOD		3	mg/L	SM 5210
8/8/2007 11:55	BOD		2	mg/L	SM 5210
8/15/2007 7:55	BOD	<	2	mg/L	SM 5210
8/23/2007 9:53	BOD	<	2	mg/L	SM 5210
8/30/2007 11:33	BOD	<	2	mg/L	SM 5210
9/6/2007 9:34	BOD	<	2	mg/L	SM 5210
9/13/2007 12:32	BOD	<	2	mg/L	SM 5210
9/19/2007 12:10	BOD	<	2	mg/L	SM 5210
6/18/2007 14:07	Ca		56400	ug/L	EPA-200.7
6/26/2007 11:45	Ca		56800	ug/L	EPA-200.7
7/3/2007 9:35	Ca		63900	ug/L	EPA-200.7
7/11/2007 10:20	Ca		54900	ug/L	EPA-200.7
7/19/2007 11:52	Ca		49900	ug/L	EPA-200.7
7/26/2007 12:31	Ca		46400	ug/L	EPA-200.7
8/8/2007 11:55	Ca		42500	ug/L	EPA-200.7
8/15/2007 7:55	Ca		69300	ug/L	EPA-200.7
8/23/2007 9:53	Ca		60300	ug/L	EPA-200.7
8/30/2007 11:33	Ca		65600	ug/L	EPA-200.7
9/6/2007 9:34	Ca		66100	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/13/2007 12:32	Ca		46650	ug/L	EPA-200.7
9/19/2007 12:10	Ca		75600	ug/L	EPA-200.7
6/18/2007 14:07	CaCO3		209	mg/LCaCO3	EPA-200.7
6/26/2007 11:45	CaCO3		209	mg/LCaCO3	EPA-200.7
7/3/2007 9:35	CaCO3		233	mg/LCaCO3	EPA-200.7
7/11/2007 10:20	CaCO3		201	mg/LCaCO3	EPA-200.7
7/19/2007 11:52	CaCO3		180	mg/LCaCO3	EPA-200.7
7/26/2007 12:31	CaCO3		165	mg/LCaCO3	EPA-200.7
8/8/2007 11:55	CaCO3		148.5	mg/LCaCO3	EPA-200.7
8/15/2007 7:55	CaCO3		244	mg/LCaCO3	EPA-200.7
8/23/2007 9:53	CaCO3		209	mg/LCaCO3	EPA-200.7
8/30/2007 11:33	CaCO3		232	mg/LCaCO3	EPA-200.7
9/6/2007 9:34	CaCO3		238	mg/LCaCO3	EPA-200.7
9/13/2007 12:32	CaCO3		166.5	mg/LCaCO3	EPA-200.7
9/19/2007 12:10	CaCO3		255	mg/LCaCO3	EPA-200.7
6/18/2007 14:07	Cd	<	0.2	ug/L	EPA-200.7
6/26/2007 11:45	Cd	<	0.2	ug/L	EPA-200.7
7/3/2007 9:35	Cd	<	0.2	ug/L	EPA-200.7
7/11/2007 10:20	Cd	<	0.2	ug/L	EPA-200.7
7/19/2007 11:52	Cd	<	0.2	ug/L	EPA-200.7
7/26/2007 12:31	Cd	j	0.2	ug/L	EPA-200.7
8/8/2007 11:55	Cd	j	0.2	ug/L	EPA-200.7
8/15/2007 7:55	Cd	<	0.2	ug/L	EPA-200.7
8/23/2007 9:53	Cd	<	0.2	ug/L	EPA-200.7
8/30/2007 11:33	Cd	<	0.2	ug/L	EPA-200.7
9/6/2007 9:34	Cd	<	0.2	ug/L	EPA-200.7
9/19/2007 12:10	Cd	<	0.2	ug/L	EPA-200.7
6/18/2007 14:07	Co	j	0.3	ug/L	EPA-200.7
6/26/2007 11:45	Co	j	0.3	ug/L	EPA-200.7
7/3/2007 9:35	Co	j	0.3	ug/L	EPA-200.7
7/11/2007 10:20	Co	j	0.5	ug/L	EPA-200.7
7/19/2007 11:52	Co	j	0.3	ug/L	EPA-200.7
7/26/2007 12:31	Co	j	0.6	ug/L	EPA-200.7
8/8/2007 11:55	Co	j	0.45	ug/L	EPA-200.7
8/15/2007 7:55	Co	j	0.3	ug/L	EPA-200.7
8/23/2007 9:53	Co	j	0.4	ug/L	EPA-200.7
8/30/2007 11:33	Co	j	0.1	ug/L	EPA-200.7
9/6/2007 9:34	Co	j	0.2	ug/L	EPA-200.7
9/13/2007 12:32	Co	j	0.25	ug/L	EPA-200.7
9/19/2007 12:10	Co	<	0.1	ug/L	EPA-200.7
6/18/2007 14:07	COD		18	mg/L	EPA 410.4
6/26/2007 11:45	COD		12	mg/L	EPA 410.4

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 9:35	COD		15	mg/L	EPA 410.4
7/11/2007 10:20	COD		26	mg/L	EPA 410.4
7/19/2007 11:52	COD	<	4	mg/L	EPA 410.4
7/26/2007 12:31	COD		14	mg/L	EPA 410.4
8/15/2007 7:55	COD	<	4	mg/L	EPA 410.4
8/23/2007 9:53	COD		9	mg/L	EPA 410.4
8/30/2007 11:33	COD		14	mg/L	EPA 410.4
9/6/2007 9:34	COD		26	mg/L	EPA 410.4
9/13/2007 12:32	COD		17.5	mg/L	EPA 410.4
9/19/2007 12:10	COD	<	5	mg/L	EPA 410.4
6/18/2007 14:07	Cr		2.6	ug/L	EPA-200.7
6/26/2007 11:45	Cr	<	0.5	ug/L	EPA-200.7
7/3/2007 9:35	Cr	<	0.5	ug/L	EPA-200.7
7/11/2007 10:20	Cr	<	0.5	ug/L	EPA-200.7
7/19/2007 11:52	Cr	<	0.5	ug/L	EPA-200.7
7/26/2007 12:31	Cr	j	1	ug/L	EPA-200.7
8/8/2007 11:55	Cr	j	0.9	ug/L	EPA-200.7
8/15/2007 7:55	Cr	<	0.5	ug/L	EPA-200.7
8/23/2007 9:53	Cr	<	0.5	ug/L	EPA-200.7
8/30/2007 11:33	Cr	<	0.5	ug/L	EPA-200.7
9/6/2007 9:34	Cr	<	0.5	ug/L	EPA-200.7
9/19/2007 12:10	Cr	<	0.5	ug/L	EPA-200.7
6/18/2007 14:07	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/26/2007 11:45	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/3/2007 9:35	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/11/2007 10:20	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/19/2007 11:52	Cr+6	j	1.57	ug/L	SM 3500-Cr-D
7/26/2007 12:31	Cr+6	j	2.56	ug/L	SM 3500-Cr-D
8/8/2007 11:55	Cr+6	j	2.155	ug/L	SM 3500-Cr-D
8/15/2007 7:55	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/23/2007 9:53	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/30/2007 11:33	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/6/2007 9:34	Cr+6	j	2.03	ug/L	SM 3500-Cr-D
9/13/2007 12:32	Cr+6	j	1.515	ug/L	SM 3500-Cr-D
9/19/2007 12:10	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/18/2007 14:07	Cu		5.8	ug/L	EPA-200.7
6/26/2007 11:45	Cu		3	ug/L	EPA-200.7
7/3/2007 9:35	Cu		2.9	ug/L	EPA-200.7
7/11/2007 10:20	Cu		3.6	ug/L	EPA-200.7
7/19/2007 11:52	Cu		3.6	ug/L	EPA-200.7
7/26/2007 12:31	Cu		4	ug/L	EPA-200.7
8/8/2007 11:55	Cu		4.75	ug/L	EPA-200.7
8/15/2007 7:55	Cu		3.6	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:53	Cu		3.8	ug/L	EPA-200.7
8/30/2007 11:33	Cu		3.8	ug/L	EPA-200.7
9/6/2007 9:34	Cu		2.9	ug/L	EPA-200.7
9/13/2007 12:32	Cu		3.65	ug/L	EPA-200.7
9/19/2007 12:10	Cu		4.3	ug/L	EPA-200.7
6/18/2007 14:07	Fe		416	ug/L	EPA-200.7
6/26/2007 11:45	Fe		126	ug/L	EPA-200.7
7/3/2007 9:35	Fe		189	ug/L	EPA-200.7
7/11/2007 10:20	Fe		548	ug/L	EPA-200.7
7/19/2007 11:52	Fe		169	ug/L	EPA-200.7
7/26/2007 12:31	Fe		606	ug/L	EPA-200.7
8/8/2007 11:55	Fe		751	ug/L	EPA-200.7
8/15/2007 7:55	Fe		168	ug/L	EPA-200.7
8/23/2007 9:53	Fe		199	ug/L	EPA-200.7
8/30/2007 11:33	Fe		72.2	ug/L	EPA-200.7
9/6/2007 9:34	Fe		80.2	ug/L	EPA-200.7
9/13/2007 12:32	Fe		91.5	ug/L	EPA-200.7
9/19/2007 12:10	Fe		124	ug/L	EPA-200.7
6/18/2007 14:07	Field Cond		2513	uS/cm	SM 2510A
6/26/2007 11:45	Field Cond		1219	uS/cm	SM 2510A
7/3/2007 9:35	Field Cond		1344	uS/cm	SM 2510A
7/11/2007 10:20	Field Cond		1156	uS/cm	SM 2510A
7/19/2007 11:52	Field Cond		1018	uS/cm	SM 2510A
7/26/2007 12:31	Field Cond		916	uS/cm	SM 2510A
8/15/2007 7:55	Field Cond		1203	uS/cm	SM 2510A
8/23/2007 9:53	Field Cond		956	uS/cm	SM 2510A
8/30/2007 11:33	Field Cond		1192	uS/cm	SM 2510A
9/6/2007 9:34	Field Cond		1301	uS/cm	SM 2510A
9/13/2007 12:32	Field Cond		858	uS/cm	SM 2510A
9/19/2007 12:10	Field Cond		998	uS/cm	SM 2510A
6/18/2007 14:07	Field DO		16.9	mg/L	SM 4500-O G
6/26/2007 11:45	Field DO		10.13	mg/L	SM 4500-O G
7/3/2007 9:35	Field DO		10.72	mg/L	SM 4500-O G
7/11/2007 10:20	Field DO		5.92	mg/L	SM 4500-O G
7/26/2007 12:31	Field DO		10.22	mg/L	SM 4500-O G
8/15/2007 7:55	Field DO		7.26	mg/L	SM 4500-O G
8/30/2007 11:33	Field DO		8.58	mg/L	SM 4500-O G
9/6/2007 9:34	Field DO		7.2	mg/L	SM 4500-O G
6/18/2007 14:07	Field Temp		27.8	C	EPA 170.1
6/26/2007 11:45	Field Temp		26.23	C	EPA 170.1
7/3/2007 9:35	Field Temp		19.9	C	EPA 170.1
7/11/2007 10:20	Field Temp		23.83	C	EPA 170.1

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 11:52	Field Temp		22.65	C	EPA 170.1
7/26/2007 12:31	Field Temp		22.02	C	EPA 170.1
8/8/2007 11:55	Field Temp		25.3	C	EPA 170.1
8/15/2007 7:55	Field Temp		21.38	C	EPA 170.1
8/23/2007 9:53	Field Temp		23.09	C	EPA 170.1
8/30/2007 11:33	Field Temp		22.66	C	EPA 170.1
9/6/2007 9:34	Field Temp		22.44	C	EPA 170.1
9/13/2007 12:32	Field Temp		18.49	C	EPA 170.1
9/19/2007 12:10	Field Temp		20.8	C	EPA 170.1
6/18/2007 14:07	Hg	<	0.05	ug/L	EPA 245.1
6/26/2007 11:45	Hg	<	0.05	ug/L	EPA 245.1
7/3/2007 9:35	Hg	<	0.05	ug/L	EPA 245.1
7/11/2007 10:20	Hg	<	0.05	ug/L	EPA 245.1
7/19/2007 11:52	Hg	<	0.05	ug/L	EPA 245.1
7/26/2007 12:31	Hg	<	0.05	ug/L	EPA 245.1
8/8/2007 11:55	Hg	<	0.05	ug/L	EPA 245.1
8/15/2007 7:55	Hg	<	0.05	ug/L	EPA 245.1
8/23/2007 9:53	Hg	<	0.05	ug/L	EPA 245.1
8/30/2007 11:33	Hg	<	0.05	ug/L	EPA 245.1
9/6/2007 9:34	Hg	<	0.05	ug/L	EPA 245.1
9/13/2007 12:32	Hg	<	0.05	ug/L	EPA 245.1
9/19/2007 12:10	Hg	<	0.05	ug/L	EPA 245.1
6/18/2007 14:07	K		5550	ug/L	EPA-200.7
6/26/2007 11:45	K		5360	ug/L	EPA-200.7
7/3/2007 9:35	K		5170	ug/L	EPA-200.7
7/11/2007 10:20	K		5310	ug/L	EPA-200.7
7/19/2007 11:52	K		4790	ug/L	EPA-200.7
7/26/2007 12:31	K		4380	ug/L	EPA-200.7
8/8/2007 11:55	K		4505	ug/L	EPA-200.7
8/15/2007 7:55	K		5880	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:53	K		5530	ug/L	EPA-200.7
8/30/2007 11:33	K		5820	ug/L	EPA-200.7
9/6/2007 9:34	K		5710	ug/L	EPA-200.7
9/13/2007 12:32	K		4365	ug/L	EPA-200.7
9/19/2007 12:10	K		7140	ug/L	EPA-200.7
6/18/2007 14:07	Mg		16600	ug/L	EPA-200.7
6/26/2007 11:45	Mg		16300	ug/L	EPA-200.7
7/3/2007 9:35	Mg		17800	ug/L	EPA-200.7
7/11/2007 10:20	Mg		15500	ug/L	EPA-200.7
7/19/2007 11:52	Mg		13400	ug/L	EPA-200.7
7/26/2007 12:31	Mg		11900	ug/L	EPA-200.7
8/8/2007 11:55	Mg		10300	ug/L	EPA-200.7
8/15/2007 7:55	Mg		17200	ug/L	EPA-200.7
8/23/2007 9:53	Mg		14200	ug/L	EPA-200.7
8/30/2007 11:33	Mg		16400	ug/L	EPA-200.7
9/6/2007 9:34	Mg		17600	ug/L	EPA-200.7
9/13/2007 12:32	Mg		12150	ug/L	EPA-200.7
9/19/2007 12:10	Mg		16200	ug/L	EPA-200.7
6/18/2007 14:07	Mn		36.6	ug/L	EPA-200.7
6/26/2007 11:45	Mn		25	ug/L	EPA-200.7
7/3/2007 9:35	Mn		44.3	ug/L	EPA-200.7
7/11/2007 10:20	Mn		69.9	ug/L	EPA-200.7
7/19/2007 11:52	Mn		49	ug/L	EPA-200.7
7/26/2007 12:31	Mn		98.9	ug/L	EPA-200.7
8/8/2007 11:55	Mn		38.2	ug/L	EPA-200.7
8/15/2007 7:55	Mn		51.1	ug/L	EPA-200.7
8/23/2007 9:53	Mn		74.3	ug/L	EPA-200.7
8/30/2007 11:33	Mn		23.8	ug/L	EPA-200.7
9/6/2007 9:34	Mn		42	ug/L	EPA-200.7
9/13/2007 12:32	Mn		14.4	ug/L	EPA-200.7
9/19/2007 12:10	Mn		11.4	ug/L	EPA-200.7
6/18/2007 14:07	Mo		6.2	ug/L	EPA-200.7
6/26/2007 11:45	Mo		6.1	ug/L	EPA-200.7
7/3/2007 9:35	Mo		5.1	ug/L	EPA-200.7
7/11/2007 10:20	Mo		7.2	ug/L	EPA-200.7
7/19/2007 11:52	Mo		11.4	ug/L	EPA-200.7
7/26/2007 12:31	Mo		7.3	ug/L	EPA-200.7
8/8/2007 11:55	Mo		5.7	ug/L	EPA-200.7
8/15/2007 7:55	Mo		6.1	ug/L	EPA-200.7
8/23/2007 9:53	Mo		6.6	ug/L	EPA-200.7
8/30/2007 11:33	Mo		8.1	ug/L	EPA-200.7
9/6/2007 9:34	Mo		6.4	ug/L	EPA-200.7
9/13/2007 12:32	Mo		5.8	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 12:10	Mo		8.8	ug/L	EPA-200.7
6/18/2007 14:07	Na		166000	ug/L	EPA-200.7
6/26/2007 11:45	Na		158000	ug/L	EPA-200.7
7/3/2007 9:35	Na		176000	ug/L	EPA-200.7
7/11/2007 10:20	Na	~	146000	ug/L	EPA-200.7
7/19/2007 11:52	Na		138000	ug/L	EPA-200.7
7/26/2007 12:31	Na		114000	ug/L	EPA-200.7
8/8/2007 11:55	Na		96200	ug/L	EPA-200.7
8/15/2007 7:55	Na		139000	ug/L	EPA-200.7
8/23/2007 9:53	Na		110000	ug/L	EPA-200.7
8/30/2007 11:33	Na		152000	ug/L	EPA-200.7
9/6/2007 9:34	Na		157000	ug/L	EPA-200.7
9/13/2007 12:32	Na		105000	ug/L	EPA-200.7
9/19/2007 12:10	Na		163000	ug/L	EPA-200.7
6/18/2007 14:07	NH3		0.02	mg/L	EPA-350.1
6/26/2007 11:45	NH3		0.01	mg/L	EPA-350.1
7/3/2007 9:35	NH3	<	0.01	mg/L	EPA-350.1
7/11/2007 10:20	NH3	<	0.01	mg/L	EPA-350.1
7/19/2007 11:52	NH3		0.04	mg/L	EPA-350.1
7/26/2007 12:31	NH3		0.03	mg/L	EPA-350.1
8/8/2007 11:55	NH3		0.085	mg/L	EPA-350.1
8/15/2007 7:55	NH3		0.02	mg/L	EPA-350.1
8/23/2007 9:53	NH3		0.03	mg/L	EPA-350.1
8/30/2007 11:33	NH3		0.01	mg/L	EPA-350.1
9/6/2007 9:34	NH3	j	0.01	mg/L	EPA-350.1
9/13/2007 12:32	NH3		0.015	mg/L	EPA-350.1
9/19/2007 12:10	NH3		0.03	mg/L	EPA-350.1
6/18/2007 14:07	Ni		3.6	ug/L	EPA-200.7
6/26/2007 11:45	Ni	j	1.9	ug/L	EPA-200.7
7/3/2007 9:35	Ni		2.2	ug/L	EPA-200.7
7/11/2007 10:20	Ni		2.3	ug/L	EPA-200.7
7/19/2007 11:52	Ni		2.1	ug/L	EPA-200.7
7/26/2007 12:31	Ni		2.3	ug/L	EPA-200.7
8/8/2007 11:55	Ni		3.1	ug/L	EPA-200.7
8/15/2007 7:55	Ni		2.2	ug/L	EPA-200.7
8/23/2007 9:53	Ni		2.9	ug/L	EPA-200.7
8/30/2007 11:33	Ni	j	1.9	ug/L	EPA-200.7
9/6/2007 9:34	Ni	j	1.8	ug/L	EPA-200.7
9/19/2007 12:10	Ni	j	1.1	ug/L	EPA-200.7
6/18/2007 14:07	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/26/2007 11:45	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/3/2007 9:35	NO2	<	0.01	mg/L	SM 4500-NO2-B

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 10:20	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/19/2007 11:52	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/26/2007 12:31	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/8/2007 11:55	NO2		0.025	mg/L	SM 4500-NO2-B
8/15/2007 7:55	NO2	<	0	mg/L	SM 4500-NO2-B
8/23/2007 9:53	NO2		0.02	mg/L	SM 4500-NO2-B
8/30/2007 11:33	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/6/2007 9:34	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/13/2007 12:32	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/19/2007 12:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/18/2007 14:07	NO3		0.14	mg/L	EPA 353.2
6/26/2007 11:45	NO3		0.11	mg/L	EPA 353.2
7/3/2007 9:35	NO3		0.05	mg/L	EPA 353.2
7/11/2007 10:20	NO3		0.04	mg/L	EPA 353.2
7/19/2007 11:52	NO3		0.26	mg/L	EPA 353.2
7/26/2007 12:31	NO3		0.45	mg/L	EPA 353.2
8/8/2007 11:55	NO3		1.12	mg/L	EPA 353.2
8/15/2007 7:55	NO3		0.58	mg/L	EPA 353.2
8/23/2007 9:53	NO3		0.71	mg/L	EPA 353.2
8/30/2007 11:33	NO3		0.06	mg/L	EPA 353.2
9/6/2007 9:34	NO3		0.03	mg/L	EPA 353.2
9/13/2007 12:32	NO3		0.365	mg/L	EPA 353.2
9/19/2007 12:10	NO3		0.13	mg/L	EPA 353.2
6/18/2007 14:07	NO3+NO2		0.14	mg/L	EPA 353.2
6/26/2007 11:45	NO3+NO2		0.11	mg/L	EPA 353.2
7/3/2007 9:35	NO3+NO2		0.05	mg/L	EPA 353.2
7/11/2007 10:20	NO3+NO2		0.04	mg/L	EPA 353.2
7/19/2007 11:52	NO3+NO2		0.27	mg/L	EPA 353.2
7/26/2007 12:31	NO3+NO2		0.46	mg/L	EPA 353.2
8/8/2007 11:55	NO3+NO2		1.145	mg/L	EPA 353.2
8/15/2007 7:55	NO3+NO2		0.55	mg/L	EPA 353.2
8/23/2007 9:53	NO3+NO2		0.73	mg/L	EPA 353.2
8/30/2007 11:33	NO3+NO2		0.06	mg/L	EPA 353.2
9/6/2007 9:34	NO3+NO2		0.03	mg/L	EPA 353.2
9/13/2007 12:32	NO3+NO2		0.365	mg/L	EPA 353.2
9/19/2007 12:10	NO3+NO2		0.13	mg/L	EPA 353.2
6/18/2007 14:07	Pb	<	0.3	ug/L	EPA-200.7
6/26/2007 11:45	Pb	<	0.3	ug/L	EPA-200.7
7/3/2007 9:35	Pb	<	0.3	ug/L	EPA-200.7
7/11/2007 10:20	Pb	<	0.3	ug/L	EPA-200.7
7/19/2007 11:52	Pb	<	0.3	ug/L	EPA-200.7
7/26/2007 12:31	Pb	j	0.7	ug/L	EPA-200.7
8/8/2007 11:55	Pb	<	0.3	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/15/2007 7:55	Pb	<	0.3	ug/L	EPA-200.7
8/23/2007 9:53	Pb	<	0.3	ug/L	EPA-200.7
8/30/2007 11:33	Pb	<	0.3	ug/L	EPA-200.7
9/6/2007 9:34	Pb	<	0.3	ug/L	EPA-200.7
9/19/2007 12:10	Pb	<	0.3	ug/L	EPA-200.7
6/18/2007 14:07	pH		9.09	S.U.	
6/26/2007 11:45	pH		8.62	S.U.	
7/3/2007 9:35	pH		8.39	S.U.	
7/11/2007 10:20	pH		8.02	S.U.	
7/19/2007 11:52	pH		8.09	S.U.	
7/26/2007 12:31	pH		8.6	S.U.	
8/8/2007 11:55	pH		7.64	S.U.	
8/15/2007 7:55	pH		8.05	S.U.	
8/23/2007 9:53	pH		7.78	S.U.	
8/30/2007 11:33	pH		8.25	S.U.	
9/6/2007 9:34	pH		7.98	S.U.	
9/13/2007 12:32	pH		8.2	S.U.	
9/19/2007 12:10	pH		8.33	S.U.	
6/18/2007 14:07	Sb	<	0.4	ug/L	EPA-200.7
6/26/2007 11:45	Sb	j	0.5	ug/L	EPA-200.7
7/3/2007 9:35	Sb	<	0.4	ug/L	EPA-200.7
7/11/2007 10:20	Sb	j	1	ug/L	EPA-200.7
7/19/2007 11:52	Sb	<	0.4	ug/L	EPA-200.7
7/26/2007 12:31	Sb	<	0.4	ug/L	EPA-200.7
8/8/2007 11:55	Sb	<	0.4	ug/L	EPA-200.7
8/15/2007 7:55	Sb	<	0.4	ug/L	EPA-200.7
8/23/2007 9:53	Sb	<	0.4	ug/L	EPA-200.7
8/30/2007 11:33	Sb	<	0.4	ug/L	EPA-200.7
9/6/2007 9:34	Sb	<	0.4	ug/L	EPA-200.7
9/13/2007 12:32	Sb	j	0.55	ug/L	EPA-200.7
9/19/2007 12:10	Sb	j	0.7	ug/L	EPA-200.7
6/18/2007 14:07	Se	<	0.9	ug/L	EPA-200.7
6/26/2007 11:45	Se	<	0.9	ug/L	EPA-200.7
7/3/2007 9:35	Se	<	0.9	ug/L	EPA-200.7
7/11/2007 10:20	Se	<	0.9	ug/L	EPA-200.7
7/19/2007 11:52	Se	<	0.9	ug/L	EPA-200.7
7/26/2007 12:31	Se	j	1	ug/L	EPA-200.7
8/8/2007 11:55	Se	j	1.9	ug/L	EPA-200.7
8/15/2007 7:55	Se	j	1.4	ug/L	EPA-200.7
8/23/2007 9:53	Se	j	1.4	ug/L	EPA-200.7
8/30/2007 11:33	Se	j	1.2	ug/L	EPA-200.7
9/6/2007 9:34	Se	j	1.9	ug/L	EPA-200.7
9/13/2007 12:32	Se	j	1.5	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 12:10	Se	j	2.2	ug/L	EPA-200.7
6/18/2007 14:07	Sn	<	4.6	ug/L	EPA-200.7
6/26/2007 11:45	Sn	<	4.6	ug/L	EPA-200.7
7/3/2007 9:35	Sn	<	4.6	ug/L	EPA-200.7
7/11/2007 10:20	Sn	<	4.6	ug/L	EPA-200.7
7/19/2007 11:52	Sn	<	4.6	ug/L	EPA-200.7
7/26/2007 12:31	Sn	<	4.6	ug/L	EPA-200.7
8/8/2007 11:55	Sn	<	4.6	ug/L	EPA-200.7
8/15/2007 7:55	Sn	<	4.6	ug/L	EPA-200.7
8/23/2007 9:53	Sn	<	4.6	ug/L	EPA-200.7
8/30/2007 11:33	Sn	<	4.6	ug/L	EPA-200.7
9/6/2007 9:34	Sn	<	4.6	ug/L	EPA-200.7
9/13/2007 12:32	Sn	<	4.6	ug/L	EPA-200.7
9/19/2007 12:10	Sn	<	4.6	ug/L	EPA-200.7
6/18/2007 14:07	Soluble-P	<	0.01	mg/L	EPA 365.1
6/26/2007 11:45	Soluble-P		0.01	mg/L	EPA 365.1
7/3/2007 9:35	Soluble-P	<	0.01	mg/L	EPA 365.1
7/11/2007 10:20	Soluble-P	<	0.01	mg/L	EPA 365.1
7/19/2007 11:52	Soluble-P		0.02	mg/L	EPA 365.1
7/26/2007 12:31	Soluble-P		0.01	mg/L	EPA 365.1
8/8/2007 11:55	Soluble-P		0.04	mg/L	EPA 365.1
8/15/2007 7:55	Soluble-P		0.02	mg/L	EPA 365.1
8/23/2007 9:53	Soluble-P		0.03	mg/L	EPA 365.1
8/30/2007 11:33	Soluble-P	<	0.01	mg/L	EPA 365.1
9/6/2007 9:34	Soluble-P	j	0.01	mg/L	EPA 365.1
9/13/2007 12:32	Soluble-P		0.02	mg/L	EPA 365.1
9/19/2007 12:10	Soluble-P	j	0.01	mg/L	EPA 365.1
6/18/2007 14:07	TDS		696	mg/L	SM2540C
6/26/2007 11:45	TDS		689	mg/L	SM2540C
7/3/2007 9:35	TDS		674	mg/L	SM2540C
7/11/2007 10:20	TDS		581	mg/L	SM2540C
7/19/2007 11:52	TDS		557	mg/L	SM2540C
7/26/2007 12:31	TDS		483	mg/L	SM2540C
8/15/2007 7:55	TDS		684	mg/L	SM2540C
8/23/2007 9:53	TDS		591	mg/L	SM2540C
8/30/2007 11:33	TDS		654	mg/L	SM2540C
9/6/2007 9:34	TDS		703	mg/L	SM2540C
9/13/2007 12:32	TDS		495.5	mg/L	SM2540C
9/19/2007 12:10	TDS		641	mg/L	SM2540C
6/18/2007 14:07	Ti	j	1.9	ug/L	EPA-200.7
6/26/2007 11:45	Ti	<	0.6	ug/L	EPA-200.7
7/3/2007 9:35	Ti	<	0.6	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 10:20	Ti	j	0.8	ug/L	EPA-200.7
7/19/2007 11:52	Ti	<	0.6	ug/L	EPA-200.7
7/26/2007 12:31	Ti		2.5	ug/L	EPA-200.7
8/8/2007 11:55	Ti		3.6	ug/L	EPA-200.7
8/15/2007 7:55	Ti	<	0.6	ug/L	EPA-200.7
8/23/2007 9:53	Ti	<	0.6	ug/L	EPA-200.7
8/30/2007 11:33	Ti	<	0.6	ug/L	EPA-200.7
9/6/2007 9:34	Ti	<	0.6	ug/L	EPA-200.7
9/19/2007 12:10	Ti	<	0.6	ug/L	EPA-200.7
6/18/2007 14:07	TI	j	3.6	ug/L	EPA-200.7
6/26/2007 11:45	TI		6	ug/L	EPA-200.7
7/3/2007 9:35	TI		7.3	ug/L	EPA-200.7
7/11/2007 10:20	TI		6.1	ug/L	EPA-200.7
7/19/2007 11:52	TI	j	4.8	ug/L	EPA-200.7
7/26/2007 12:31	TI		5.9	ug/L	EPA-200.7
8/8/2007 11:55	TI		6.05	ug/L	EPA-200.7
8/15/2007 7:55	TI		8.8	ug/L	EPA-200.7
8/23/2007 9:53	TI	j	4.5	ug/L	EPA-200.7
8/30/2007 11:33	TI		6.2	ug/L	EPA-200.7
9/6/2007 9:34	TI		7.6	ug/L	EPA-200.7
9/13/2007 12:32	TI		6.85	ug/L	EPA-200.7
9/19/2007 12:10	TI		8	ug/L	EPA-200.7
6/18/2007 14:07	TMET		370	ug/L	EPA-200.7
6/26/2007 11:45	TMET		67.7	ug/L	EPA-200.7
7/3/2007 9:35	TMET	<	10	ug/L	EPA-200.7
7/11/2007 10:20	TMET		12.3	ug/L	EPA-200.7
7/19/2007 11:52	TMET		10	ug/L	EPA-200.7
7/26/2007 12:31	TMET		15.8	ug/L	EPA-200.7
8/8/2007 11:55	TMET		15.45	ug/L	EPA-200.7
8/15/2007 7:55	TMET	<	10	ug/L	EPA-200.7
8/23/2007 9:53	TMET		10.2	ug/L	EPA-200.7
8/30/2007 11:33	TMET	<	10	ug/L	EPA-200.7
9/6/2007 9:34	TMET	<	10	ug/L	EPA-200.7
9/13/2007 12:32	TMET		10.45	ug/L	EPA-200.7
9/19/2007 12:10	TMET		11.6	ug/L	EPA-200.7
6/18/2007 14:07	Total-P		0.05	mg/L	EPA 365.1
6/26/2007 11:45	Total-P		0.06	mg/L	EPA 365.1
7/3/2007 9:35	Total-P		0.02	mg/L	EPA 365.1
7/11/2007 10:20	Total-P		0.05	mg/L	EPA 365.1
7/19/2007 11:52	Total-P		0.05	mg/L	EPA 365.1
7/26/2007 12:31	Total-P		0.08	mg/L	EPA 365.1
8/8/2007 11:55	Total-P		0.075	mg/L	EPA 365.1
8/15/2007 7:55	Total-P		0.04	mg/L	EPA 365.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:53	Total-P		0.04	mg/L	EPA 365.1
8/30/2007 11:33	Total-P		0.02	mg/L	EPA 365.1
9/6/2007 9:34	Total-P		0.03	mg/L	EPA 365.1
9/13/2007 12:32	Total-P		0.03	mg/L	EPA 365.1
9/19/2007 12:10	Total-P		0.15	mg/L	EPA 365.1
6/18/2007 14:07	TS		770	mg/L	SM2540B
6/26/2007 11:45	TS		710	mg/L	SM2540B
7/3/2007 9:35	TS		801	mg/L	SM2540B
7/11/2007 10:20	TS		637	mg/L	SM2540B
7/19/2007 11:52	TS		578	mg/L	SM2540B
7/26/2007 12:31	TS		547	mg/L	SM2540B
8/15/2007 7:55	TS		732	mg/L	SM2540B
8/23/2007 9:53	TS		615	mg/L	SM2540B
8/30/2007 11:33	TS		682	mg/L	SM2540B
9/6/2007 9:34	TS		765	mg/L	SM2540B
9/13/2007 12:32	TS		506.5	mg/L	SM2540B
9/19/2007 12:10	TS		694	mg/L	SM2540B
6/18/2007 14:07	TSS		12	mg/L	SM2540D
6/26/2007 11:45	TSS		4	mg/L	SM2540D
7/3/2007 9:35	TSS		18	mg/L	SM2540D
7/11/2007 10:20	TSS		6	mg/L	SM2540D
7/19/2007 11:52	TSS		5	mg/L	SM2540D
7/26/2007 12:31	TSS		41	mg/L	SM2540D
8/8/2007 11:55	TSS		20.5	mg/L	SM2540D
8/15/2007 7:55	TSS		2	mg/L	SM2540D
8/23/2007 9:53	TSS		3	mg/L	SM2540D
8/30/2007 11:33	TSS		2	mg/L	SM2540D
9/6/2007 9:34	TSS		2	mg/L	SM2540D
9/13/2007 12:32	TSS	<	1	mg/L	SM2540D
9/19/2007 12:10	TSS		4	mg/L	SM2540D
6/18/2007 14:07	Turbidity		5.53	NTU	EPA 180.1
6/26/2007 11:45	Turbidity		2.46	NTU	EPA 180.1
7/3/2007 9:35	Turbidity		5.59	NTU	EPA 180.1
7/11/2007 10:20	Turbidity		3.54	NTU	EPA 180.1
7/26/2007 12:31	Turbidity		3.2	NTU	EPA 180.1
8/15/2007 7:55	Turbidity		0.99	NTU	EPA 180.1
8/23/2007 9:53	Turbidity		1.75	NTU	EPA 180.1
8/30/2007 11:33	Turbidity		1.09	NTU	EPA 180.1
9/6/2007 9:34	Turbidity	<	0.1	NTU	EPA 180.1
9/13/2007 12:32	Turbidity		0.63	NTU	EPA 180.1
9/19/2007 12:10	Turbidity		1.84	NTU	EPA 180.1
6/18/2007 14:07	V	<	0.2	ug/L	EPA-200.7

Euclid Creek River Mile 0.55						
Sample Date	Parameter	Code	Result	Units	Method	
6/26/2007 11:45	V	<	0.2	ug/L	EPA-200.7	
7/3/2007 9:35	V	<	0.2	ug/L	EPA-200.7	
7/11/2007 10:20	V	<	0.2	ug/L	EPA-200.7	
7/19/2007 11:52	V	<	0.2	ug/L	EPA-200.7	
7/26/2007 12:31	V	<	0.2	ug/L	EPA-200.7	
8/8/2007 11:55	V	j	0.85	ug/L	EPA-200.7	
8/15/2007 7:55	V	<	0.2	ug/L	EPA-200.7	
8/23/2007 9:53	V	<	0.2	ug/L	EPA-200.7	
8/30/2007 11:33	V	<	0.2	ug/L	EPA-200.7	
9/6/2007 9:34	V	<	0.2	ug/L	EPA-200.7	
9/19/2007 12:10	V	<	0.2	ug/L	EPA-200.7	
6/18/2007 14:07	Zn		358	ug/L	EPA-200.7	
6/26/2007 11:45	Zn		62.8	ug/L	EPA-200.7	
7/3/2007 9:35	Zn	j	3.6	ug/L	EPA-200.7	
7/11/2007 10:20	Zn	j	6.4	ug/L	EPA-200.7	
7/19/2007 11:52	Zn	j	4.3	ug/L	EPA-200.7	
7/26/2007 12:31	Zn	j	8.5	ug/L	EPA-200.7	
8/8/2007 11:55	Zn	j	6.7	ug/L	EPA-200.7	
8/15/2007 7:55	Zn	j	3.2	ug/L	EPA-200.7	
8/23/2007 9:53	Zn	j	3.5	ug/L	EPA-200.7	
8/30/2007 11:33	Zn	j	2	ug/L	EPA-200.7	
9/6/2007 9:34	Zn	j	2.7	ug/L	EPA-200.7	
9/19/2007 12:10	Zn	j	6.2	ug/L	EPA-200.7	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

~ = Estimated value