

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 10:44	Ag	<	0.1	ug/L	EPA-200.7
6/24/2008 10:56	Ag	<	0.1	ug/L	EPA-200.7
7/1/2008 10:05	Ag	<	0.1	ug/L	EPA-200.7
7/8/2008 10:40	Ag	<	0.1	ug/L	EPA-200.7
7/15/2008 10:40	Ag	<	0.1	ug/L	EPA-200.7
7/22/2008 10:30	Ag	<	0.1	ug/L	EPA-200.7
7/29/2008 10:00	Ag	<	0.1	ug/L	EPA-200.7
8/19/2008 10:27	Ag	j	0.2	ug/L	EPA-200.7
8/27/2008 11:02	Ag	j	0.1	ug/L	EPA-200.7
9/2/2008 10:50	Ag	<	0.1	ug/L	EPA-200.7
9/10/2008 10:10	Ag	<	0.1	ug/L	EPA-200.7
9/16/2008 11:17	Ag	j	0.2	ug/L	EPA-200.7
9/24/2008 10:10	Ag	<	0.1	ug/L	EPA-200.7
6/17/2008 10:44	Al		26.6	ug/L	EPA-200.7
6/24/2008 10:56	Al		42.6	ug/L	EPA-200.7
7/1/2008 10:05	Al		67.5	ug/L	EPA-200.7
7/8/2008 10:40	Al		29.3	ug/L	EPA-200.7
7/15/2008 10:40	Al		39.9	ug/L	EPA-200.7
7/22/2008 10:30	Al		850	ug/L	EPA-200.7
7/29/2008 10:00	Al		25.1	ug/L	EPA-200.7
8/19/2008 10:27	Al		20.5	ug/L	EPA-200.7
8/27/2008 11:02	Al		34.35	ug/L	EPA-200.7
9/2/2008 10:50	Al		15.5	ug/L	EPA-200.7
9/10/2008 10:10	Al		32.1	ug/L	EPA-200.7
9/16/2008 11:17	Al		26.9	ug/L	EPA-200.7
9/24/2008 10:10	Al		28.8	ug/L	EPA-200.7
6/17/2008 10:44	Alkalinity		112	mg/LCaCO3	EPA-310.2
6/24/2008 10:56	Alkalinity		107	mg/LCaCO3	EPA-310.2
7/1/2008 10:05	Alkalinity		99	mg/LCaCO3	EPA-310.2
7/8/2008 10:40	Alkalinity		112	mg/LCaCO3	EPA-310.2
7/15/2008 10:40	Alkalinity		110	mg/LCaCO3	EPA-310.2
7/22/2008 10:30	Alkalinity		80	mg/LCaCO3	EPA-310.2
7/29/2008 10:00	Alkalinity		114	mg/LCaCO3	EPA-310.2
8/19/2008 10:27	Alkalinity		116	mg/LCaCO3	EPA-310.2
8/27/2008 11:02	Alkalinity		110	mg/LCaCO3	EPA-310.2
9/2/2008 10:50	Alkalinity		117	mg/LCaCO3	EPA-310.2
9/10/2008 10:10	Alkalinity		96.5	mg/LCaCO3	EPA-310.2
9/16/2008 11:17	Alkalinity		106	mg/LCaCO3	EPA-310.2
9/24/2008 10:10	Alkalinity		110	mg/LCaCO3	EPA-310.2
6/17/2008 10:44	As	j	1.6	ug/L	EPA-200.7
6/24/2008 10:56	As	j	1.5	ug/L	EPA-200.7
7/1/2008 10:05	As	j	1	ug/L	EPA-200.7
7/8/2008 10:40	As	j	1.1	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/15/2008 10:40	As		2.1	ug/L	EPA-200.7
7/22/2008 10:30	As		2.6	ug/L	EPA-200.7
7/29/2008 10:00	As	j	0.6	ug/L	EPA-200.7
8/19/2008 10:27	As	j	0.6	ug/L	EPA-200.7
8/27/2008 11:02	As	<	0.4	ug/L	EPA-200.7
9/2/2008 10:50	As	j	0.7	ug/L	EPA-200.7
9/10/2008 10:10	As	<	0.4	ug/L	EPA-200.7
9/16/2008 11:17	As	j	1.3	ug/L	EPA-200.7
9/24/2008 10:10	As	<	0.4	ug/L	EPA-200.7
6/17/2008 10:44	Be	<	0.1	ug/L	EPA-200.7
6/24/2008 10:56	Be	<	0.1	ug/L	EPA-200.7
7/1/2008 10:05	Be	<	0.1	ug/L	EPA-200.7
7/8/2008 10:40	Be	<	0.1	ug/L	EPA-200.7
7/15/2008 10:40	Be	<	0.1	ug/L	EPA-200.7
7/22/2008 10:30	Be	<	0.1	ug/L	EPA-200.7
7/29/2008 10:00	Be	<	0.1	ug/L	EPA-200.7
8/19/2008 10:27	Be	<	0.1	ug/L	EPA-200.7
8/27/2008 11:02	Be	<	0.1	ug/L	EPA-200.7
9/2/2008 10:50	Be	<	0.1	ug/L	EPA-200.7
9/10/2008 10:10	Be	<	0.1	ug/L	EPA-200.7
9/16/2008 11:17	Be	<	0.1	ug/L	EPA-200.7
9/24/2008 10:10	Be	<	0.1	ug/L	EPA-200.7
6/17/2008 10:44	BOD	<	2	mg/L	SM 5210
6/24/2008 10:56	BOD		2.5	mg/L	SM 5210
7/1/2008 10:05	BOD	<	2	mg/L	SM 5210
7/8/2008 10:40	BOD	<	2	mg/L	SM 5210
7/15/2008 10:40	BOD	<	2	mg/L	SM 5210
7/22/2008 10:30	BOD	<	2	mg/L	SM 5210
7/29/2008 10:00	BOD	<	2	mg/L	SM 5210
8/19/2008 10:27	BOD	<	2	mg/L	SM 5210
8/27/2008 11:02	BOD	<	2	mg/L	SM 5210
9/2/2008 10:50	BOD	<	2	mg/L	SM 5210
9/10/2008 10:10	BOD	<	2	mg/L	SM 5210
9/16/2008 11:17	BOD		2.3	mg/L	SM 5210
9/24/2008 10:10	BOD	<	2	mg/L	SM 5210
6/17/2008 10:44	Ca		49800	ug/L	EPA-200.7
6/24/2008 10:56	Ca		45400	ug/L	EPA-200.7
7/1/2008 10:05	Ca		42300	ug/L	EPA-200.7
7/8/2008 10:40	Ca		58900	ug/L	EPA-200.7
7/15/2008 10:40	Ca		46700	ug/L	EPA-200.7
7/22/2008 10:30	Ca		42200	ug/L	EPA-200.7
7/29/2008 10:00	Ca		51900	ug/L	EPA-200.7
8/19/2008 10:27	Ca		54800	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
8/27/2008 11:02	Ca		59800	ug/L	EPA-200.7
9/2/2008 10:50	Ca		57000	ug/L	EPA-200.7
9/10/2008 10:10	Ca		44350	ug/L	EPA-200.7
9/16/2008 11:17	Ca		47400	ug/L	EPA-200.7
9/24/2008 10:10	Ca		63800	ug/L	EPA-200.7
6/17/2008 10:44	CaCO3		180	mg/LCaCO3	EPA-200.7
6/24/2008 10:56	CaCO3		160	mg/LCaCO3	EPA-200.7
7/1/2008 10:05	CaCO3		149	mg/LCaCO3	EPA-200.7
7/8/2008 10:40	CaCO3		206	mg/LCaCO3	EPA-200.7
7/15/2008 10:40	CaCO3		168	mg/LCaCO3	EPA-200.7
7/22/2008 10:30	CaCO3		148	mg/LCaCO3	EPA-200.7
7/29/2008 10:00	CaCO3		190	mg/LCaCO3	EPA-200.7
8/19/2008 10:27	CaCO3		195	mg/LCaCO3	EPA-200.7
8/27/2008 11:02	CaCO3		211	mg/LCaCO3	EPA-200.7
9/2/2008 10:50	CaCO3		201	mg/LCaCO3	EPA-200.7
9/10/2008 10:10	CaCO3		157	mg/LCaCO3	EPA-200.7
9/16/2008 11:17	CaCO3		168	mg/LCaCO3	EPA-200.7
9/24/2008 10:10	CaCO3		226	mg/LCaCO3	EPA-200.7
6/17/2008 10:44	Cd	<	0.2	ug/L	EPA-200.7
6/24/2008 10:56	Cd	<	0.2	ug/L	EPA-200.7
7/1/2008 10:05	Cd	<	0.2	ug/L	EPA-200.7
7/8/2008 10:40	Cd	<	0.2	ug/L	EPA-200.7
7/15/2008 10:40	Cd	<	0.2	ug/L	EPA-200.7
7/22/2008 10:30	Cd	j	0.6	ug/L	EPA-200.7
7/29/2008 10:00	Cd	<	0.2	ug/L	EPA-200.7
8/19/2008 10:27	Cd	<	0.2	ug/L	EPA-200.7
8/27/2008 11:02	Cd	<	0.2	ug/L	EPA-200.7
9/2/2008 10:50	Cd	<	0.2	ug/L	EPA-200.7
9/10/2008 10:10	Cd	<	0.2	ug/L	EPA-200.7
9/16/2008 11:17	Cd	<	0.2	ug/L	EPA-200.7
9/24/2008 10:10	Cd	<	0.2	ug/L	EPA-200.7
6/17/2008 10:44	Co	j	0.2	ug/L	EPA-200.7
6/24/2008 10:56	Co	j	0.2	ug/L	EPA-200.7
7/1/2008 10:05	Co	j	0.3	ug/L	EPA-200.7
7/8/2008 10:40	Co	j	0.2	ug/L	EPA-200.7
7/15/2008 10:40	Co	j	0.2	ug/L	EPA-200.7
7/22/2008 10:30	Co		1.3	ug/L	EPA-200.7
7/29/2008 10:00	Co	j	0.2	ug/L	EPA-200.7
8/19/2008 10:27	Co	j	0.2	ug/L	EPA-200.7
8/27/2008 11:02	Co	j	0.2	ug/L	EPA-200.7
9/2/2008 10:50	Co	j	0.1	ug/L	EPA-200.7
9/10/2008 10:10	Co	<	0.1	ug/L	EPA-200.7
9/16/2008 11:17	Co	j	0.1	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/24/2008 10:10	Co	j	0.2	ug/L	EPA-200.7
6/17/2008 10:44	COD		17	mg/L	EPA 410.4
6/24/2008 10:56	COD		5	mg/L	EPA 410.4
7/1/2008 10:05	COD		21	mg/L	EPA 410.4
7/8/2008 10:40	COD		5	mg/L	EPA 410.4
7/15/2008 10:40	COD		10	mg/L	EPA 410.4
7/22/2008 10:30	COD	<	5	mg/L	EPA 410.4
7/29/2008 10:00	COD		18	mg/L	EPA 410.4
8/19/2008 10:27	COD		26	mg/L	EPA 410.4
8/27/2008 11:02	COD	<	5	mg/L	EPA 410.4
9/2/2008 10:50	COD		7	mg/L	EPA 410.4
9/10/2008 10:10	COD		15.5	mg/L	EPA 410.4
9/16/2008 11:17	COD		9	mg/L	EPA 410.4
9/24/2008 10:10	COD		8	mg/L	EPA 410.4
6/17/2008 10:44	Cr	<	0.5	ug/L	EPA-200.7
6/24/2008 10:56	Cr	<	0.5	ug/L	EPA-200.7
7/1/2008 10:05	Cr	<	0.5	ug/L	EPA-200.7
7/8/2008 10:40	Cr	<	0.5	ug/L	EPA-200.7
7/15/2008 10:40	Cr	<	0.5	ug/L	EPA-200.7
7/22/2008 10:30	Cr	j	1.6	ug/L	EPA-200.7
8/27/2008 11:02	Cr	<	0.5	ug/L	EPA-200.7
9/2/2008 10:50	Cr	<	0.5	ug/L	EPA-200.7
9/10/2008 10:10	Cr	<	0.5	ug/L	EPA-200.7
9/24/2008 10:10	Cr	<	0.5	ug/L	EPA-200.7
6/17/2008 10:44	Cr+6	j	1.15	ug/L	SM 3500-Cr-D
6/24/2008 10:56	Cr+6	j	1.47	ug/L	SM 3500-Cr-D
7/1/2008 10:05	Cr+6	j	2.14	ug/L	SM 3500-Cr-D
7/8/2008 10:40	Cr+6	j	1.74	ug/L	SM 3500-Cr-D
7/15/2008 10:40	Cr+6	j	1.75	ug/L	SM 3500-Cr-D
7/22/2008 10:30	Cr+6	j	3.2	ug/L	SM 3500-Cr-D
8/27/2008 11:02	Cr+6	j	1.04	ug/L	SM 3500-Cr-D
9/2/2008 10:50	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/10/2008 10:10	Cr+6	j	1.61	ug/L	SM 3500-Cr-D
9/24/2008 10:10	Cr+6	j	1.74	ug/L	SM 3500-Cr-D
6/17/2008 10:44	Cu		2.6	ug/L	EPA-200.7
6/24/2008 10:56	Cu		3	ug/L	EPA-200.7
7/1/2008 10:05	Cu		3.6	ug/L	EPA-200.7
7/8/2008 10:40	Cu		2.8	ug/L	EPA-200.7
7/15/2008 10:40	Cu		3.4	ug/L	EPA-200.7
7/22/2008 10:30	Cu		5.5	ug/L	EPA-200.7
7/29/2008 10:00	Cu		2.6	ug/L	EPA-200.7
8/19/2008 10:27	Cu		2.8	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
8/27/2008 11:02	Cu		2.45	ug/L	EPA-200.7
9/2/2008 10:50	Cu		2.4	ug/L	EPA-200.7
9/10/2008 10:10	Cu		2.55	ug/L	EPA-200.7
9/16/2008 11:17	Cu		3.3	ug/L	EPA-200.7
9/24/2008 10:10	Cu		2	ug/L	EPA-200.7
6/17/2008 10:44	Fe		44.8	ug/L	EPA-200.7
6/24/2008 10:56	Fe		82.6	ug/L	EPA-200.7
7/1/2008 10:05	Fe		145	ug/L	EPA-200.7
7/8/2008 10:40	Fe		47.4	ug/L	EPA-200.7
7/15/2008 10:40	Fe		80.5	ug/L	EPA-200.7
7/22/2008 10:30	Fe		1350	ug/L	EPA-200.7
7/29/2008 10:00	Fe		32.7	ug/L	EPA-200.7
8/19/2008 10:27	Fe		32.2	ug/L	EPA-200.7
8/27/2008 11:02	Fe		67.05	ug/L	EPA-200.7
9/2/2008 10:50	Fe		30.2	ug/L	EPA-200.7
9/10/2008 10:10	Fe		71.7	ug/L	EPA-200.7
9/16/2008 11:17	Fe		63	ug/L	EPA-200.7
9/24/2008 10:10	Fe		43.1	ug/L	EPA-200.7
6/17/2008 10:44	Field Cond		1073	uS/cm	SM 2510A
6/24/2008 10:56	Field Cond		895	uS/cm	SM 2510A
7/1/2008 10:05	Field Cond		783	uS/cm	SM 2510A
7/8/2008 10:40	Field Cond		1086	uS/cm	SM 2510A
7/15/2008 10:40	Field Cond		889	uS/cm	SM 2510A
7/22/2008 10:30	Field Cond		792	uS/cm	SM 2510A
7/29/2008 10:00	Field Cond		1003	uS/cm	SM 2510A
8/19/2008 10:27	Field Cond		854	uS/cm	SM 2510A
8/27/2008 11:02	Field Cond		943	uS/cm	SM 2510A
9/2/2008 10:50	Field Cond		902	uS/cm	SM 2510A
9/10/2008 10:10	Field Cond		732	uS/cm	SM 2510A
9/16/2008 11:17	Field Cond		920	uS/cm	SM 2510A
9/24/2008 10:10	Field Cond		1055	uS/cm	SM 2510A
6/17/2008 10:44	Field DO		10.96	mg/L	SM 4500-O G
6/24/2008 10:56	Field DO		9.52	mg/L	SM 4500-O G
7/1/2008 10:05	Field DO		9.5	mg/L	SM 4500-O G
7/8/2008 10:40	Field DO		10.05	mg/L	SM 4500-O G
7/15/2008 10:40	Field DO		9.56	mg/L	SM 4500-O G
7/22/2008 10:30	Field DO		9.08	mg/L	SM 4500-O G
7/29/2008 10:00	Field DO		10.06	mg/L	SM 4500-O G
8/5/2008	Field DO		AH	mg/L	SM 4500-O G
8/19/2008 10:27	Field DO		9.05	mg/L	SM 4500-O G
8/27/2008 11:02	Field DO		11.19	mg/L	SM 4500-O G
9/2/2008 10:50	Field DO		10.17	mg/L	SM 4500-O G
9/10/2008 10:10	Field DO		10.91	mg/L	SM 4500-O G

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:17	Field DO		9.2	mg/L	SM 4500-O G
9/24/2008 10:10	Field DO		11.8	mg/L	SM 4500-O G
6/17/2008 10:44	Field Temp		19.05	C	EPA 170.1
6/24/2008 10:56	Field Temp		18.66	C	EPA 170.1
7/1/2008 10:05	Field Temp		17.63	C	EPA 170.1
7/8/2008 10:40	Field Temp		22.7	C	EPA 170.1
7/15/2008 10:40	Field Temp		20.15	C	EPA 170.1
7/22/2008 10:30	Field Temp		21.52	C	EPA 170.1
7/29/2008 10:00	Field Temp		21.33	C	EPA 170.1
8/5/2008	Field Temp		AH	C	EPA 170.1
8/19/2008 10:27	Field Temp		20.95	C	EPA 170.1
8/27/2008 11:02	Field Temp		18.5	C	EPA 170.1
9/2/2008 10:50	Field Temp		19.76	C	EPA 170.1
9/10/2008 10:10	Field Temp		15.35	C	EPA 170.1
9/16/2008 11:17	Field Temp		17.24	C	EPA 170.1
9/24/2008 10:10	Field Temp		15.56	C	EPA 170.1
6/17/2008 10:44	Hg	<	0.01	ug/L	EPA 245.1
6/24/2008 10:56	Hg	j	0.04	ug/L	EPA 245.1
7/1/2008 10:05	Hg	j	0.01	ug/L	EPA 245.1
7/8/2008 10:40	Hg	j	0.02	ug/L	EPA 245.1
7/15/2008 10:40	Hg	<	0.01	ug/L	EPA 245.1
7/22/2008 10:30	Hg	<	0.01	ug/L	EPA 245.1
7/29/2008 10:00	Hg	<	0.01	ug/L	EPA 245.1
8/19/2008 10:27	Hg	<	0.01	ug/L	EPA 245.1
8/27/2008 11:02	Hg	<	0.01	ug/L	EPA 245.1
9/2/2008 10:50	Hg	<	0.01	ug/L	EPA 245.1
9/10/2008 10:10	Hg	<	0.01	ug/L	EPA 245.1
9/16/2008 11:17	Hg	j	0.02	ug/L	EPA 245.1
9/24/2008 10:10	Hg	<	0.01	ug/L	EPA 245.1
6/17/2008 10:44	K		4620	ug/L	EPA-200.7
6/24/2008 10:56	K		4070	ug/L	EPA-200.7
7/1/2008 10:05	K		3900	ug/L	EPA-200.7
7/8/2008 10:40	K		4890	ug/L	EPA-200.7
7/15/2008 10:40	K		4510	ug/L	EPA-200.7
7/22/2008 10:30	K		4660	ug/L	EPA-200.7
7/29/2008 10:00	K		4300	ug/L	EPA-200.7
8/19/2008 10:27	K		4680	ug/L	EPA-200.7
8/27/2008 11:02	K		4520	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/2/2008 10:50	K		4430	ug/L	EPA-200.7
9/10/2008 10:10	K		3455	ug/L	EPA-200.7
9/16/2008 11:17	K		3940	ug/L	EPA-200.7
9/24/2008 10:10	K		4640	ug/L	EPA-200.7
6/17/2008 10:44	Mg		13600	ug/L	EPA-200.7
6/24/2008 10:56	Mg		11400	ug/L	EPA-200.7
7/1/2008 10:05	Mg		10600	ug/L	EPA-200.7
7/8/2008 10:40	Mg		14400	ug/L	EPA-200.7
7/15/2008 10:40	Mg		12400	ug/L	EPA-200.7
7/22/2008 10:30	Mg		10500	ug/L	EPA-200.7
7/29/2008 10:00	Mg		14600	ug/L	EPA-200.7
8/19/2008 10:27	Mg		14000	ug/L	EPA-200.7
8/27/2008 11:02	Mg		14950	ug/L	EPA-200.7
9/2/2008 10:50	Mg		14300	ug/L	EPA-200.7
9/10/2008 10:10	Mg		11200	ug/L	EPA-200.7
9/16/2008 11:17	Mg		12000	ug/L	EPA-200.7
9/24/2008 10:10	Mg		16000	ug/L	EPA-200.7
6/17/2008 10:44	Mn		6.2	ug/L	EPA-200.7
6/24/2008 10:56	Mn		5.9	ug/L	EPA-200.7
7/1/2008 10:05	Mn		8	ug/L	EPA-200.7
7/8/2008 10:40	Mn		5.3	ug/L	EPA-200.7
7/15/2008 10:40	Mn		5.4	ug/L	EPA-200.7
7/22/2008 10:30	Mn		71.9	ug/L	EPA-200.7
7/29/2008 10:00	Mn		4.8	ug/L	EPA-200.7
8/19/2008 10:27	Mn		4.4	ug/L	EPA-200.7
8/27/2008 11:02	Mn		4.9	ug/L	EPA-200.7
9/2/2008 10:50	Mn		3.9	ug/L	EPA-200.7
9/10/2008 10:10	Mn		4.9	ug/L	EPA-200.7
9/16/2008 11:17	Mn		3.9	ug/L	EPA-200.7
9/24/2008 10:10	Mn		3.9	ug/L	EPA-200.7
6/17/2008 10:44	Mo		3.5	ug/L	EPA-200.7
6/24/2008 10:56	Mo		2.9	ug/L	EPA-200.7
7/1/2008 10:05	Mo		3	ug/L	EPA-200.7
7/8/2008 10:40	Mo		3.2	ug/L	EPA-200.7
7/15/2008 10:40	Mo		3.5	ug/L	EPA-200.7
7/22/2008 10:30	Mo		2.7	ug/L	EPA-200.7
7/29/2008 10:00	Mo		3.8	ug/L	EPA-200.7
8/19/2008 10:27	Mo		3.7	ug/L	EPA-200.7
8/27/2008 11:02	Mo		3.7	ug/L	EPA-200.7
9/2/2008 10:50	Mo		3.7	ug/L	EPA-200.7
9/10/2008 10:10	Mo		3.05	ug/L	EPA-200.7
9/16/2008 11:17	Mo		3.1	ug/L	EPA-200.7
9/24/2008 10:10	Mo		3.2	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 10:44	Na		134000	ug/L	EPA-200.7
6/24/2008 10:56	Na		121000	ug/L	EPA-200.7
7/1/2008 10:05	Na		108000	ug/L	EPA-200.7
7/8/2008 10:40	Na		142000	ug/L	EPA-200.7
7/15/2008 10:40	Na		107000	ug/L	EPA-200.7
7/22/2008 10:30	Na		97500	ug/L	EPA-200.7
7/29/2008 10:00	Na		108000	ug/L	EPA-200.7
8/19/2008 10:27	Na		83400	ug/L	EPA-200.7
8/27/2008 11:02	Na		109500	ug/L	EPA-200.7
9/2/2008 10:50	Na		105000	ug/L	EPA-200.7
9/10/2008 10:10	Na		84700	ug/L	EPA-200.7
9/16/2008 11:17	Na		92600	ug/L	EPA-200.7
9/24/2008 10:10	Na		130000	ug/L	EPA-200.7
6/17/2008 10:44	NH3		0.04	mg/L	EPA-350.1
6/24/2008 10:56	NH3		0.1	mg/L	EPA-350.1
7/1/2008 10:05	NH3		0.04	mg/L	EPA-350.1
7/8/2008 10:40	NH3		0.08	mg/L	EPA-350.1
7/15/2008 10:40	NH3		0.07	mg/L	EPA-350.1
7/22/2008 10:30	NH3		0.05	mg/L	EPA-350.1
7/29/2008 10:00	NH3		0.06	mg/L	EPA-350.1
8/19/2008 10:27	NH3		0.03	mg/L	EPA-350.1
8/27/2008 11:02	NH3		0.02	mg/L	EPA-350.1
9/2/2008 10:50	NH3		0.04	mg/L	EPA-350.1
9/10/2008 10:10	NH3		0.01	mg/L	EPA-350.1
9/16/2008 11:17	NH3		0.08	mg/L	EPA-350.1
9/24/2008 10:10	NH3	<	0.003	mg/L	EPA-350.1
6/17/2008 10:44	Ni	j	1.7	ug/L	EPA-200.7
6/24/2008 10:56	Ni	j	1.9	ug/L	EPA-200.7
7/1/2008 10:05	Ni		2.4	ug/L	EPA-200.7
7/8/2008 10:40	Ni	j	1.8	ug/L	EPA-200.7
7/15/2008 10:40	Ni		2.1	ug/L	EPA-200.7
7/22/2008 10:30	Ni		4.1	ug/L	EPA-200.7
7/29/2008 10:00	Ni	j	1.4	ug/L	EPA-200.7
8/19/2008 10:27	Ni	j	1.4	ug/L	EPA-200.7
8/27/2008 11:02	Ni	j	1.5	ug/L	EPA-200.7
9/2/2008 10:50	Ni	j	1.4	ug/L	EPA-200.7
9/10/2008 10:10	Ni	j	1.35	ug/L	EPA-200.7
9/16/2008 11:17	Ni	j	1.4	ug/L	EPA-200.7
9/24/2008 10:10	Ni	j	1.2	ug/L	EPA-200.7
6/17/2008 10:44	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/24/2008 10:56	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/1/2008 10:05	NO2	<	0.002	mg/L	SM 4500-NO2-B

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2008 10:40	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/15/2008 10:40	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/22/2008 10:30	NO2		0.01	mg/L	SM 4500-NO2-B
7/29/2008 10:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
8/19/2008 10:27	NO2	<	0.002	mg/L	SM 4500-NO2-B
8/27/2008 11:02	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/2/2008 10:50	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/10/2008 10:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/16/2008 11:17	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/24/2008 10:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/17/2008 10:44	NO3		0.37	mg/L	EPA 353.2
6/24/2008 10:56	NO3		0.57	mg/L	EPA 353.2
7/1/2008 10:05	NO3		0.64	mg/L	EPA 353.2
7/8/2008 10:40	NO3		0.28	mg/L	EPA 353.2
7/15/2008 10:40	NO3		0.55	mg/L	EPA 353.2
7/22/2008 10:30	NO3		0.74	mg/L	EPA 353.2
7/29/2008 10:00	NO3		0.1	mg/L	EPA 353.2
8/19/2008 10:27	NO3		0.51	mg/L	EPA 353.2
8/27/2008 11:02	NO3		0.165	mg/L	EPA 353.2
9/2/2008 10:50	NO3		0.23	mg/L	EPA 353.2
9/10/2008 10:10	NO3		0.285	mg/L	EPA 353.2
9/16/2008 11:17	NO3		0.41	mg/L	EPA 353.2
9/24/2008 10:10	NO3		0.08	mg/L	EPA 353.2
6/17/2008 10:44	NO3+NO2		0.37	mg/L	EPA 353.2
6/24/2008 10:56	NO3+NO2		0.57	mg/L	EPA 353.2
7/1/2008 10:05	NO3+NO2		0.64	mg/L	EPA 353.2
7/8/2008 10:40	NO3+NO2		0.28	mg/L	EPA 353.2
7/15/2008 10:40	NO3+NO2		0.55	mg/L	EPA 353.2
7/22/2008 10:30	NO3+NO2		0.76	mg/L	EPA 353.2
7/29/2008 10:00	NO3+NO2		0.1	mg/L	EPA 353.2
8/19/2008 10:27	NO3+NO2		0.51	mg/L	EPA 353.2
8/27/2008 11:02	NO3+NO2		0.165	mg/L	EPA 353.2
9/2/2008 10:50	NO3+NO2		0.23	mg/L	EPA 353.2
9/10/2008 10:10	NO3+NO2		0.285	mg/L	EPA 353.2
9/16/2008 11:17	NO3+NO2		0.41	mg/L	EPA 353.2
9/24/2008 10:10	NO3+NO2		0.084	mg/L	EPA 353.2
6/17/2008 10:44	Pb	<	0.3	ug/L	EPA-200.7
6/24/2008 10:56	Pb	<	0.3	ug/L	EPA-200.7
7/1/2008 10:05	Pb	<	0.3	ug/L	EPA-200.7
7/8/2008 10:40	Pb	<	0.3	ug/L	EPA-200.7
7/15/2008 10:40	Pb	<	0.3	ug/L	EPA-200.7
7/22/2008 10:30	Pb	j	1	ug/L	EPA-200.7
7/29/2008 10:00	Pb	<	0.3	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
8/19/2008 10:27	Pb	<	0.3	ug/L	EPA-200.7
8/27/2008 11:02	Pb	<	0.3	ug/L	EPA-200.7
9/2/2008 10:50	Pb	<	0.3	ug/L	EPA-200.7
9/10/2008 10:10	Pb	<	0.3	ug/L	EPA-200.7
9/16/2008 11:17	Pb	<	0.3	ug/L	EPA-200.7
9/24/2008 10:10	Pb	<	0.3	ug/L	EPA-200.7
6/17/2008 10:44	pH		7.8	S.U.	
6/24/2008 10:56	pH		8.14	S.U.	
7/1/2008 10:05	pH		7.51	S.U.	
7/8/2008 10:40	pH		8.65	S.U.	
7/15/2008 10:40	pH		7.7	S.U.	
7/22/2008 10:30	pH		7.61	S.U.	
7/29/2008 10:00	pH		8.02	S.U.	
8/5/2008	pH		AH	S.U.	
8/19/2008 10:27	pH		7.74	S.U.	
8/27/2008 11:02	pH		8.15	S.U.	
9/2/2008 10:50	pH		7.95	S.U.	
9/10/2008 10:10	pH		7.74	S.U.	
9/16/2008 11:17	pH		8.12	S.U.	
6/17/2008 10:44	Sb	<	0.4	ug/L	EPA-200.7
6/24/2008 10:56	Sb	<	0.4	ug/L	EPA-200.7
7/1/2008 10:05	Sb	<	0.4	ug/L	EPA-200.7
7/8/2008 10:40	Sb	<	0.4	ug/L	EPA-200.7
7/15/2008 10:40	Sb	<	0.4	ug/L	EPA-200.7
7/22/2008 10:30	Sb	<	0.4	ug/L	EPA-200.7
7/29/2008 10:00	Sb	<	0.4	ug/L	EPA-200.7
8/19/2008 10:27	Sb	j	0.6	ug/L	EPA-200.7
8/27/2008 11:02	Sb	j	1.05	ug/L	EPA-200.7
9/2/2008 10:50	Sb	<	0.4	ug/L	EPA-200.7
9/10/2008 10:10	Sb	<	0.4	ug/L	EPA-200.7
9/16/2008 11:17	Sb	<	0.4	ug/L	EPA-200.7
9/24/2008 10:10	Sb	<	0.4	ug/L	EPA-200.7
6/17/2008 10:44	Se	j	1.8	ug/L	EPA-200.7
6/24/2008 10:56	Se	j	2	ug/L	EPA-200.7
7/1/2008 10:05	Se	j	2	ug/L	EPA-200.7
7/8/2008 10:40	Se	<	0.9	ug/L	EPA-200.7
7/15/2008 10:40	Se	j	1.9	ug/L	EPA-200.7
7/22/2008 10:30	Se	j	1.5	ug/L	EPA-200.7
7/29/2008 10:00	Se	j	2.5	ug/L	EPA-200.7
8/19/2008 10:27	Se	j	1.4	ug/L	EPA-200.7
8/27/2008 11:02	Se	j	1.75	ug/L	EPA-200.7
9/2/2008 10:50	Se	j	2.5	ug/L	EPA-200.7
9/10/2008 10:10	Se	<	1.25	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:17	Se	j	2.4	ug/L	EPA-200.7
9/24/2008 10:10	Se	j	1	ug/L	EPA-200.7
6/17/2008 10:44	Sn	<	18.9	ug/L	EPA-200.7
6/24/2008 10:56	Sn	<	4.6	ug/L	EPA-200.7
7/1/2008 10:05	Sn	<	4.6	ug/L	EPA-200.7
7/8/2008 10:40	Sn	<	18.9	ug/L	EPA-200.7
7/15/2008 10:40	Sn	<	4.6	ug/L	EPA-200.7
7/22/2008 10:30	Sn	<	18.9	ug/L	EPA-200.7
7/29/2008 10:00	Sn	<	18.9	ug/L	EPA-200.7
8/19/2008 10:27	Sn	<	18.9	ug/L	EPA-200.7
8/27/2008 11:02	Sn	<	18.9	ug/L	EPA-200.7
9/2/2008 10:50	Sn	<	18.9	ug/L	EPA-200.7
9/10/2008 10:10	Sn	<	18.9	ug/L	EPA-200.7
9/16/2008 11:17	Sn	<	18.9	ug/L	EPA-200.7
9/24/2008 10:10	Sn	<	18.9	ug/L	EPA-200.7
6/17/2008 10:44	Soluble-P		0.04	mg/L	EPA 365.1
6/24/2008 10:56	Soluble-P		0.04	mg/L	EPA 365.1
7/1/2008 10:05	Soluble-P		0.05	mg/L	EPA 365.1
7/8/2008 10:40	Soluble-P		0.03	mg/L	EPA 365.1
7/15/2008 10:40	Soluble-P		0.04	mg/L	EPA 365.1
7/22/2008 10:30	Soluble-P		0.06	mg/L	EPA 365.1
7/29/2008 10:00	Soluble-P		0.03	mg/L	EPA 365.1
8/19/2008 10:27	Soluble-P		0.04	mg/L	EPA 365.1
8/27/2008 11:02	Soluble-P		0.035	mg/L	EPA 365.1
9/2/2008 10:50	Soluble-P		0.03	mg/L	EPA 365.1
9/10/2008 10:10	Soluble-P		0.03	mg/L	EPA 365.1
9/16/2008 11:17	Soluble-P		0.05	mg/L	EPA 365.1
9/24/2008 10:10	Soluble-P		0.027	mg/L	EPA 365.1
6/17/2008 10:44	TDS		584	mg/L	SM2540C
6/24/2008 10:56	TDS		494	mg/L	SM2540C
7/1/2008 10:05	TDS		470	mg/L	SM2540C
7/8/2008 10:40	TDS		604	mg/L	SM2540C
7/15/2008 10:40	TDS		507	mg/L	SM2540C
7/22/2008 10:30	TDS		442	mg/L	SM2540C
7/29/2008 10:00	TDS		540	mg/L	SM2540C
8/19/2008 10:27	TDS		488	mg/L	SM2540C
8/27/2008 11:02	TDS		540	mg/L	SM2540C
9/2/2008 10:50	TDS		516	mg/L	SM2540C
9/10/2008 10:10	TDS		423	mg/L	SM2540C
9/16/2008 11:17	TDS		354	mg/L	SM2540C
9/24/2008 10:10	TDS		606	mg/L	SM2540C
6/17/2008 10:44	Ti	<	0.6	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/24/2008 10:56	Ti	<	0.6	ug/L	EPA-200.7
7/1/2008 10:05	Ti	<	0.6	ug/L	EPA-200.7
7/8/2008 10:40	Ti	<	0.6	ug/L	EPA-200.7
7/15/2008 10:40	Ti	<	0.6	ug/L	EPA-200.7
7/22/2008 10:30	Ti		7.2	ug/L	EPA-200.7
7/29/2008 10:00	Ti	<	0.6	ug/L	EPA-200.7
8/19/2008 10:27	Ti	<	0.6	ug/L	EPA-200.7
8/27/2008 11:02	Ti	<	0.6	ug/L	EPA-200.7
9/2/2008 10:50	Ti	<	0.6	ug/L	EPA-200.7
9/10/2008 10:10	Ti	<	0.6	ug/L	EPA-200.7
9/16/2008 11:17	Ti	<	0.6	ug/L	EPA-200.7
9/24/2008 10:10	Ti	<	0.6	ug/L	EPA-200.7
6/17/2008 10:44	TI		9.6	ug/L	EPA-200.7
6/24/2008 10:56	TI		11	ug/L	EPA-200.7
7/1/2008 10:05	TI		7.5	ug/L	EPA-200.7
7/8/2008 10:40	TI		7.6	ug/L	EPA-200.7
7/15/2008 10:40	TI		8.2	ug/L	EPA-200.7
7/22/2008 10:30	TI		7.5	ug/L	EPA-200.7
7/29/2008 10:00	TI		9	ug/L	EPA-200.7
8/19/2008 10:27	TI		5.9	ug/L	EPA-200.7
9/2/2008 10:50	TI	j	3.2	ug/L	EPA-200.7
9/10/2008 10:10	TI	j	3.15	ug/L	EPA-200.7
9/16/2008 11:17	TI		5.1	ug/L	EPA-200.7
9/24/2008 10:10	TI		10	ug/L	EPA-200.7
6/17/2008 10:44	TMET	<	10	ug/L	EPA-200.7
6/24/2008 10:56	TMET	<	10	ug/L	EPA-200.7
7/1/2008 10:05	TMET		10.9	ug/L	EPA-200.7
7/8/2008 10:40	TMET	<	10	ug/L	EPA-200.7
7/15/2008 10:40	TMET	<	10	ug/L	EPA-200.7
7/22/2008 10:30	TMET		29	ug/L	EPA-200.7
7/29/2008 10:00	TMET	<	10	ug/L	EPA-200.7
8/19/2008 10:27	TMET	<	10	ug/L	EPA-200.7
8/27/2008 11:02	TMET	<	10	ug/L	EPA-200.7
9/2/2008 10:50	TMET		17.9	ug/L	EPA-200.7
9/10/2008 10:10	TMET	<	10	ug/L	EPA-200.7
9/16/2008 11:17	TMET	<	10	ug/L	EPA-200.7
9/24/2008 10:10	TMET	<	10	ug/L	EPA-200.7
6/17/2008 10:44	Total-P		0.05	mg/L	EPA 365.1
6/24/2008 10:56	Total-P		0.05	mg/L	EPA 365.1
7/1/2008 10:05	Total-P		0.06	mg/L	EPA 365.1
7/8/2008 10:40	Total-P		0.04	mg/L	EPA 365.1
7/15/2008 10:40	Total-P		0.05	mg/L	EPA 365.1
7/22/2008 10:30	Total-P		0.1	mg/L	EPA 365.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/29/2008 10:00	Total-P		0.03	mg/L	EPA 365.1
8/19/2008 10:27	Total-P		0.05	mg/L	EPA 365.1
8/27/2008 11:02	Total-P		0.045	mg/L	EPA 365.1
9/2/2008 10:50	Total-P		0.05	mg/L	EPA 365.1
9/10/2008 10:10	Total-P		0.045	mg/L	EPA 365.1
9/16/2008 11:17	Total-P		0.05	mg/L	EPA 365.1
9/24/2008 10:10	Total-P		0.034	mg/L	EPA 365.1
6/17/2008 10:44	TS		624	mg/L	SM2540B
6/24/2008 10:56	TS		509	mg/L	SM2540B
7/1/2008 10:05	TS		493	mg/L	SM2540B
7/8/2008 10:40	TS		615	mg/L	SM2540B
7/15/2008 10:40	TS		515	mg/L	SM2540B
7/22/2008 10:30	TS		524	mg/L	SM2540B
7/29/2008 10:00	TS		598	mg/L	SM2540B
8/19/2008 10:27	TS		509	mg/L	SM2540B
8/27/2008 11:02	TS		576.5	mg/L	SM2540B
9/2/2008 10:50	TS		539	mg/L	SM2540B
9/10/2008 10:10	TS		430.5	mg/L	SM2540B
9/16/2008 11:17	TS		425	mg/L	SM2540B
9/24/2008 10:10	TS		649	mg/L	SM2540B
6/17/2008 10:44	TSS		2	mg/L	SM2540D
6/24/2008 10:56	TSS		2	mg/L	SM2540D
7/1/2008 10:05	TSS		2	mg/L	SM2540D
7/8/2008 10:40	TSS	<	1	mg/L	SM2540D
7/15/2008 10:40	TSS		2	mg/L	SM2540D
7/22/2008 10:30	TSS		67	mg/L	SM2540D
7/29/2008 10:00	TSS		1	mg/L	SM2540D
8/19/2008 10:27	TSS		2	mg/L	SM2540D
8/27/2008 11:02	TSS		2	mg/L	SM2540D
9/2/2008 10:50	TSS		1.2	mg/L	SM2540D
9/10/2008 10:10	TSS		1.85	mg/L	SM2540D
9/16/2008 11:17	TSS		1	mg/L	SM2540D
9/24/2008 10:10	TSS	<	0.5	mg/L	SM2540D
6/17/2008 10:44	Turbidity		1.01	NTU	EPA 180.1
6/24/2008 10:56	Turbidity		1	NTU	EPA 180.1
7/1/2008 10:05	Turbidity		2.35	NTU	EPA 180.1
7/8/2008 10:40	Turbidity		0.77	NTU	EPA 180.1
7/15/2008 10:40	Turbidity		7.68	NTU	EPA 180.1
7/22/2008 10:30	Turbidity		52.3	NTU	EPA 180.1
7/29/2008 10:00	Turbidity		3.57	NTU	EPA 180.1
8/19/2008 10:27	Turbidity		0.91	NTU	EPA 180.1
8/27/2008 11:02	Turbidity		2.885	NTU	EPA 180.1
9/2/2008 10:50	Turbidity		0.8	NTU	EPA 180.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
9/10/2008 10:10	Turbidity		2.325	NTU	EPA 180.1
9/16/2008 11:17	Turbidity		1.89	NTU	EPA 180.1
9/24/2008 10:10	Turbidity		2.09	NTU	EPA 180.1
6/17/2008 10:44	V	<	0.2	ug/L	EPA-200.7
6/24/2008 10:56	V	<	0.2	ug/L	EPA-200.7
7/1/2008 10:05	V	<	0.2	ug/L	EPA-200.7
7/8/2008 10:40	V	<	0.2	ug/L	EPA-200.7
7/15/2008 10:40	V	<	0.2	ug/L	EPA-200.7
7/22/2008 10:30	V		1.6	ug/L	EPA-200.7
7/29/2008 10:00	V	<	0.2	ug/L	EPA-200.7
8/19/2008 10:27	V	j	0.4	ug/L	EPA-200.7
8/27/2008 11:02	V	<	0.25	ug/L	EPA-200.7
9/2/2008 10:50	V	<	0.2	ug/L	EPA-200.7
9/10/2008 10:10	V	<	0.2	ug/L	EPA-200.7
9/16/2008 11:17	V	<	0.2	ug/L	EPA-200.7
9/24/2008 10:10	V	<	0.2	ug/L	EPA-200.7
6/17/2008 10:44	Zn	j	3.4	ug/L	EPA-200.7
6/24/2008 10:56	Zn	j	3.6	ug/L	EPA-200.7
7/1/2008 10:05	Zn	j	4.9	ug/L	EPA-200.7
7/8/2008 10:40	Zn	j	4.9	ug/L	EPA-200.7
7/15/2008 10:40	Zn	j	4.2	ug/L	EPA-200.7
7/22/2008 10:30	Zn		17.8	ug/L	EPA-200.7
7/29/2008 10:00	Zn	j	2.9	ug/L	EPA-200.7
8/19/2008 10:27	Zn	j	3.4	ug/L	EPA-200.7
8/27/2008 11:02	Zn	j	3.85	ug/L	EPA-200.7
9/2/2008 10:50	Zn		14.1	ug/L	EPA-200.7
9/10/2008 10:10	Zn	j	2.7	ug/L	EPA-200.7
9/16/2008 11:17	Zn	j	2.9	ug/L	EPA-200.7
9/24/2008 10:10	Zn	j	1.9	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 11:00	Ag	<	0.1	ug/L	EPA-200.7
6/24/2008 11:08	Ag	<	0.1	ug/L	EPA-200.7
7/1/2008 9:50	Ag	<	0.1	ug/L	EPA-200.7
7/8/2008 10:25	Ag	<	0.1	ug/L	EPA-200.7
7/15/2008 10:20	Ag	<	0.1	ug/L	EPA-200.7
7/22/2008 10:15	Ag	<	0.1	ug/L	EPA-200.7
7/29/2008 9:45	Ag	<	0.1	ug/L	EPA-200.7
8/19/2008 10:43	Ag	<	0.1	ug/L	EPA-200.7
8/27/2008 11:25	Ag	<	0.1	ug/L	EPA-200.7
9/2/2008 11:04	Ag	j	0.1	ug/L	EPA-200.7
9/10/2008 9:50	Ag	<	0.1	ug/L	EPA-200.7
9/16/2008 11:40	Ag	<	0.1	ug/L	EPA-200.7
9/24/2008 9:55	Ag	j	0.1	ug/L	EPA-200.7
6/17/2008 11:00	Al		25.6	ug/L	EPA-200.7
6/24/2008 11:08	Al		44.4	ug/L	EPA-200.7
7/1/2008 9:50	Al		69.9	ug/L	EPA-200.7
7/8/2008 10:25	Al		28.4	ug/L	EPA-200.7
7/15/2008 10:20	Al		31.6	ug/L	EPA-200.7
7/29/2008 9:45	Al		24.2	ug/L	EPA-200.7
8/19/2008 10:43	Al		21.1	ug/L	EPA-200.7
8/27/2008 11:25	Al		68.6	ug/L	EPA-200.7
9/2/2008 11:04	Al		252	ug/L	EPA-200.7
9/10/2008 9:50	Al		41.2	ug/L	EPA-200.7
9/16/2008 11:40	Al		34.6	ug/L	EPA-200.7
9/24/2008 9:55	Al		12.5	ug/L	EPA-200.7
6/17/2008 11:00	Alkalinity		112	mg/LCaCO3	EPA-310.2
6/24/2008 11:08	Alkalinity		107	mg/LCaCO3	EPA-310.2
7/1/2008 9:50	Alkalinity		99	mg/LCaCO3	EPA-310.2
7/8/2008 10:25	Alkalinity		113	mg/LCaCO3	EPA-310.2
7/15/2008 10:20	Alkalinity		109	mg/LCaCO3	EPA-310.2
7/22/2008 10:15	Alkalinity		52	mg/LCaCO3	EPA-310.2
7/29/2008 9:45	Alkalinity		115.5	mg/LCaCO3	EPA-310.2
8/19/2008 10:43	Alkalinity		116	mg/LCaCO3	EPA-310.2
8/27/2008 11:25	Alkalinity		116	mg/LCaCO3	EPA-310.2
9/2/2008 11:04	Alkalinity		120	mg/LCaCO3	EPA-310.2
9/10/2008 9:50	Alkalinity		95	mg/LCaCO3	EPA-310.2
9/16/2008 11:40	Alkalinity		110	mg/LCaCO3	EPA-310.2
9/24/2008 9:55	Alkalinity		116	mg/LCaCO3	EPA-310.2
6/17/2008 11:00	As	j	1.4	ug/L	EPA-200.7
6/24/2008 11:08	As	j	1.5	ug/L	EPA-200.7
7/1/2008 9:50	As	j	0.7	ug/L	EPA-200.7
7/8/2008 10:25	As	j	1.1	ug/L	EPA-200.7
7/15/2008 10:20	As	j	1.8	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2008 10:15	As		2.45	ug/L	EPA-200.7
7/29/2008 9:45	As	j	0.45	ug/L	EPA-200.7
8/19/2008 10:43	As	j	0.7	ug/L	EPA-200.7
8/27/2008 11:25	As	<	0.4	ug/L	EPA-200.7
9/2/2008 11:04	As	j	1.4	ug/L	EPA-200.7
9/10/2008 9:50	As	j	0.5	ug/L	EPA-200.7
9/16/2008 11:40	As	j	1.2	ug/L	EPA-200.7
9/24/2008 9:55	As	<	0.4	ug/L	EPA-200.7
6/17/2008 11:00	Be	<	0.1	ug/L	EPA-200.7
6/24/2008 11:08	Be	<	0.1	ug/L	EPA-200.7
7/1/2008 9:50	Be	<	0.1	ug/L	EPA-200.7
7/8/2008 10:25	Be	<	0.1	ug/L	EPA-200.7
7/15/2008 10:20	Be	<	0.1	ug/L	EPA-200.7
7/22/2008 10:15	Be	<	0.1	ug/L	EPA-200.7
7/29/2008 9:45	Be	<	0.1	ug/L	EPA-200.7
8/19/2008 10:43	Be	<	0.1	ug/L	EPA-200.7
8/27/2008 11:25	Be	<	0.1	ug/L	EPA-200.7
9/2/2008 11:04	Be	<	0.1	ug/L	EPA-200.7
9/10/2008 9:50	Be	<	0.1	ug/L	EPA-200.7
9/16/2008 11:40	Be	<	0.1	ug/L	EPA-200.7
9/24/2008 9:55	Be	<	0.1	ug/L	EPA-200.7
6/17/2008 11:00	BOD	<	2	mg/L	SM 5210
6/24/2008 11:08	BOD		3.2	mg/L	SM 5210
7/1/2008 9:50	BOD	<	2	mg/L	SM 5210
7/8/2008 10:25	BOD	<	2	mg/L	SM 5210
7/15/2008 10:20	BOD	<	2	mg/L	SM 5210
7/22/2008 10:15	BOD		4.65	mg/L	SM 5210
7/29/2008 9:45	BOD	<	2	mg/L	SM 5210
8/19/2008 10:43	BOD		2.1	mg/L	SM 5210
8/27/2008 11:25	BOD	<	2	mg/L	SM 5210
9/2/2008 11:04	BOD	<	2	mg/L	SM 5210
9/10/2008 9:50	BOD	<	2	mg/L	SM 5210
9/16/2008 11:40	BOD	<	2	mg/L	SM 5210
9/24/2008 9:55	BOD		2.6	mg/L	SM 5210
6/17/2008 11:00	Ca		53000	ug/L	EPA-200.7
6/24/2008 11:08	Ca		46600	ug/L	EPA-200.7
7/1/2008 9:50	Ca		41400	ug/L	EPA-200.7
7/8/2008 10:25	Ca		60800	ug/L	EPA-200.7
7/15/2008 10:20	Ca		49700	ug/L	EPA-200.7
7/22/2008 10:15	Ca		29750	ug/L	EPA-200.7
7/29/2008 9:45	Ca		52500	ug/L	EPA-200.7
8/19/2008 10:43	Ca		56700	ug/L	EPA-200.7
8/27/2008 11:25	Ca		66600	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
9/2/2008 11:04	Ca		65400	ug/L	EPA-200.7
9/10/2008 9:50	Ca		45100	ug/L	EPA-200.7
9/16/2008 11:40	Ca		49200	ug/L	EPA-200.7
9/24/2008 9:55	Ca		67200	ug/L	EPA-200.7
6/17/2008 11:00	CaCO3		189	mg/LCaCO3	EPA-200.7
6/24/2008 11:08	CaCO3		165	mg/LCaCO3	EPA-200.7
7/1/2008 9:50	CaCO3		148	mg/LCaCO3	EPA-200.7
7/8/2008 10:25	CaCO3		214	mg/LCaCO3	EPA-200.7
7/15/2008 10:20	CaCO3		174	mg/LCaCO3	EPA-200.7
7/22/2008 10:15	CaCO3		102.5	mg/LCaCO3	EPA-200.7
7/29/2008 9:45	CaCO3		193	mg/LCaCO3	EPA-200.7
8/19/2008 10:43	CaCO3		202	mg/LCaCO3	EPA-200.7
8/27/2008 11:25	CaCO3		234	mg/LCaCO3	EPA-200.7
9/2/2008 11:04	CaCO3		234	mg/LCaCO3	EPA-200.7
9/10/2008 9:50	CaCO3		159	mg/LCaCO3	EPA-200.7
9/16/2008 11:40	CaCO3		172	mg/LCaCO3	EPA-200.7
9/24/2008 9:55	CaCO3		238	mg/LCaCO3	EPA-200.7
6/17/2008 11:00	Cd	<	0.2	ug/L	EPA-200.7
6/24/2008 11:08	Cd	<	0.2	ug/L	EPA-200.7
7/1/2008 9:50	Cd	<	0.2	ug/L	EPA-200.7
7/8/2008 10:25	Cd	<	0.2	ug/L	EPA-200.7
7/15/2008 10:20	Cd	<	0.2	ug/L	EPA-200.7
7/22/2008 10:15	Cd	j	0.45	ug/L	EPA-200.7
7/29/2008 9:45	Cd	<	0.2	ug/L	EPA-200.7
8/19/2008 10:43	Cd	<	0.2	ug/L	EPA-200.7
8/27/2008 11:25	Cd	<	0.2	ug/L	EPA-200.7
9/2/2008 11:04	Cd	j	0.2	ug/L	EPA-200.7
9/10/2008 9:50	Cd	<	0.2	ug/L	EPA-200.7
9/16/2008 11:40	Cd	<	0.2	ug/L	EPA-200.7
9/24/2008 9:55	Cd	<	0.2	ug/L	EPA-200.7
6/17/2008 11:00	Co	j	0.4	ug/L	EPA-200.7
6/24/2008 11:08	Co	j	0.3	ug/L	EPA-200.7
7/1/2008 9:50	Co	j	0.3	ug/L	EPA-200.7
7/8/2008 10:25	Co	j	0.3	ug/L	EPA-200.7
7/15/2008 10:20	Co	j	0.3	ug/L	EPA-200.7
7/22/2008 10:15	Co	j	0.8	ug/L	EPA-200.7
7/29/2008 9:45	Co	j	0.3	ug/L	EPA-200.7
8/19/2008 10:43	Co	j	0.2	ug/L	EPA-200.7
8/27/2008 11:25	Co	j	0.3	ug/L	EPA-200.7
9/2/2008 11:04	Co	j	0.7	ug/L	EPA-200.7
9/10/2008 9:50	Co	j	0.2	ug/L	EPA-200.7
9/16/2008 11:40	Co	j	0.2	ug/L	EPA-200.7
9/24/2008 9:55	Co	j	0.2	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 11:00	COD		7	mg/L	EPA 410.4
6/24/2008 11:08	COD		5	mg/L	EPA 410.4
7/1/2008 9:50	COD		16	mg/L	EPA 410.4
7/8/2008 10:25	COD	<	5	mg/L	EPA 410.4
7/15/2008 10:20	COD		22	mg/L	EPA 410.4
7/22/2008 10:15	COD		22	mg/L	EPA 410.4
7/29/2008 9:45	COD		14.5	mg/L	EPA 410.4
8/19/2008 10:43	COD		27	mg/L	EPA 410.4
8/27/2008 11:25	COD	J	5	mg/L	EPA 410.4
9/2/2008 11:04	COD		18	mg/L	EPA 410.4
9/10/2008 9:50	COD		12	mg/L	EPA 410.4
9/16/2008 11:40	COD	<	5	mg/L	EPA 410.4
9/24/2008 9:55	COD	<	5	mg/L	EPA 410.4
6/17/2008 11:00	Cr	<	0.5	ug/L	EPA-200.7
6/24/2008 11:08	Cr	<	0.5	ug/L	EPA-200.7
7/1/2008 9:50	Cr	<	0.5	ug/L	EPA-200.7
7/8/2008 10:25	Cr	<	0.5	ug/L	EPA-200.7
7/22/2008 10:15	Cr		2.7	ug/L	EPA-200.7
8/19/2008 10:43	Cr	<	0.5	ug/L	EPA-200.7
8/27/2008 11:25	Cr	<	0.5	ug/L	EPA-200.7
9/2/2008 11:04	Cr	j	0.9	ug/L	EPA-200.7
9/10/2008 9:50	Cr	<	0.5	ug/L	EPA-200.7
9/16/2008 11:40	Cr	<	0.5	ug/L	EPA-200.7
9/24/2008 9:55	Cr	<	0.5	ug/L	EPA-200.7
6/17/2008 11:00	Cr+6	j	1.28	ug/L	SM 3500-Cr-D
6/24/2008 11:08	Cr+6	j	1.86	ug/L	SM 3500-Cr-D
7/1/2008 9:50	Cr+6	j	2.26	ug/L	SM 3500-Cr-D
7/8/2008 10:25	Cr+6	j	2.02	ug/L	SM 3500-Cr-D
7/22/2008 10:15	Cr+6	j	4.095	ug/L	SM 3500-Cr-D
8/19/2008 10:43	Cr+6	j	1.77	ug/L	SM 3500-Cr-D
8/27/2008 11:25	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/2/2008 11:04	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/10/2008 9:50	Cr+6	j	1.65	ug/L	SM 3500-Cr-D
9/16/2008 11:40	Cr+6	j	1.52	ug/L	SM 3500-Cr-D
9/24/2008 9:55	Cr+6	j	1.73	ug/L	SM 3500-Cr-D
6/17/2008 11:00	Cu		2.9	ug/L	EPA-200.7
6/24/2008 11:08	Cu		3.3	ug/L	EPA-200.7
7/1/2008 9:50	Cu		3.5	ug/L	EPA-200.7
7/8/2008 10:25	Cu		2.9	ug/L	EPA-200.7
7/15/2008 10:20	Cu		3.6	ug/L	EPA-200.7
7/22/2008 10:15	Cu		7.95	ug/L	EPA-200.7
7/29/2008 9:45	Cu		2.75	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/19/2008 10:43	Cu		3.3	ug/L	EPA-200.7
8/27/2008 11:25	Cu		2.8	ug/L	EPA-200.7
9/2/2008 11:04	Cu		5.2	ug/L	EPA-200.7
9/10/2008 9:50	Cu		2.6	ug/L	EPA-200.7
9/16/2008 11:40	Cu		3.6	ug/L	EPA-200.7
9/24/2008 9:55	Cu		2.4	ug/L	EPA-200.7
6/17/2008 11:00	Fe		112	ug/L	EPA-200.7
6/24/2008 11:08	Fe		127	ug/L	EPA-200.7
7/1/2008 9:50	Fe		168	ug/L	EPA-200.7
7/8/2008 10:25	Fe		102	ug/L	EPA-200.7
7/15/2008 10:20	Fe		109	ug/L	EPA-200.7
7/29/2008 9:45	Fe		85.3	ug/L	EPA-200.7
8/19/2008 10:43	Fe		87.6	ug/L	EPA-200.7
8/27/2008 11:25	Fe		193	ug/L	EPA-200.7
9/2/2008 11:04	Fe		706	ug/L	EPA-200.7
9/10/2008 9:50	Fe		130	ug/L	EPA-200.7
9/16/2008 11:40	Fe		119	ug/L	EPA-200.7
9/24/2008 9:55	Fe		83.5	ug/L	EPA-200.7
6/17/2008 11:00	Field Cond		1069	uS/cm	SM 2510A
6/24/2008 11:08	Field Cond		903	uS/cm	SM 2510A
7/1/2008 9:50	Field Cond		824	uS/cm	SM 2510A
7/8/2008 10:25	Field Cond		1092	uS/cm	SM 2510A
7/15/2008 10:20	Field Cond		882	uS/cm	SM 2510A
7/22/2008 10:15	Field Cond		472	uS/cm	SM 2510A
7/29/2008 9:45	Field Cond		1023	uS/cm	SM 2510A
8/19/2008 10:43	Field Cond		929	uS/cm	SM 2510A
8/27/2008 11:25	Field Cond		999	uS/cm	SM 2510A
9/2/2008 11:04	Field Cond		936	uS/cm	SM 2510A
9/10/2008 9:50	Field Cond		746	uS/cm	SM 2510A
9/16/2008 11:40	Field Cond		795	uS/cm	SM 2510A
9/24/2008 9:55	Field Cond		1090	uS/cm	SM 2510A
6/17/2008 11:00	Field DO		10.14	mg/L	SM 4500-O G
6/24/2008 11:08	Field DO		9.39	mg/L	SM 4500-O G
7/1/2008 9:50	Field DO		9.21	mg/L	SM 4500-O G
7/8/2008 10:25	Field DO		9.08	mg/L	SM 4500-O G
7/15/2008 10:20	Field DO		9.36	mg/L	SM 4500-O G
7/22/2008 10:15	Field DO		8.67	mg/L	SM 4500-O G
7/29/2008 9:45	Field DO		9.05	mg/L	SM 4500-O G
8/5/2008	Field DO		AH	mg/L	SM 4500-O G
8/19/2008 10:43	Field DO		8.29	mg/L	SM 4500-O G
8/27/2008 11:25	Field DO		9.47	mg/L	SM 4500-O G
9/2/2008 11:04	Field DO		9.74	mg/L	SM 4500-O G
9/10/2008 9:50	Field DO		10.4	mg/L	SM 4500-O G

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:40	Field DO		8.41	mg/L	SM 4500-O G
9/24/2008 9:55	Field DO		10.37	mg/L	SM 4500-O G
6/17/2008 11:00	Field Temp		19.65	C	EPA 170.1
6/24/2008 11:08	Field Temp		19.48	C	EPA 170.1
7/1/2008 9:50	Field Temp		17.84	C	EPA 170.1
7/8/2008 10:25	Field Temp		22.75	C	EPA 170.1
7/15/2008 10:20	Field Temp		20.51	C	EPA 170.1
7/22/2008 10:15	Field Temp		22.09	C	EPA 170.1
7/29/2008 9:45	Field Temp		21.7	C	EPA 170.1
8/5/2008	Field Temp		AH	C	EPA 170.1
8/19/2008 10:43	Field Temp		21.22	C	EPA 170.1
8/27/2008 11:25	Field Temp		19.02	C	EPA 170.1
9/2/2008 11:04	Field Temp		20.96	C	EPA 170.1
9/10/2008 9:50	Field Temp		15.92	C	EPA 170.1
9/16/2008 11:40	Field Temp		17.58	C	EPA 170.1
9/24/2008 9:55	Field Temp		16.27	C	EPA 170.1
6/17/2008 11:00	Hg	j	0.02	ug/L	EPA 245.1
6/24/2008 11:08	Hg	j	0.04	ug/L	EPA 245.1
7/1/2008 9:50	Hg	<	0.01	ug/L	EPA 245.1
7/8/2008 10:25	Hg	j	0.02	ug/L	EPA 245.1
7/15/2008 10:20	Hg	<	0.01	ug/L	EPA 245.1
7/22/2008 10:15	Hg	<	0.01	ug/L	EPA 245.1
7/29/2008 9:45	Hg	<	0.01	ug/L	EPA 245.1
8/19/2008 10:43	Hg	<	0.01	ug/L	EPA 245.1
8/27/2008 11:25	Hg	<	0.01	ug/L	EPA 245.1
9/2/2008 11:04	Hg	<	0.01	ug/L	EPA 245.1
9/10/2008 9:50	Hg	<	0.01	ug/L	EPA 245.1
9/16/2008 11:40	Hg	j	0.02	ug/L	EPA 245.1
9/24/2008 9:55	Hg	<	0.01	ug/L	EPA 245.1
6/17/2008 11:00	K		4820	ug/L	EPA-200.7
6/24/2008 11:08	K		4100	ug/L	EPA-200.7
7/1/2008 9:50	K		4050	ug/L	EPA-200.7
7/8/2008 10:25	K		5100	ug/L	EPA-200.7
7/15/2008 10:20	K		4550	ug/L	EPA-200.7
7/22/2008 10:15	K		3275	ug/L	EPA-200.7
7/29/2008 9:45	K		4325	ug/L	EPA-200.7
8/19/2008 10:43	K		4850	ug/L	EPA-200.7
8/27/2008 11:25	K		5490	ug/L	EPA-200.7

Euclid Creek					
River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
9/2/2008 11:04	K		9780	ug/L	EPA-200.7
9/10/2008 9:50	K		3670	ug/L	EPA-200.7
9/16/2008 11:40	K		3760	ug/L	EPA-200.7
9/24/2008 9:55	K		4770	ug/L	EPA-200.7
6/17/2008 11:00	Mg		13800	ug/L	EPA-200.7
6/24/2008 11:08	Mg		11800	ug/L	EPA-200.7
7/1/2008 9:50	Mg		10900	ug/L	EPA-200.7
7/8/2008 10:25	Mg		15100	ug/L	EPA-200.7
7/15/2008 10:20	Mg		12200	ug/L	EPA-200.7
7/22/2008 10:15	Mg		6765	ug/L	EPA-200.7
7/29/2008 9:45	Mg		15050	ug/L	EPA-200.7
8/19/2008 10:43	Mg		14600	ug/L	EPA-200.7
8/27/2008 11:25	Mg		16600	ug/L	EPA-200.7
9/2/2008 11:04	Mg		17100	ug/L	EPA-200.7
9/10/2008 9:50	Mg		11200	ug/L	EPA-200.7
9/16/2008 11:40	Mg		12000	ug/L	EPA-200.7
9/24/2008 9:55	Mg		17000	ug/L	EPA-200.7
6/17/2008 11:00	Mn		21.7	ug/L	EPA-200.7
6/24/2008 11:08	Mn		18.6	ug/L	EPA-200.7
7/1/2008 9:50	Mn		18.8	ug/L	EPA-200.7
7/8/2008 10:25	Mn		19.7	ug/L	EPA-200.7
7/15/2008 10:20	Mn		15	ug/L	EPA-200.7
7/22/2008 10:15	Mn		61.2	ug/L	EPA-200.7
7/29/2008 9:45	Mn		19.1	ug/L	EPA-200.7
8/19/2008 10:43	Mn		18.3	ug/L	EPA-200.7
8/27/2008 11:25	Mn		26	ug/L	EPA-200.7
9/2/2008 11:04	Mn		75.1	ug/L	EPA-200.7
9/10/2008 9:50	Mn		15.7	ug/L	EPA-200.7
9/16/2008 11:40	Mn		12.1	ug/L	EPA-200.7
9/24/2008 9:55	Mn		19.5	ug/L	EPA-200.7
6/17/2008 11:00	Mo		5.2	ug/L	EPA-200.7
6/24/2008 11:08	Mo		4.4	ug/L	EPA-200.7
7/1/2008 9:50	Mo		4.2	ug/L	EPA-200.7
7/8/2008 10:25	Mo		4.2	ug/L	EPA-200.7
7/15/2008 10:20	Mo		4.8	ug/L	EPA-200.7
7/22/2008 10:15	Mo		5.6	ug/L	EPA-200.7
7/29/2008 9:45	Mo		5.05	ug/L	EPA-200.7
8/19/2008 10:43	Mo		5	ug/L	EPA-200.7
8/27/2008 11:25	Mo		5.4	ug/L	EPA-200.7
9/2/2008 11:04	Mo		6.2	ug/L	EPA-200.7
9/10/2008 9:50	Mo		4.4	ug/L	EPA-200.7
9/16/2008 11:40	Mo		4.7	ug/L	EPA-200.7
9/24/2008 9:55	Mo		4.2	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 11:00	Na		132000	ug/L	EPA-200.7
6/24/2008 11:08	Na		121000	ug/L	EPA-200.7
7/1/2008 9:50	Na		105000	ug/L	EPA-200.7
7/8/2008 10:25	Na		143000	ug/L	EPA-200.7
7/15/2008 10:20	Na		106000	ug/L	EPA-200.7
7/22/2008 10:15	Na		56900	ug/L	EPA-200.7
7/29/2008 9:45	Na		106500	ug/L	EPA-200.7
8/19/2008 10:43	Na		93800	ug/L	EPA-200.7
8/27/2008 11:25	Na		119000	ug/L	EPA-200.7
9/2/2008 11:04	Na		89300	ug/L	EPA-200.7
9/10/2008 9:50	Na		85700	ug/L	EPA-200.7
9/16/2008 11:40	Na		90600	ug/L	EPA-200.7
9/24/2008 9:55	Na		129000	ug/L	EPA-200.7
6/17/2008 11:00	NH3		0.04	mg/L	EPA-350.1
6/24/2008 11:08	NH3		0.05	mg/L	EPA-350.1
7/1/2008 9:50	NH3		0.04	mg/L	EPA-350.1
7/8/2008 10:25	NH3		0.04	mg/L	EPA-350.1
7/15/2008 10:20	NH3		0.1	mg/L	EPA-350.1
7/22/2008 10:15	NH3		0.1895	mg/L	EPA-350.1
7/29/2008 9:45	NH3	j	0.01	mg/L	EPA-350.1
8/19/2008 10:43	NH3		0.055	mg/L	EPA-350.1
8/27/2008 11:25	NH3		0.02	mg/L	EPA-350.1
9/2/2008 11:04	NH3		0.01	mg/L	EPA-350.1
9/10/2008 9:50	NH3		0.01	mg/L	EPA-350.1
9/16/2008 11:40	NH3		0.05	mg/L	EPA-350.1
9/24/2008 9:55	NH3	<	0.003	mg/L	EPA-350.1
6/17/2008 11:00	Ni		2.1	ug/L	EPA-200.7
6/24/2008 11:08	Ni		2	ug/L	EPA-200.7
7/1/2008 9:50	Ni		2.2	ug/L	EPA-200.7
7/8/2008 10:25	Ni	j	2	ug/L	EPA-200.7
7/15/2008 10:20	Ni		2.2	ug/L	EPA-200.7
7/22/2008 10:15	Ni		2.75	ug/L	EPA-200.7
7/29/2008 9:45	Ni	j	1.6	ug/L	EPA-200.7
8/19/2008 10:43	Ni	j	1.8	ug/L	EPA-200.7
8/27/2008 11:25	Ni		2.1	ug/L	EPA-200.7
9/2/2008 11:04	Ni		6.5	ug/L	EPA-200.7
9/10/2008 9:50	Ni	j	1.5	ug/L	EPA-200.7
9/16/2008 11:40	Ni	j	1.6	ug/L	EPA-200.7
9/24/2008 9:55	Ni	j	1.5	ug/L	EPA-200.7
6/17/2008 11:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/24/2008 11:08	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/1/2008 9:50	NO2	<	0.002	mg/L	SM 4500-NO2-B

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	Method	
7/8/2008 10:25	NO2	<	0.002	mg/L	SM 4500-NO2-B	
7/15/2008 10:20	NO2	<	0.002	mg/L	SM 4500-NO2-B	
7/22/2008 10:15	NO2		0.021	mg/L	SM 4500-NO2-B	
7/29/2008 9:45	NO2	<	0.002	mg/L	SM 4500-NO2-B	
8/19/2008 10:43	NO2	j	0.002	mg/L	SM 4500-NO2-B	
8/27/2008 11:25	NO2	<	0.002	mg/L	SM 4500-NO2-B	
9/2/2008 11:04	NO2	<	0.002	mg/L	SM 4500-NO2-B	
9/10/2008 9:50	NO2	<	0.002	mg/L	SM 4500-NO2-B	
9/16/2008 11:40	NO2	j	0.01	mg/L	SM 4500-NO2-B	
9/24/2008 9:55	NO2	<	0.002	mg/L	SM 4500-NO2-B	
6/17/2008 11:00	NO3		0.34	mg/L	EPA 353.2	
6/24/2008 11:08	NO3		0.51	mg/L	EPA 353.2	
7/1/2008 9:50	NO3		0.59	mg/L	EPA 353.2	
7/8/2008 10:25	NO3		0.19	mg/L	EPA 353.2	
7/15/2008 10:20	NO3		0.46	mg/L	EPA 353.2	
7/22/2008 10:15	NO3		0.5625	mg/L	EPA 353.2	
7/29/2008 9:45	NO3		0.04	mg/L	EPA 353.2	
8/19/2008 10:43	NO3		0.353	mg/L	EPA 353.2	
8/27/2008 11:25	NO3		0.17	mg/L	EPA 353.2	
9/2/2008 11:04	NO3		0.18	mg/L	EPA 353.2	
9/10/2008 9:50	NO3		0.34	mg/L	EPA 353.2	
9/16/2008 11:40	NO3		0.39	mg/L	EPA 353.2	
9/24/2008 9:55	NO3		0.05	mg/L	EPA 353.2	
6/17/2008 11:00	NO3+NO2		0.34	mg/L	EPA 353.2	
6/24/2008 11:08	NO3+NO2		0.51	mg/L	EPA 353.2	
7/1/2008 9:50	NO3+NO2		0.59	mg/L	EPA 353.2	
7/8/2008 10:25	NO3+NO2		0.19	mg/L	EPA 353.2	
7/15/2008 10:20	NO3+NO2		0.46	mg/L	EPA 353.2	
7/22/2008 10:15	NO3+NO2		0.584	mg/L	EPA 353.2	
7/29/2008 9:45	NO3+NO2		0.04	mg/L	EPA 353.2	
8/19/2008 10:43	NO3+NO2		0.355	mg/L	EPA 353.2	
8/27/2008 11:25	NO3+NO2		0.17	mg/L	EPA 353.2	
9/2/2008 11:04	NO3+NO2		0.18	mg/L	EPA 353.2	
9/10/2008 9:50	NO3+NO2		0.34	mg/L	EPA 353.2	
9/16/2008 11:40	NO3+NO2		0.4	mg/L	EPA 353.2	
9/24/2008 9:55	NO3+NO2		0.06	mg/L	EPA 353.2	
6/17/2008 11:00	Pb	<	0.3	ug/L	EPA-200.7	
6/24/2008 11:08	Pb	<	0.3	ug/L	EPA-200.7	
7/1/2008 9:50	Pb	<	0.3	ug/L	EPA-200.7	
7/8/2008 10:25	Pb	<	0.3	ug/L	EPA-200.7	
7/15/2008 10:20	Pb	<	0.3	ug/L	EPA-200.7	
7/22/2008 10:15	Pb		11	ug/L	EPA-200.7	
7/29/2008 9:45	Pb	<	0.3	ug/L	EPA-200.7	

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
8/19/2008 10:43	Pb	<	0.3	ug/L	EPA-200.7
8/27/2008 11:25	Pb	<	0.3	ug/L	EPA-200.7
9/2/2008 11:04	Pb	<	0.3	ug/L	EPA-200.7
9/10/2008 9:50	Pb	<	0.3	ug/L	EPA-200.7
9/16/2008 11:40	Pb	<	0.3	ug/L	EPA-200.7
9/24/2008 9:55	Pb	<	0.3	ug/L	EPA-200.7
6/17/2008 11:00	pH		7.85	S.U.	
6/24/2008 11:08	pH		8.12	S.U.	
7/1/2008 9:50	pH		7.41	S.U.	
7/8/2008 10:25	pH		8.68	S.U.	
7/15/2008 10:20	pH		7.53	S.U.	
7/22/2008 10:15	pH		7.36	S.U.	
7/29/2008 9:45	pH		7.78	S.U.	
8/5/2008	pH		AH	S.U.	
8/19/2008 10:43	pH		7.62	S.U.	
8/27/2008 11:25	pH		7.94	S.U.	
9/2/2008 11:04	pH		7.81	S.U.	
9/10/2008 9:50	pH		7.64	S.U.	
9/16/2008 11:40	pH		7.99	S.U.	
6/17/2008 11:00	Sb	<	0.4	ug/L	EPA-200.7
6/24/2008 11:08	Sb	<	0.4	ug/L	EPA-200.7
7/1/2008 9:50	Sb	<	0.4	ug/L	EPA-200.7
7/8/2008 10:25	Sb	<	0.4	ug/L	EPA-200.7
7/15/2008 10:20	Sb	<	0.4	ug/L	EPA-200.7
7/22/2008 10:15	Sb	j	2.5	ug/L	EPA-200.7
7/29/2008 9:45	Sb	<	0.4	ug/L	EPA-200.7
8/19/2008 10:43	Sb	<	0.4	ug/L	EPA-200.7
8/27/2008 11:25	Sb	j	1.4	ug/L	EPA-200.7
9/2/2008 11:04	Sb	j	3.7	ug/L	EPA-200.7
9/10/2008 9:50	Sb	j	0.7	ug/L	EPA-200.7
9/16/2008 11:40	Sb	j	0.5	ug/L	EPA-200.7
9/24/2008 9:55	Sb	<	0.4	ug/L	EPA-200.7
6/17/2008 11:00	Se	j	2.1	ug/L	EPA-200.7
6/24/2008 11:08	Se	j	2.8	ug/L	EPA-200.7
7/1/2008 9:50	Se	j	1.7	ug/L	EPA-200.7
7/8/2008 10:25	Se	j	1.1	ug/L	EPA-200.7
7/15/2008 10:20	Se	j	2	ug/L	EPA-200.7
7/22/2008 10:15	Se	j	1.55	ug/L	EPA-200.7
7/29/2008 9:45	Se	j	2.6	ug/L	EPA-200.7
8/19/2008 10:43	Se	j	1.3	ug/L	EPA-200.7
8/27/2008 11:25	Se	j	2.6	ug/L	EPA-200.7
9/2/2008 11:04	Se	<	0.9	ug/L	EPA-200.7
9/10/2008 9:50	Se	j	1.6	ug/L	EPA-200.7

Euclid Creek						
River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	Method	
9/16/2008 11:40	Se	j	2.5	ug/L	EPA-200.7	
9/24/2008 9:55	Se	j	1.3	ug/L	EPA-200.7	
6/17/2008 11:00	Sn	<	18.9	ug/L	EPA-200.7	
6/24/2008 11:08	Sn	<	4.6	ug/L	EPA-200.7	
7/1/2008 9:50	Sn	<	4.6	ug/L	EPA-200.7	
7/8/2008 10:25	Sn	<	18.9	ug/L	EPA-200.7	
7/15/2008 10:20	Sn	<	4.6	ug/L	EPA-200.7	
7/22/2008 10:15	Sn	<	18.9	ug/L	EPA-200.7	
7/29/2008 9:45	Sn	<	18.9	ug/L	EPA-200.7	
8/19/2008 10:43	Sn	<	18.9	ug/L	EPA-200.7	
8/27/2008 11:25	Sn	<	18.9	ug/L	EPA-200.7	
9/2/2008 11:04	Sn	<	18.9	ug/L	EPA-200.7	
9/10/2008 9:50	Sn	<	18.9	ug/L	EPA-200.7	
9/16/2008 11:40	Sn	<	18.9	ug/L	EPA-200.7	
9/24/2008 9:55	Sn	<	18.9	ug/L	EPA-200.7	
6/17/2008 11:00	Soluble-P		0.03	mg/L	EPA 365.1	
6/24/2008 11:08	Soluble-P		0.03	mg/L	EPA 365.1	
7/1/2008 9:50	Soluble-P		0.05	mg/L	EPA 365.1	
7/8/2008 10:25	Soluble-P		0.02	mg/L	EPA 365.1	
7/15/2008 10:20	Soluble-P		0.03	mg/L	EPA 365.1	
7/22/2008 10:15	Soluble-P		0.052	mg/L	EPA 365.1	
7/29/2008 9:45	Soluble-P		0.01	mg/L	EPA 365.1	
8/19/2008 10:43	Soluble-P		0.022	mg/L	EPA 365.1	
8/27/2008 11:25	Soluble-P		0.02	mg/L	EPA 365.1	
9/2/2008 11:04	Soluble-P		0.01	mg/L	EPA 365.1	
9/10/2008 9:50	Soluble-P		0.02	mg/L	EPA 365.1	
9/16/2008 11:40	Soluble-P		0.04	mg/L	EPA 365.1	
9/24/2008 9:55	Soluble-P		0.01	mg/L	EPA 365.1	
6/17/2008 11:00	TDS		598	mg/L	SM2540C	
6/24/2008 11:08	TDS		474	mg/L	SM2540C	
7/1/2008 9:50	TDS		474	mg/L	SM2540C	
7/8/2008 10:25	TDS		584	mg/L	SM2540C	
7/15/2008 10:20	TDS		496	mg/L	SM2540C	
7/22/2008 10:15	TDS		269	mg/L	SM2540C	
7/29/2008 9:45	TDS		543.5	mg/L	SM2540C	
8/19/2008 10:43	TDS		524	mg/L	SM2540C	
8/27/2008 11:25	TDS		590	mg/L	SM2540C	
9/2/2008 11:04	TDS		530	mg/L	SM2540C	
9/10/2008 9:50	TDS		428	mg/L	SM2540C	
9/16/2008 11:40	TDS		454	mg/L	SM2540C	
9/24/2008 9:55	TDS		636	mg/L	SM2540C	
6/17/2008 11:00	Ti	<	0.6	ug/L	EPA-200.7	

Euclid Creek						
River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	Method	
6/24/2008 11:08	Ti	<	0.6	ug/L	EPA-200.7	
7/1/2008 9:50	Ti	<	0.6	ug/L	EPA-200.7	
7/8/2008 10:25	Ti	<	0.6	ug/L	EPA-200.7	
7/15/2008 10:20	Ti	<	0.6	ug/L	EPA-200.7	
7/29/2008 9:45	Ti	<	0.6	ug/L	EPA-200.7	
8/19/2008 10:43	Ti	<	0.6	ug/L	EPA-200.7	
8/27/2008 11:25	Ti	j	1.3	ug/L	EPA-200.7	
9/2/2008 11:04	Ti		3.5	ug/L	EPA-200.7	
9/10/2008 9:50	Ti	<	0.6	ug/L	EPA-200.7	
9/16/2008 11:40	Ti	<	0.6	ug/L	EPA-200.7	
9/24/2008 9:55	Ti	<	0.6	ug/L	EPA-200.7	
6/17/2008 11:00	TI		10	ug/L	EPA-200.7	
6/24/2008 11:08	TI		9.9	ug/L	EPA-200.7	
7/1/2008 9:50	TI		7.2	ug/L	EPA-200.7	
7/8/2008 10:25	TI		9	ug/L	EPA-200.7	
7/15/2008 10:20	TI		9.1	ug/L	EPA-200.7	
7/22/2008 10:15	TI	j	4.8	ug/L	EPA-200.7	
7/29/2008 9:45	TI		11.45	ug/L	EPA-200.7	
8/19/2008 10:43	TI		6.3	ug/L	EPA-200.7	
8/27/2008 11:25	TI	j	4.1	ug/L	EPA-200.7	
9/2/2008 11:04	TI		7.2	ug/L	EPA-200.7	
9/10/2008 9:50	TI	j	1.8	ug/L	EPA-200.7	
9/16/2008 11:40	TI	j	4.3	ug/L	EPA-200.7	
9/24/2008 9:55	TI		5.1	ug/L	EPA-200.7	
6/17/2008 11:00	TMET	<	10	ug/L	EPA-200.7	
6/24/2008 11:08	TMET		10.4	ug/L	EPA-200.7	
7/1/2008 9:50	TMET		10.8	ug/L	EPA-200.7	
7/8/2008 10:25	TMET	<	10	ug/L	EPA-200.7	
7/15/2008 10:20	TMET		10.9	ug/L	EPA-200.7	
7/22/2008 10:15	TMET		46.8	ug/L	EPA-200.7	
7/29/2008 9:45	TMET	<	10	ug/L	EPA-200.7	
8/19/2008 10:43	TMET		11.9	ug/L	EPA-200.7	
8/27/2008 11:25	TMET		14.3	ug/L	EPA-200.7	
9/2/2008 11:04	TMET		32.6	ug/L	EPA-200.7	
9/10/2008 9:50	TMET	<	10	ug/L	EPA-200.7	
9/16/2008 11:40	TMET		13.4	ug/L	EPA-200.7	
9/24/2008 9:55	TMET	<	10	ug/L	EPA-200.7	
6/17/2008 11:00	Total-P		0.04	mg/L	EPA 365.1	
6/24/2008 11:08	Total-P		0.04	mg/L	EPA 365.1	
7/1/2008 9:50	Total-P		0.04	mg/L	EPA 365.1	
7/8/2008 10:25	Total-P		0.03	mg/L	EPA 365.1	
7/15/2008 10:20	Total-P		0.04	mg/L	EPA 365.1	
7/22/2008 10:15	Total-P		0.093	mg/L	EPA 365.1	

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/19/2008 10:43	Total-P		0.036	mg/L	EPA 365.1
8/27/2008 11:25	Total-P		0.03	mg/L	EPA 365.1
9/2/2008 11:04	Total-P		0.04	mg/L	EPA 365.1
9/10/2008 9:50	Total-P		0.04	mg/L	EPA 365.1
9/16/2008 11:40	Total-P		0.04	mg/L	EPA 365.1
9/24/2008 9:55	Total-P		0.02	mg/L	EPA 365.1
6/17/2008 11:00	TS		600	mg/L	SM2540B
6/24/2008 11:08	TS		532	mg/L	SM2540B
7/1/2008 9:50	TS		473	mg/L	SM2540B
7/8/2008 10:25	TS		610	mg/L	SM2540B
7/15/2008 10:20	TS		502	mg/L	SM2540B
7/22/2008 10:15	TS		304	mg/L	SM2540B
7/29/2008 9:45	TS		613.5	mg/L	SM2540B
8/19/2008 10:43	TS		544	mg/L	SM2540B
8/27/2008 11:25	TS		624	mg/L	SM2540B
9/2/2008 11:04	TS		567	mg/L	SM2540B
9/10/2008 9:50	TS		438	mg/L	SM2540B
9/16/2008 11:40	TS		465	mg/L	SM2540B
9/24/2008 9:55	TS		669	mg/L	SM2540B
6/17/2008 11:00	TSS		2	mg/L	SM2540D
6/24/2008 11:08	TSS		2	mg/L	SM2540D
7/1/2008 9:50	TSS		2	mg/L	SM2540D
7/8/2008 10:25	TSS		1	mg/L	SM2540D
7/15/2008 10:20	TSS		2	mg/L	SM2540D
7/22/2008 10:15	TSS		28.5	mg/L	SM2540D
7/29/2008 9:45	TSS		2	mg/L	SM2540D
8/19/2008 10:43	TSS		2	mg/L	SM2540D
8/27/2008 11:25	TSS		3	mg/L	SM2540D
9/2/2008 11:04	TSS		2	mg/L	SM2540D
9/10/2008 9:50	TSS		2.9	mg/L	SM2540D
9/16/2008 11:40	TSS		1.4	mg/L	SM2540D
9/24/2008 9:55	TSS	J	0.8	mg/L	SM2540D
6/17/2008 11:00	Turbidity		1.22	NTU	EPA 180.1
6/24/2008 11:08	Turbidity		1.48	NTU	EPA 180.1
7/1/2008 9:50	Turbidity		2.9	NTU	EPA 180.1
7/8/2008 10:25	Turbidity		1.27	NTU	EPA 180.1
7/15/2008 10:20	Turbidity		2.48	NTU	EPA 180.1
7/22/2008 10:15	Turbidity		26.75	NTU	EPA 180.1
7/29/2008 9:45	Turbidity		2.09	NTU	EPA 180.1
8/19/2008 10:43	Turbidity		1.55	NTU	EPA 180.1
8/27/2008 11:25	Turbidity		11.35	NTU	EPA 180.1
9/2/2008 11:04	Turbidity		2.53	NTU	EPA 180.1
9/10/2008 9:50	Turbidity		4.4	NTU	EPA 180.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:40	Turbidity		3.41	NTU	EPA 180.1
9/24/2008 9:55	Turbidity		2.15	NTU	EPA 180.1
6/17/2008 11:00	V	<	0.2	ug/L	EPA-200.7
6/24/2008 11:08	V	<	0.2	ug/L	EPA-200.7
7/1/2008 9:50	V	<	0.2	ug/L	EPA-200.7
7/8/2008 10:25	V	<	0.2	ug/L	EPA-200.7
7/15/2008 10:20	V	<	0.2	ug/L	EPA-200.7
7/29/2008 9:45	V	<	0.2	ug/L	EPA-200.7
8/19/2008 10:43	V	j	0.2	ug/L	EPA-200.7
8/27/2008 11:25	V	j	0.5	ug/L	EPA-200.7
9/2/2008 11:04	V		1.5	ug/L	EPA-200.7
9/10/2008 9:50	V	<	0.2	ug/L	EPA-200.7
9/16/2008 11:40	V	j	0.4	ug/L	EPA-200.7
9/24/2008 9:55	V	<	0.2	ug/L	EPA-200.7
6/17/2008 11:00	Zn	j	4.8	ug/L	EPA-200.7
6/24/2008 11:08	Zn	j	4.7	ug/L	EPA-200.7
7/1/2008 9:50	Zn	j	5.1	ug/L	EPA-200.7
7/8/2008 10:25	Zn	j	4.3	ug/L	EPA-200.7
7/15/2008 10:20	Zn	j	5.1	ug/L	EPA-200.7
7/22/2008 10:15	Zn		33.4	ug/L	EPA-200.7
7/29/2008 9:45	Zn	j	4.45	ug/L	EPA-200.7
8/19/2008 10:43	Zn	j	6.8	ug/L	EPA-200.7
8/27/2008 11:25	Zn	j	9.4	ug/L	EPA-200.7
9/2/2008 11:04	Zn		20	ug/L	EPA-200.7
9/10/2008 9:50	Zn	j	3.3	ug/L	EPA-200.7
9/16/2008 11:40	Zn	j	8.2	ug/L	EPA-200.7
9/24/2008 9:55	Zn	j	2.7	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 11:16	Ag	<	0.1	ug/L	EPA-200.7
6/24/2008 11:23	Ag	<	0.1	ug/L	EPA-200.7
7/1/2008 9:35	Ag	<	0.1	ug/L	EPA-200.7
7/8/2008 10:00	Ag	<	0.1	ug/L	EPA-200.7
7/15/2008 10:00	Ag	<	0.1	ug/L	EPA-200.7
7/22/2008 9:50	Ag	<	0.1	ug/L	EPA-200.7
7/29/2008 9:26	Ag	<	0.1	ug/L	EPA-200.7
8/19/2008 11:00	Ag	<	0.1	ug/L	EPA-200.7
8/27/2008 11:40	Ag	<	0.1	ug/L	EPA-200.7
9/2/2008 11:15	Ag	<	0.1	ug/L	EPA-200.7
9/10/2008 9:35	Ag	<	0.1	ug/L	EPA-200.7
9/16/2008 11:57	Ag	<	0.1	ug/L	EPA-200.7
9/24/2008 9:40	Ag	<	0.1	ug/L	EPA-200.7
6/17/2008 11:16	Al		265	ug/L	EPA-200.7
6/24/2008 11:23	Al		50.2	ug/L	EPA-200.7
7/1/2008 9:35	Al		97.4	ug/L	EPA-200.7
7/8/2008 10:00	Al		172	ug/L	EPA-200.7
7/15/2008 10:00	Al		38.7	ug/L	EPA-200.7
7/22/2008 9:50	Al		478	ug/L	EPA-200.7
7/29/2008 9:26	Al		33.4	ug/L	EPA-200.7
8/19/2008 11:00	Al		23.7	ug/L	EPA-200.7
8/27/2008 11:40	Al		38.8	ug/L	EPA-200.7
9/2/2008 11:15	Al		40.4	ug/L	EPA-200.7
9/10/2008 9:35	Al		62.1	ug/L	EPA-200.7
9/16/2008 11:57	Al		60.6	ug/L	EPA-200.7
9/24/2008 9:40	Al		27.9	ug/L	EPA-200.7
6/17/2008 11:16	Alkalinity		119	mg/LCaCO3	EPA-310.2
6/24/2008 11:23	Alkalinity		109	mg/LCaCO3	EPA-310.2
7/1/2008 9:35	Alkalinity		99	mg/LCaCO3	EPA-310.2
7/8/2008 10:00	Alkalinity		114	mg/LCaCO3	EPA-310.2
7/15/2008 10:00	Alkalinity		110	mg/LCaCO3	EPA-310.2
7/22/2008 9:50	Alkalinity		93	mg/LCaCO3	EPA-310.2
7/29/2008 9:26	Alkalinity		116	mg/LCaCO3	EPA-310.2
8/19/2008 11:00	Alkalinity		118	mg/LCaCO3	EPA-310.2
8/27/2008 11:40	Alkalinity		121	mg/LCaCO3	EPA-310.2
9/2/2008 11:15	Alkalinity		124	mg/LCaCO3	EPA-310.2
9/10/2008 9:35	Alkalinity		97	mg/LCaCO3	EPA-310.2
9/16/2008 11:57	Alkalinity		113	mg/LCaCO3	EPA-310.2
9/24/2008 9:40	Alkalinity		117	mg/LCaCO3	EPA-310.2
6/17/2008 11:16	As	j	1.8	ug/L	EPA-200.7
6/24/2008 11:23	As	j	1.6	ug/L	EPA-200.7
7/1/2008 9:35	As	j	0.8	ug/L	EPA-200.7
7/8/2008 10:00	As	j	1	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/15/2008 10:00	As	j	1.7	ug/L	EPA-200.7
7/22/2008 9:50	As		2.4	ug/L	EPA-200.7
7/29/2008 9:26	As	j	0.8	ug/L	EPA-200.7
8/19/2008 11:00	As	<	0.4	ug/L	EPA-200.7
8/27/2008 11:40	As	<	0.4	ug/L	EPA-200.7
9/2/2008 11:15	As	<	0.4	ug/L	EPA-200.7
9/10/2008 9:35	As	j	0.8	ug/L	EPA-200.7
9/16/2008 11:57	As	j	1.5	ug/L	EPA-200.7
9/24/2008 9:40	As	j	0.7	ug/L	EPA-200.7
6/17/2008 11:16	Be	<	0.1	ug/L	EPA-200.7
6/24/2008 11:23	Be	<	0.1	ug/L	EPA-200.7
7/1/2008 9:35	Be	<	0.1	ug/L	EPA-200.7
7/8/2008 10:00	Be	<	0.1	ug/L	EPA-200.7
7/15/2008 10:00	Be	<	0.1	ug/L	EPA-200.7
7/22/2008 9:50	Be	<	0.1	ug/L	EPA-200.7
7/29/2008 9:26	Be	<	0.1	ug/L	EPA-200.7
8/19/2008 11:00	Be	<	0.1	ug/L	EPA-200.7
8/27/2008 11:40	Be	<	0.1	ug/L	EPA-200.7
9/2/2008 11:15	Be	<	0.1	ug/L	EPA-200.7
9/10/2008 9:35	Be	<	0.1	ug/L	EPA-200.7
9/16/2008 11:57	Be	<	0.1	ug/L	EPA-200.7
9/24/2008 9:40	Be	<	0.1	ug/L	EPA-200.7
6/17/2008 11:16	BOD	<	2	mg/L	SM 5210
6/24/2008 11:23	BOD		3.5	mg/L	SM 5210
7/1/2008 9:35	BOD	<	2	mg/L	SM 5210
7/8/2008 10:00	BOD	<	2	mg/L	SM 5210
7/15/2008 10:00	BOD	<	2	mg/L	SM 5210
7/22/2008 9:50	BOD		4.9	mg/L	SM 5210
7/29/2008 9:26	BOD	<	2	mg/L	SM 5210
8/19/2008 11:00	BOD	<	2	mg/L	SM 5210
8/27/2008 11:40	BOD	<	2	mg/L	SM 5210
9/2/2008 11:15	BOD	<	2	mg/L	SM 5210
9/10/2008 9:35	BOD	<	2	mg/L	SM 5210
9/16/2008 11:57	BOD	<	2	mg/L	SM 5210
9/24/2008 9:40	BOD	<	2	mg/L	SM 5210
6/17/2008 11:16	Ca		52800	ug/L	EPA-200.7
6/24/2008 11:23	Ca		46800	ug/L	EPA-200.7
7/1/2008 9:35	Ca		39400	ug/L	EPA-200.7
7/8/2008 10:00	Ca		61600	ug/L	EPA-200.7
7/15/2008 10:00	Ca		47600	ug/L	EPA-200.7
7/22/2008 9:50	Ca		46300	ug/L	EPA-200.7
7/29/2008 9:26	Ca		52600	ug/L	EPA-200.7
8/19/2008 11:00	Ca		56700	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/27/2008 11:40	Ca		61800	ug/L	EPA-200.7
9/2/2008 11:15	Ca		54000	ug/L	EPA-200.7
9/10/2008 9:35	Ca		38600	ug/L	EPA-200.7
9/16/2008 11:57	Ca		50100	ug/L	EPA-200.7
9/24/2008 9:40	Ca		66400	ug/L	EPA-200.7
6/17/2008 11:16	CaCO3		191	mg/LCaCO3	EPA-200.7
6/24/2008 11:23	CaCO3		165	mg/LCaCO3	EPA-200.7
7/1/2008 9:35	CaCO3		141	mg/LCaCO3	EPA-200.7
7/8/2008 10:00	CaCO3		219	mg/LCaCO3	EPA-200.7
7/15/2008 10:00	CaCO3		169	mg/LCaCO3	EPA-200.7
7/22/2008 9:50	CaCO3		161	mg/LCaCO3	EPA-200.7
7/29/2008 9:26	CaCO3		195	mg/LCaCO3	EPA-200.7
8/19/2008 11:00	CaCO3		204	mg/LCaCO3	EPA-200.7
8/27/2008 11:40	CaCO3		223	mg/LCaCO3	EPA-200.7
9/2/2008 11:15	CaCO3		198	mg/LCaCO3	EPA-200.7
9/10/2008 9:35	CaCO3		144	mg/LCaCO3	EPA-200.7
9/16/2008 11:57	CaCO3		176	mg/LCaCO3	EPA-200.7
9/24/2008 9:40	CaCO3		236	mg/LCaCO3	EPA-200.7
6/17/2008 11:16	Cd	j	0.2	ug/L	EPA-200.7
6/24/2008 11:23	Cd	<	0.2	ug/L	EPA-200.7
7/1/2008 9:35	Cd	<	0.2	ug/L	EPA-200.7
7/8/2008 10:00	Cd	j	0.2	ug/L	EPA-200.7
7/15/2008 10:00	Cd	<	0.2	ug/L	EPA-200.7
7/22/2008 9:50	Cd	j	0.5	ug/L	EPA-200.7
7/29/2008 9:26	Cd	<	0.2	ug/L	EPA-200.7
8/19/2008 11:00	Cd	<	0.2	ug/L	EPA-200.7
8/27/2008 11:40	Cd	<	0.2	ug/L	EPA-200.7
9/2/2008 11:15	Cd	<	0.2	ug/L	EPA-200.7
9/10/2008 9:35	Cd	<	0.2	ug/L	EPA-200.7
9/16/2008 11:57	Cd	<	0.2	ug/L	EPA-200.7
9/24/2008 9:40	Cd	<	0.2	ug/L	EPA-200.7
6/17/2008 11:16	Co	j	0.6	ug/L	EPA-200.7
6/24/2008 11:23	Co	j	0.2	ug/L	EPA-200.7
7/1/2008 9:35	Co	j	0.3	ug/L	EPA-200.7
7/8/2008 10:00	Co	j	0.5	ug/L	EPA-200.7
7/15/2008 10:00	Co	j	0.2	ug/L	EPA-200.7
7/22/2008 9:50	Co	j	0.7	ug/L	EPA-200.7
7/29/2008 9:26	Co	j	0.3	ug/L	EPA-200.7
8/19/2008 11:00	Co	j	0.3	ug/L	EPA-200.7
8/27/2008 11:40	Co	j	0.2	ug/L	EPA-200.7
9/2/2008 11:15	Co	j	0.2	ug/L	EPA-200.7
9/10/2008 9:35	Co	j	0.2	ug/L	EPA-200.7
9/16/2008 11:57	Co	j	0.2	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/24/2008 9:40	Co	j	0.2	ug/L	EPA-200.7
6/17/2008 11:16	COD		8	mg/L	EPA 410.4
6/24/2008 11:23	COD		6	mg/L	EPA 410.4
7/1/2008 9:35	COD		20	mg/L	EPA 410.4
7/8/2008 10:00	COD	<	5	mg/L	EPA 410.4
7/15/2008 10:00	COD		18	mg/L	EPA 410.4
7/22/2008 9:50	COD		31	mg/L	EPA 410.4
7/29/2008 9:26	COD	<	5	mg/L	EPA 410.4
8/19/2008 11:00	COD		20	mg/L	EPA 410.4
8/27/2008 11:40	COD	<	5	mg/L	EPA 410.4
9/2/2008 11:15	COD		11	mg/L	EPA 410.4
9/10/2008 9:35	COD		19	mg/L	EPA 410.4
9/16/2008 11:57	COD	<	5	mg/L	EPA 410.4
9/24/2008 9:40	COD		5	mg/L	EPA 410.4
6/17/2008 11:16	Cr	<	0.5	ug/L	EPA-200.7
6/24/2008 11:23	Cr	<	0.5	ug/L	EPA-200.7
7/1/2008 9:35	Cr	<	0.5	ug/L	EPA-200.7
7/8/2008 10:00	Cr	j	0.6	ug/L	EPA-200.7
7/15/2008 10:00	Cr	j	0.5	ug/L	EPA-200.7
7/22/2008 9:50	Cr	j	1.9	ug/L	EPA-200.7
8/27/2008 11:40	Cr	<	0.5	ug/L	EPA-200.7
9/2/2008 11:15	Cr	<	0.5	ug/L	EPA-200.7
9/16/2008 11:57	Cr	<	0.5	ug/L	EPA-200.7
9/24/2008 9:40	Cr	<	0.5	ug/L	EPA-200.7
6/17/2008 11:16	Cr+6	j	1.46	ug/L	SM 3500-Cr-D
6/24/2008 11:23	Cr+6	j	1.85	ug/L	SM 3500-Cr-D
7/1/2008 9:35	Cr+6	j	2.7	ug/L	SM 3500-Cr-D
7/8/2008 10:00	Cr+6	j	1.87	ug/L	SM 3500-Cr-D
7/15/2008 10:00	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/22/2008 9:50	Cr+6	j	3.9	ug/L	SM 3500-Cr-D
8/27/2008 11:40	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/2/2008 11:15	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/16/2008 11:57	Cr+6	j	1.57	ug/L	SM 3500-Cr-D
9/24/2008 9:40	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/17/2008 11:16	Cu		4.3	ug/L	EPA-200.7
6/24/2008 11:23	Cu		3.5	ug/L	EPA-200.7
7/1/2008 9:35	Cu		3.7	ug/L	EPA-200.7
7/8/2008 10:00	Cu		3.7	ug/L	EPA-200.7
7/15/2008 10:00	Cu		3.8	ug/L	EPA-200.7
7/22/2008 9:50	Cu		6.4	ug/L	EPA-200.7
7/29/2008 9:26	Cu		2.8	ug/L	EPA-200.7
8/19/2008 11:00	Cu		3	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/27/2008 11:40	Cu		2.5	ug/L	EPA-200.7
9/2/2008 11:15	Cu		2.8	ug/L	EPA-200.7
9/10/2008 9:35	Cu		2.8	ug/L	EPA-200.7
9/16/2008 11:57	Cu		3.6	ug/L	EPA-200.7
9/24/2008 9:40	Cu		2.4	ug/L	EPA-200.7
6/17/2008 11:16	Fe		578	ug/L	EPA-200.7
6/24/2008 11:23	Fe		126	ug/L	EPA-200.7
7/1/2008 9:35	Fe		218	ug/L	EPA-200.7
7/8/2008 10:00	Fe		418	ug/L	EPA-200.7
7/15/2008 10:00	Fe		113	ug/L	EPA-200.7
7/22/2008 9:50	Fe		961	ug/L	EPA-200.7
7/29/2008 9:26	Fe		161	ug/L	EPA-200.7
8/19/2008 11:00	Fe		161	ug/L	EPA-200.7
8/27/2008 11:40	Fe		126	ug/L	EPA-200.7
9/2/2008 11:15	Fe		143	ug/L	EPA-200.7
9/10/2008 9:35	Fe		166	ug/L	EPA-200.7
9/16/2008 11:57	Fe		173	ug/L	EPA-200.7
9/24/2008 9:40	Fe		108	ug/L	EPA-200.7
6/17/2008 11:16	Field Cond		1091	uS/cm	SM 2510A
6/24/2008 11:23	Field Cond		897	uS/cm	SM 2510A
7/1/2008 9:35	Field Cond		815	uS/cm	SM 2510A
7/8/2008 10:00	Field Cond		1111	uS/cm	SM 2510A
7/15/2008 10:00	Field Cond		873	uS/cm	SM 2510A
7/22/2008 9:50	Field Cond		751	uS/cm	SM 2510A
7/29/2008 9:26	Field Cond		1023	uS/cm	SM 2510A
8/19/2008 11:00	Field Cond		978	uS/cm	SM 2510A
8/27/2008 11:40	Field Cond		1023	uS/cm	SM 2510A
9/2/2008 11:15	Field Cond		968	uS/cm	SM 2510A
9/10/2008 9:35	Field Cond		752	uS/cm	SM 2510A
9/16/2008 11:57	Field Cond		800	uS/cm	SM 2510A
9/24/2008 9:40	Field Cond		1093	uS/cm	SM 2510A
6/17/2008 11:16	Field DO		11.66	mg/L	SM 4500-O G
6/24/2008 11:23	Field DO		9.77	mg/L	SM 4500-O G
7/1/2008 9:35	Field DO		9	mg/L	SM 4500-O G
7/8/2008 10:00	Field DO		9.09	mg/L	SM 4500-O G
7/15/2008 10:00	Field DO		9.89	mg/L	SM 4500-O G
7/22/2008 9:50	Field DO		8.67	mg/L	SM 4500-O G
7/29/2008 9:26	Field DO		8.48	mg/L	SM 4500-O G
8/5/2008	Field DO		AH	mg/L	SM 4500-O G
8/19/2008 11:00	Field DO		8.29	mg/L	SM 4500-O G
8/27/2008 11:40	Field DO		9.61	mg/L	SM 4500-O G
9/2/2008 11:15	Field DO		10.01	mg/L	SM 4500-O G
9/10/2008 9:35	Field DO		10.46	mg/L	SM 4500-O G

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:57	Field DO		8.01	mg/L	SM 4500-O G
9/24/2008 9:40	Field DO		9.6	mg/L	SM 4500-O G
6/17/2008 11:16	Field Temp		20.52	C	EPA 170.1
6/24/2008 11:23	Field Temp		20.77	C	EPA 170.1
7/1/2008 9:35	Field Temp		18.22	C	EPA 170.1
7/8/2008 10:00	Field Temp		23.25	C	EPA 170.1
7/15/2008 10:00	Field Temp		21.48	C	EPA 170.1
7/22/2008 9:50	Field Temp		22.45	C	EPA 170.1
7/29/2008 9:26	Field Temp		22.39	C	EPA 170.1
8/5/2008	Field Temp		AH	C	EPA 170.1
8/19/2008 11:00	Field Temp		21.99	C	EPA 170.1
8/27/2008 11:40	Field Temp		19.72	C	EPA 170.1
9/2/2008 11:15	Field Temp		21.69	C	EPA 170.1
9/10/2008 9:35	Field Temp		16.4	C	EPA 170.1
9/16/2008 11:57	Field Temp		18.31	C	EPA 170.1
9/24/2008 9:40	Field Temp		16.47	C	EPA 170.1
6/17/2008 11:16	Hg	<	0.01	ug/L	EPA 245.1
6/24/2008 11:23	Hg	j	0.04	ug/L	EPA 245.1
7/1/2008 9:35	Hg	<	0.01	ug/L	EPA 245.1
7/8/2008 10:00	Hg	j	0.02	ug/L	EPA 245.1
7/15/2008 10:00	Hg	<	0.01	ug/L	EPA 245.1
7/22/2008 9:50	Hg	j	0.01	ug/L	EPA 245.1
7/29/2008 9:26	Hg	<	0.01	ug/L	EPA 245.1
8/19/2008 11:00	Hg	<	0.01	ug/L	EPA 245.1
8/27/2008 11:40	Hg	<	0.01	ug/L	EPA 245.1
9/2/2008 11:15	Hg	<	0.01	ug/L	EPA 245.1
9/10/2008 9:35	Hg	<	0.01	ug/L	EPA 245.1
9/16/2008 11:57	Hg	j	0.02	ug/L	EPA 245.1
9/24/2008 9:40	Hg	<	0.01	ug/L	EPA 245.1
6/17/2008 11:16	K		5000	ug/L	EPA-200.7
6/24/2008 11:23	K		4180	ug/L	EPA-200.7
7/1/2008 9:35	K		3850	ug/L	EPA-200.7
7/8/2008 10:00	K		4990	ug/L	EPA-200.7
7/15/2008 10:00	K		4600	ug/L	EPA-200.7
7/22/2008 9:50	K		4460	ug/L	EPA-200.7
7/29/2008 9:26	K		4480	ug/L	EPA-200.7
8/19/2008 11:00	K		4210	ug/L	EPA-200.7
8/27/2008 11:40	K		4250	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/2/2008 11:15	K		4630	ug/L	EPA-200.7
9/10/2008 9:35	K		3460	ug/L	EPA-200.7
9/16/2008 11:57	K		4370	ug/L	EPA-200.7
9/24/2008 9:40	K		4580	ug/L	EPA-200.7
6/17/2008 11:16	Mg		14200	ug/L	EPA-200.7
6/24/2008 11:23	Mg		11700	ug/L	EPA-200.7
7/1/2008 9:35	Mg		10500	ug/L	EPA-200.7
7/8/2008 10:00	Mg		15800	ug/L	EPA-200.7
7/15/2008 10:00	Mg		12100	ug/L	EPA-200.7
7/22/2008 9:50	Mg		10900	ug/L	EPA-200.7
7/29/2008 9:26	Mg		15500	ug/L	EPA-200.7
8/19/2008 11:00	Mg		15000	ug/L	EPA-200.7
8/27/2008 11:40	Mg		16600	ug/L	EPA-200.7
9/2/2008 11:15	Mg		15300	ug/L	EPA-200.7
9/10/2008 9:35	Mg		11500	ug/L	EPA-200.7
9/16/2008 11:57	Mg		12500	ug/L	EPA-200.7
9/24/2008 9:40	Mg		17100	ug/L	EPA-200.7
6/17/2008 11:16	Mn		52.4	ug/L	EPA-200.7
6/24/2008 11:23	Mn		22.5	ug/L	EPA-200.7
7/1/2008 9:35	Mn		22.9	ug/L	EPA-200.7
7/8/2008 10:00	Mn		43.7	ug/L	EPA-200.7
7/15/2008 10:00	Mn		16	ug/L	EPA-200.7
7/22/2008 9:50	Mn		52.2	ug/L	EPA-200.7
7/29/2008 9:26	Mn		33.5	ug/L	EPA-200.7
8/19/2008 11:00	Mn		23.7	ug/L	EPA-200.7
8/27/2008 11:40	Mn		31.4	ug/L	EPA-200.7
9/2/2008 11:15	Mn		32.8	ug/L	EPA-200.7
9/10/2008 9:35	Mn		27.6	ug/L	EPA-200.7
9/16/2008 11:57	Mn		19	ug/L	EPA-200.7
9/24/2008 9:40	Mn		22.5	ug/L	EPA-200.7
6/17/2008 11:16	Mo		5.3	ug/L	EPA-200.7
6/24/2008 11:23	Mo		4.8	ug/L	EPA-200.7
7/1/2008 9:35	Mo		4.2	ug/L	EPA-200.7
7/8/2008 10:00	Mo		4.9	ug/L	EPA-200.7
7/15/2008 10:00	Mo		4.8	ug/L	EPA-200.7
7/22/2008 9:50	Mo		4.7	ug/L	EPA-200.7
7/29/2008 9:26	Mo		5.5	ug/L	EPA-200.7
8/19/2008 11:00	Mo		5.3	ug/L	EPA-200.7
8/27/2008 11:40	Mo		6	ug/L	EPA-200.7
9/2/2008 11:15	Mo		5.8	ug/L	EPA-200.7
9/10/2008 9:35	Mo		4.6	ug/L	EPA-200.7
9/16/2008 11:57	Mo		9.1	ug/L	EPA-200.7
9/24/2008 9:40	Mo		5.8	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/17/2008 11:16	Na		142000	ug/L	EPA-200.7
6/24/2008 11:23	Na		117000	ug/L	EPA-200.7
7/1/2008 9:35	Na		100000	ug/L	EPA-200.7
7/8/2008 10:00	Na		144000	ug/L	EPA-200.7
7/15/2008 10:00	Na		102000	ug/L	EPA-200.7
7/22/2008 9:50	Na		88700	ug/L	EPA-200.7
7/29/2008 9:26	Na		108000	ug/L	EPA-200.7
8/19/2008 11:00	Na		103000	ug/L	EPA-200.7
8/27/2008 11:40	Na		121000	ug/L	EPA-200.7
9/2/2008 11:15	Na		108000	ug/L	EPA-200.7
9/10/2008 9:35	Na		86500	ug/L	EPA-200.7
9/16/2008 11:57	Na		93200	ug/L	EPA-200.7
9/24/2008 9:40	Na		127000	ug/L	EPA-200.7
6/17/2008 11:16	NH3		0.04	mg/L	EPA-350.1
6/24/2008 11:23	NH3		0.15	mg/L	EPA-350.1
7/1/2008 9:35	NH3		0.04	mg/L	EPA-350.1
7/8/2008 10:00	NH3		0.08	mg/L	EPA-350.1
7/15/2008 10:00	NH3		0.1	mg/L	EPA-350.1
7/22/2008 9:50	NH3		0.12	mg/L	EPA-350.1
7/29/2008 9:26	NH3		0.03	mg/L	EPA-350.1
8/19/2008 11:00	NH3		0.03	mg/L	EPA-350.1
8/27/2008 11:40	NH3		0.05	mg/L	EPA-350.1
9/2/2008 11:15	NH3		0.026	mg/L	EPA-350.1
9/10/2008 9:35	NH3		0.03	mg/L	EPA-350.1
9/16/2008 11:57	NH3	<	0.003	mg/L	EPA-350.1
9/24/2008 9:40	NH3	j	0.003	mg/L	EPA-350.1
6/17/2008 11:16	Ni		2.6	ug/L	EPA-200.7
6/24/2008 11:23	Ni	j	1.9	ug/L	EPA-200.7
7/1/2008 9:35	Ni		2.2	ug/L	EPA-200.7
7/8/2008 10:00	Ni		2.7	ug/L	EPA-200.7
7/15/2008 10:00	Ni		2.2	ug/L	EPA-200.7
7/22/2008 9:50	Ni		2.9	ug/L	EPA-200.7
7/29/2008 9:26	Ni	j	1.7	ug/L	EPA-200.7
8/19/2008 11:00	Ni	j	1.7	ug/L	EPA-200.7
8/27/2008 11:40	Ni	j	1.7	ug/L	EPA-200.7
9/2/2008 11:15	Ni	j	1.8	ug/L	EPA-200.7
9/10/2008 9:35	Ni	j	1.4	ug/L	EPA-200.7
9/16/2008 11:57	Ni	j	1.7	ug/L	EPA-200.7
9/24/2008 9:40	Ni	j	1.4	ug/L	EPA-200.7
6/17/2008 11:16	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/24/2008 11:23	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/1/2008 9:35	NO2	<	0.002	mg/L	SM 4500-NO2-B

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2008 10:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/15/2008 10:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/22/2008 9:50	NO2		0.02	mg/L	SM 4500-NO2-B
7/29/2008 9:26	NO2	<	0.002	mg/L	SM 4500-NO2-B
8/19/2008 11:00	NO2	j	0.01	mg/L	SM 4500-NO2-B
8/27/2008 11:40	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/2/2008 11:15	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/10/2008 9:35	NO2	<	0.002	mg/L	SM 4500-NO2-B
9/16/2008 11:57	NO2	j	0.01	mg/L	SM 4500-NO2-B
9/24/2008 9:40	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/17/2008 11:16	NO3		0.26	mg/L	EPA 353.2
6/24/2008 11:23	NO3		0.46	mg/L	EPA 353.2
7/1/2008 9:35	NO3		0.56	mg/L	EPA 353.2
7/8/2008 10:00	NO3		0.12	mg/L	EPA 353.2
7/15/2008 10:00	NO3		0.32	mg/L	EPA 353.2
7/22/2008 9:50	NO3		0.89	mg/L	EPA 353.2
7/29/2008 9:26	NO3		0.03	mg/L	EPA 353.2
8/19/2008 11:00	NO3		0.26	mg/L	EPA 353.2
8/27/2008 11:40	NO3		0.08	mg/L	EPA 353.2
9/2/2008 11:15	NO3		0.118	mg/L	EPA 353.2
9/10/2008 9:35	NO3		0.29	mg/L	EPA 353.2
9/16/2008 11:57	NO3		0.38	mg/L	EPA 353.2
9/24/2008 9:40	NO3		0.014	mg/L	EPA 353.2
6/17/2008 11:16	NO3+NO2		0.26	mg/L	EPA 353.2
6/24/2008 11:23	NO3+NO2		0.46	mg/L	EPA 353.2
7/1/2008 9:35	NO3+NO2		0.56	mg/L	EPA 353.2
7/8/2008 10:00	NO3+NO2		0.12	mg/L	EPA 353.2
7/15/2008 10:00	NO3+NO2		0.32	mg/L	EPA 353.2
7/22/2008 9:50	NO3+NO2		0.91	mg/L	EPA 353.2
7/29/2008 9:26	NO3+NO2		0.03	mg/L	EPA 353.2
8/19/2008 11:00	NO3+NO2		0.27	mg/L	EPA 353.2
8/27/2008 11:40	NO3+NO2		0.08	mg/L	EPA 353.2
9/2/2008 11:15	NO3+NO2		0.118	mg/L	EPA 353.2
9/10/2008 9:35	NO3+NO2		0.29	mg/L	EPA 353.2
9/16/2008 11:57	NO3+NO2		0.39	mg/L	EPA 353.2
9/24/2008 9:40	NO3+NO2		0.015	mg/L	EPA 353.2
6/17/2008 11:16	Pb	j	0.3	ug/L	EPA-200.7
6/24/2008 11:23	Pb	<	0.3	ug/L	EPA-200.7
7/1/2008 9:35	Pb	<	0.3	ug/L	EPA-200.7
7/8/2008 10:00	Pb	<	0.3	ug/L	EPA-200.7
7/15/2008 10:00	Pb	<	0.3	ug/L	EPA-200.7
7/22/2008 9:50	Pb	j	2	ug/L	EPA-200.7
7/29/2008 9:26	Pb	<	0.3	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/19/2008 11:00	Pb	<	0.3	ug/L	EPA-200.7
8/27/2008 11:40	Pb	<	0.3	ug/L	EPA-200.7
9/2/2008 11:15	Pb	<	0.3	ug/L	EPA-200.7
9/10/2008 9:35	Pb	<	0.3	ug/L	EPA-200.7
9/16/2008 11:57	Pb	<	0.3	ug/L	EPA-200.7
9/24/2008 9:40	Pb	<	0.3	ug/L	EPA-200.7
6/17/2008 11:16	pH		7.89	S.U.	
6/24/2008 11:23	pH		8.34	S.U.	
7/1/2008 9:35	pH		7.38	S.U.	
7/8/2008 10:00	pH		8.79	S.U.	
7/15/2008 10:00	pH		7.59	S.U.	
7/22/2008 9:50	pH		7.49	S.U.	
7/29/2008 9:26	pH		7.72	S.U.	
8/5/2008	pH		AH	S.U.	
8/19/2008 11:00	pH		7.61	S.U.	
8/27/2008 11:40	pH		8.05	S.U.	
9/2/2008 11:15	pH		7.84	S.U.	
9/10/2008 9:35	pH		7.71	S.U.	
9/16/2008 11:57	pH		8.1	S.U.	
6/17/2008 11:16	Sb	<	0.4	ug/L	EPA-200.7
6/24/2008 11:23	Sb	<	0.4	ug/L	EPA-200.7
7/1/2008 9:35	Sb	<	0.4	ug/L	EPA-200.7
7/8/2008 10:00	Sb	<	0.4	ug/L	EPA-200.7
7/15/2008 10:00	Sb	<	0.4	ug/L	EPA-200.7
7/22/2008 9:50	Sb	j	0.5	ug/L	EPA-200.7
7/29/2008 9:26	Sb	<	0.4	ug/L	EPA-200.7
8/19/2008 11:00	Sb	<	0.4	ug/L	EPA-200.7
8/27/2008 11:40	Sb	j	0.5	ug/L	EPA-200.7
9/2/2008 11:15	Sb	<	0.4	ug/L	EPA-200.7
9/10/2008 9:35	Sb	<	0.4	ug/L	EPA-200.7
9/16/2008 11:57	Sb	j	0.7	ug/L	EPA-200.7
9/24/2008 9:40	Sb	j	0.6	ug/L	EPA-200.7
6/17/2008 11:16	Se	j	2.1	ug/L	EPA-200.7
6/24/2008 11:23	Se	j	1.5	ug/L	EPA-200.7
7/1/2008 9:35	Se	j	2.4	ug/L	EPA-200.7
7/8/2008 10:00	Se	j	0.9	ug/L	EPA-200.7
7/15/2008 10:00	Se	j	2	ug/L	EPA-200.7
7/22/2008 9:50	Se	j	1.2	ug/L	EPA-200.7
7/29/2008 9:26	Se	j	1.9	ug/L	EPA-200.7
8/19/2008 11:00	Se	j	1.7	ug/L	EPA-200.7
8/27/2008 11:40	Se	j	2.9	ug/L	EPA-200.7
9/2/2008 11:15	Se	j	1	ug/L	EPA-200.7
9/10/2008 9:35	Se	j	1.9	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/16/2008 11:57	Se	j	1.4	ug/L	EPA-200.7
9/24/2008 9:40	Se	<	0.9	ug/L	EPA-200.7
6/17/2008 11:16	Sn	<	18.9	ug/L	EPA-200.7
6/24/2008 11:23	Sn	<	4.6	ug/L	EPA-200.7
7/1/2008 9:35	Sn	<	4.6	ug/L	EPA-200.7
7/8/2008 10:00	Sn	<	18.9	ug/L	EPA-200.7
7/15/2008 10:00	Sn	<	4.6	ug/L	EPA-200.7
7/22/2008 9:50	Sn	<	18.9	ug/L	EPA-200.7
7/29/2008 9:26	Sn	<	18.9	ug/L	EPA-200.7
8/19/2008 11:00	Sn	<	18.9	ug/L	EPA-200.7
8/27/2008 11:40	Sn	<	18.9	ug/L	EPA-200.7
9/2/2008 11:15	Sn	<	18.9	ug/L	EPA-200.7
9/10/2008 9:35	Sn	<	18.9	ug/L	EPA-200.7
9/16/2008 11:57	Sn	<	18.9	ug/L	EPA-200.7
9/24/2008 9:40	Sn	<	18.9	ug/L	EPA-200.7
6/17/2008 11:16	Soluble-P		0.03	mg/L	EPA 365.1
6/24/2008 11:23	Soluble-P		0.03	mg/L	EPA 365.1
7/1/2008 9:35	Soluble-P		0.05	mg/L	EPA 365.1
7/8/2008 10:00	Soluble-P		0.01	mg/L	EPA 365.1
7/15/2008 10:00	Soluble-P		0.02	mg/L	EPA 365.1
7/22/2008 9:50	Soluble-P		0.06	mg/L	EPA 365.1
7/29/2008 9:26	Soluble-P		0.01	mg/L	EPA 365.1
8/19/2008 11:00	Soluble-P		0.01	mg/L	EPA 365.1
8/27/2008 11:40	Soluble-P		0.02	mg/L	EPA 365.1
9/2/2008 11:15	Soluble-P	j	0.006	mg/L	EPA 365.1
9/10/2008 9:35	Soluble-P		0.02	mg/L	EPA 365.1
9/16/2008 11:57	Soluble-P		0.03	mg/L	EPA 365.1
9/24/2008 9:40	Soluble-P	j	0.006	mg/L	EPA 365.1
6/17/2008 11:16	TDS		592	mg/L	SM2540C
6/24/2008 11:23	TDS		478	mg/L	SM2540C
7/1/2008 9:35	TDS		478	mg/L	SM2540C
7/8/2008 10:00	TDS		586	mg/L	SM2540C
7/15/2008 10:00	TDS		488	mg/L	SM2540C
7/22/2008 9:50	TDS		436	mg/L	SM2540C
7/29/2008 9:26	TDS		552	mg/L	SM2540C
8/19/2008 11:00	TDS		554	mg/L	SM2540C
8/27/2008 11:40	TDS		596	mg/L	SM2540C
9/2/2008 11:15	TDS		566	mg/L	SM2540C
9/10/2008 9:35	TDS		436	mg/L	SM2540C
9/16/2008 11:57	TDS		436	mg/L	SM2540C
9/24/2008 9:40	TDS		632	mg/L	SM2540C
6/17/2008 11:16	Ti	j	2	ug/L	EPA-200.7

Euclid Creek River Mile 0.55						
Sample Date	Parameter	Code	Result	Units	Method	
6/24/2008 11:23	Ti	<	0.6	ug/L	EPA-200.7	
7/1/2008 9:35	Ti	<	0.6	ug/L	EPA-200.7	
7/8/2008 10:00	Ti	j	0.9	ug/L	EPA-200.7	
7/15/2008 10:00	Ti	<	0.6	ug/L	EPA-200.7	
7/22/2008 9:50	Ti		6.6	ug/L	EPA-200.7	
7/29/2008 9:26	Ti	<	0.6	ug/L	EPA-200.7	
8/19/2008 11:00	Ti	<	0.6	ug/L	EPA-200.7	
8/27/2008 11:40	Ti	<	0.6	ug/L	EPA-200.7	
9/2/2008 11:15	Ti	<	0.6	ug/L	EPA-200.7	
9/10/2008 9:35	Ti	<	0.6	ug/L	EPA-200.7	
9/16/2008 11:57	Ti	j	0.7	ug/L	EPA-200.7	
9/24/2008 9:40	Ti	<	0.6	ug/L	EPA-200.7	
6/17/2008 11:16	TI		9.4	ug/L	EPA-200.7	
6/24/2008 11:23	TI		9.9	ug/L	EPA-200.7	
7/1/2008 9:35	TI		5.9	ug/L	EPA-200.7	
7/8/2008 10:00	TI		9	ug/L	EPA-200.7	
7/15/2008 10:00	TI		7.7	ug/L	EPA-200.7	
7/22/2008 9:50	TI		7.3	ug/L	EPA-200.7	
7/29/2008 9:26	TI		9.2	ug/L	EPA-200.7	
8/19/2008 11:00	TI	j	4.4	ug/L	EPA-200.7	
8/27/2008 11:40	TI		8.1	ug/L	EPA-200.7	
9/2/2008 11:15	TI		4.8	ug/L	EPA-200.7	
9/10/2008 9:35	TI	j	4.3	ug/L	EPA-200.7	
9/16/2008 11:57	TI		6.5	ug/L	EPA-200.7	
9/24/2008 9:40	TI		6.2	ug/L	EPA-200.7	
6/17/2008 11:16	TMET		17.7	ug/L	EPA-200.7	
6/24/2008 11:23	TMET		10.5	ug/L	EPA-200.7	
7/1/2008 9:35	TMET		10.9	ug/L	EPA-200.7	
7/8/2008 10:00	TMET		14.2	ug/L	EPA-200.7	
7/15/2008 10:00	TMET		11.1	ug/L	EPA-200.7	
7/22/2008 9:50	TMET		32.7	ug/L	EPA-200.7	
7/29/2008 9:26	TMET	<	10	ug/L	EPA-200.7	
8/19/2008 11:00	TMET	<	10	ug/L	EPA-200.7	
8/27/2008 11:40	TMET	<	10	ug/L	EPA-200.7	
9/2/2008 11:15	TMET	<	10	ug/L	EPA-200.7	
9/10/2008 9:35	TMET	<	10	ug/L	EPA-200.7	
9/16/2008 11:57	TMET	<	10	ug/L	EPA-200.7	
9/24/2008 9:40	TMET	<	10	ug/L	EPA-200.7	
6/17/2008 11:16	Total-P		0.05	mg/L	EPA 365.1	
6/24/2008 11:23	Total-P		0.05	mg/L	EPA 365.1	
7/1/2008 9:35	Total-P		0.06	mg/L	EPA 365.1	
7/8/2008 10:00	Total-P		0.03	mg/L	EPA 365.1	
7/15/2008 10:00	Total-P		0.04	mg/L	EPA 365.1	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2008 9:50	Total-P		0.12	mg/L	EPA 365.1
7/29/2008 9:26	Total-P		0.03	mg/L	EPA 365.1
8/19/2008 11:00	Total-P		0.03	mg/L	EPA 365.1
8/27/2008 11:40	Total-P		0.03	mg/L	EPA 365.1
9/2/2008 11:15	Total-P		0.028	mg/L	EPA 365.1
9/10/2008 9:35	Total-P		0.04	mg/L	EPA 365.1
9/16/2008 11:57	Total-P		0.04	mg/L	EPA 365.1
9/24/2008 9:40	Total-P		0.019	mg/L	EPA 365.1
6/17/2008 11:16	TS		625	mg/L	SM2540B
6/24/2008 11:23	TS		516	mg/L	SM2540B
7/1/2008 9:35	TS		480	mg/L	SM2540B
7/8/2008 10:00	TS		673	mg/L	SM2540B
7/15/2008 10:00	TS		503	mg/L	SM2540B
7/22/2008 9:50	TS		478	mg/L	SM2540B
7/29/2008 9:26	TS		605	mg/L	SM2540B
8/19/2008 11:00	TS		585	mg/L	SM2540B
8/27/2008 11:40	TS		638	mg/L	SM2540B
9/2/2008 11:15	TS		585	mg/L	SM2540B
9/10/2008 9:35	TS		440	mg/L	SM2540B
9/16/2008 11:57	TS		457	mg/L	SM2540B
9/24/2008 9:40	TS		666	mg/L	SM2540B
6/17/2008 11:16	TSS		14	mg/L	SM2540D
6/24/2008 11:23	TSS		3	mg/L	SM2540D
7/1/2008 9:35	TSS		3	mg/L	SM2540D
7/8/2008 10:00	TSS		4	mg/L	SM2540D
7/15/2008 10:00	TSS		2	mg/L	SM2540D
7/22/2008 9:50	TSS		28	mg/L	SM2540D
7/29/2008 9:26	TSS		7	mg/L	SM2540D
8/19/2008 11:00	TSS		2	mg/L	SM2540D
8/27/2008 11:40	TSS		2	mg/L	SM2540D
9/2/2008 11:15	TSS		9.2	mg/L	SM2540D
9/10/2008 9:35	TSS		6.2	mg/L	SM2540D
9/16/2008 11:57	TSS		1.8	mg/L	SM2540D
9/24/2008 9:40	TSS		1	mg/L	SM2540D
6/17/2008 11:16	Turbidity		4.38	NTU	EPA 180.1
6/24/2008 11:23	Turbidity		1.66	NTU	EPA 180.1
7/1/2008 9:35	Turbidity		3.31	NTU	EPA 180.1
7/8/2008 10:00	Turbidity		2.4	NTU	EPA 180.1
7/15/2008 10:00	Turbidity		2.59	NTU	EPA 180.1
7/22/2008 9:50	Turbidity		16.9	NTU	EPA 180.1
7/29/2008 9:26	Turbidity		3.66	NTU	EPA 180.1
8/19/2008 11:00	Turbidity		1.79	NTU	EPA 180.1
8/27/2008 11:40	Turbidity		9.27	NTU	EPA 180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/2/2008 11:15	Turbidity		3.38	NTU	EPA 180.1
9/10/2008 9:35	Turbidity		7.4	NTU	EPA 180.1
9/16/2008 11:57	Turbidity		3.41	NTU	EPA 180.1
9/24/2008 9:40	Turbidity		1.32	NTU	EPA 180.1
6/17/2008 11:16	V	j	0.5	ug/L	EPA-200.7
6/24/2008 11:23	V	<	0.2	ug/L	EPA-200.7
7/1/2008 9:35	V	<	0.2	ug/L	EPA-200.7
7/8/2008 10:00	V	<	0.2	ug/L	EPA-200.7
7/15/2008 10:00	V	<	0.2	ug/L	EPA-200.7
7/22/2008 9:50	V		1.2	ug/L	EPA-200.7
7/29/2008 9:26	V	<	0.2	ug/L	EPA-200.7
8/19/2008 11:00	V	<	0.2	ug/L	EPA-200.7
8/27/2008 11:40	V	j	0.3	ug/L	EPA-200.7
9/2/2008 11:15	V	<	0.2	ug/L	EPA-200.7
9/10/2008 9:35	V	<	0.2	ug/L	EPA-200.7
9/16/2008 11:57	V	j	0.4	ug/L	EPA-200.7
9/24/2008 9:40	V	<	0.2	ug/L	EPA-200.7
6/17/2008 11:16	Zn		10.8	ug/L	EPA-200.7
6/24/2008 11:23	Zn	j	4.8	ug/L	EPA-200.7
7/1/2008 9:35	Zn	j	5	ug/L	EPA-200.7
7/8/2008 10:00	Zn	j	7.2	ug/L	EPA-200.7
7/15/2008 10:00	Zn	j	4.6	ug/L	EPA-200.7
7/22/2008 9:50	Zn		21.5	ug/L	EPA-200.7
7/29/2008 9:26	Zn	j	3.4	ug/L	EPA-200.7
8/19/2008 11:00	Zn	j	5	ug/L	EPA-200.7
8/27/2008 11:40	Zn	j	3.8	ug/L	EPA-200.7
9/2/2008 11:15	Zn	j	2.8	ug/L	EPA-200.7
9/10/2008 9:35	Zn	j	3.8	ug/L	EPA-200.7
9/16/2008 11:57	Zn	j	4.5	ug/L	EPA-200.7
9/24/2008 9:40	Zn	j	2.7	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)