

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:54	Ag	<	0.05	ug/L	EPA-200.7
6/29/2009 10:30	Ag	<	0.05	ug/L	EPA-200.7
7/6/2009 11:20	Ag	<	0.05	ug/L	EPA-200.7
7/13/2009 11:00	Ag	<	0.05	ug/L	EPA-200.7
7/20/2009 10:05	Ag	<	0.05	ug/L	EPA-200.7
6/22/2009 11:54	Al		43.86	ug/L	EPA-200.7
6/29/2009 10:30	Al		76.23	ug/L	EPA-200.7
7/6/2009 11:20	Al		69.75	ug/L	EPA-200.7
7/13/2009 11:00	Al		29.14	ug/L	EPA-200.7
7/20/2009 10:05	Al		28.41	ug/L	EPA-200.7
6/22/2009 11:54	Alkalinity		106.9	mg/LCaCO3	EPA-310.2
6/29/2009 10:30	Alkalinity		116.7	mg/LCaCO3	EPA-310.2
7/6/2009 11:20	Alkalinity		118.3	mg/LCaCO3	EPA-310.2
7/13/2009 11:00	Alkalinity		106.3	mg/LCaCO3	EPA-310.2
7/20/2009 10:05	Alkalinity		108.5	mg/LCaCO3	EPA-310.2
6/22/2009 11:54	As	<	0.36	ug/L	EPA-200.7
6/29/2009 10:30	As	<	0.36	ug/L	EPA-200.7
7/6/2009 11:20	As	j	1.97	ug/L	EPA-200.7
7/13/2009 11:00	As	j	1.15	ug/L	EPA-200.7
7/20/2009 10:05	As	j	1.16	ug/L	EPA-200.7
6/22/2009 11:54	Ba		24.9	ug/L	EPA-200.7
6/29/2009 10:30	Ba		31	ug/L	EPA-200.7
7/6/2009 11:20	Ba		29.7	ug/L	EPA-200.7
7/13/2009 11:00	Ba		26.9	ug/L	EPA-200.7
7/20/2009 10:05	Ba		26.1	ug/L	EPA-200.7
6/22/2009 11:54	Be	<	0.01	ug/L	EPA-200.7
6/29/2009 10:30	Be	<	0.01	ug/L	EPA-200.7
7/6/2009 11:20	Be	<	0.01	ug/L	EPA-200.7
7/13/2009 11:00	Be	<	0.01	ug/L	EPA-200.7
7/20/2009 10:05	Be	<	0.01	ug/L	EPA-200.7
6/22/2009 11:54	BOD	<	2	mg/L	SM 5210
6/29/2009 10:30	BOD	<	2	mg/L	SM 5210
7/6/2009 11:20	BOD	<	2	mg/L	SM 5210
7/13/2009 11:00	BOD	<	2	mg/L	SM 5210
7/20/2009 10:05	BOD	<	2	mg/L	SM 5210
6/22/2009 11:54	Ca		52080	ug/L	EPA-200.7
6/29/2009 10:30	Ca		60070	ug/L	EPA-200.7
7/6/2009 11:20	Ca		55630	ug/L	EPA-200.7
7/13/2009 11:00	Ca		49390	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 10:05	Ca		51550	ug/L	EPA-200.7
6/22/2009 11:54	CaCO3		183	mg/LCaCO3	EPA-200.7
6/29/2009 10:30	CaCO3		214	mg/LCaCO3	EPA-200.7
7/6/2009 11:20	CaCO3		196	mg/LCaCO3	EPA-200.7
7/13/2009 11:00	CaCO3		176	mg/LCaCO3	EPA-200.7
7/20/2009 10:05	CaCO3		181	mg/LCaCO3	EPA-200.7
6/22/2009 11:54	Cd	<	0.15	ug/L	EPA-200.7
6/29/2009 10:30	Cd	<	0.15	ug/L	EPA-200.7
7/6/2009 11:20	Cd	<	0.15	ug/L	EPA-200.7
7/13/2009 11:00	Cd	<	0.15	ug/L	EPA-200.7
7/20/2009 10:05	Cd	<	0.15	ug/L	EPA-200.7
6/22/2009 11:54	Co	j	0.24	ug/L	EPA-200.7
6/29/2009 10:30	Co	j	0.23	ug/L	EPA-200.7
7/6/2009 11:20	Co	j	0.3	ug/L	EPA-200.7
7/13/2009 11:00	Co	j	0.22	ug/L	EPA-200.7
7/20/2009 10:05	Co	j	0.2	ug/L	EPA-200.7
6/22/2009 11:54	COD		16	mg/L	EPA 410.4
6/29/2009 10:30	COD	<	5	mg/L	EPA 410.4
7/6/2009 11:20	COD		8	mg/L	EPA 410.4
7/13/2009 11:00	COD		6	mg/L	EPA 410.4
7/20/2009 10:05	COD		9	mg/L	EPA 410.4
6/22/2009 11:54	Cr	j	0.2	ug/L	EPA-200.7
6/29/2009 10:30	Cr	j	0.31	ug/L	EPA-200.7
7/20/2009 10:05	Cr	j	0.3	ug/L	EPA-200.7
6/22/2009 11:54	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/29/2009 10:30	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/20/2009 10:05	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/22/2009 11:54	Cu		2.63	ug/L	EPA-200.7
6/29/2009 10:30	Cu		2.35	ug/L	EPA-200.7
7/6/2009 11:20	Cu		2.95	ug/L	EPA-200.7
7/13/2009 11:00	Cu		3.01	ug/L	EPA-200.7
7/20/2009 10:05	Cu		3.59	ug/L	EPA-200.7
6/22/2009 11:54	Fe		65.56	ug/L	EPA-200.7
6/29/2009 10:30	Fe		70.3	ug/L	EPA-200.7
7/6/2009 11:20	Fe		103.2	ug/L	EPA-200.7
7/13/2009 11:00	Fe		42.36	ug/L	EPA-200.7
7/20/2009 10:05	Fe		42.17	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:54	Field Cond		990	uS/cm	SM 2510A
6/29/2009 10:30	Field Cond		1186	uS/cm	SM 2510A
7/6/2009 11:20	Field Cond		1035	uS/cm	SM 2510A
7/13/2009 11:00	Field Cond		1038	uS/cm	SM 2510A
7/20/2009 10:05	Field Cond		979	uS/cm	SM 2510A
6/22/2009 11:54	Field DO		9.96	mg/L	SM 4500-0 G
6/29/2009 10:30	Field DO		9.37	mg/L	SM 4500-0 G
7/6/2009 11:20	Field DO		10.5	mg/L	SM 4500-0 G
7/13/2009 11:00	Field DO		11.19	mg/L	SM 4500-0 G
7/20/2009 10:05	Field DO		9.96	mg/L	SM 4500-0 G
6/22/2009 11:54	Field Temp		21.4	C	EPA 170.1
6/29/2009 10:30	Field Temp		19.8	C	EPA 170.1
7/6/2009 11:20	Field Temp		19.4	C	EPA 170.1
7/13/2009 11:00	Field Temp		19.5	C	EPA 170.1
7/20/2009 10:05	Field Temp		17.7	C	EPA 170.1
6/22/2009 11:54	Hg	<	0.016	ug/L	EPA 245.1
6/29/2009 10:30	Hg	<	0.016	ug/L	EPA 245.1
7/6/2009 11:20	Hg	<	0.016	ug/L	EPA 245.1
7/13/2009 11:00	Hg	<	0.016	ug/L	EPA 245.1
7/20/2009 10:05	Hg	<	0.016	ug/L	EPA 245.1
6/22/2009 11:54	K		4925	ug/L	EPA-200.7
6/29/2009 10:30	K		5227	ug/L	EPA-200.7
7/6/2009 11:20	K		4892	ug/L	EPA-200.7
7/13/2009 11:00	K		4745	ug/L	EPA-200.7
7/20/2009 10:05	K		4739	ug/L	EPA-200.7
6/22/2009 11:54	Mg		12760	ug/L	EPA-200.7
6/29/2009 10:30	Mg		15500	ug/L	EPA-200.7
7/6/2009 11:20	Mg		13860	ug/L	EPA-200.7
7/13/2009 11:00	Mg		12720	ug/L	EPA-200.7
7/20/2009 10:05	Mg		12630	ug/L	EPA-200.7
6/22/2009 11:54	Mn		8.6	ug/L	EPA-200.7
6/29/2009 10:30	Mn		11.55	ug/L	EPA-200.7
7/6/2009 11:20	Mn		7.58	ug/L	EPA-200.7
7/13/2009 11:00	Mn		5.33	ug/L	EPA-200.7
7/20/2009 10:05	Mn		4.26	ug/L	EPA-200.7
6/22/2009 11:54	Mo		2.9	ug/L	EPA-200.7
6/29/2009 10:30	Mo		3.03	ug/L	EPA-200.7
7/6/2009 11:20	Mo		3.15	ug/L	EPA-200.7
7/13/2009 11:00	Mo		3.48	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 10:05	Mo		3.13	ug/L	EPA-200.7
6/22/2009 11:54	Na	>	100000	ug/L	EPA-200.7
6/29/2009 10:30	Na	>	100000	ug/L	EPA-200.7
7/6/2009 11:20	Na	>	100000	ug/L	EPA-200.7
7/13/2009 11:00	Na	>	100000	ug/L	EPA-200.7
7/20/2009 10:05	Na		116900	ug/L	EPA-200.7
6/22/2009 11:54	NH3		0.021	mg/L	EPA-350.1
6/29/2009 10:30	NH3		0.014	mg/L	EPA-350.1
7/6/2009 11:20	NH3		0.016	mg/L	EPA-350.1
7/13/2009 11:00	NH3	<	0.004	mg/L	EPA-350.1
7/20/2009 10:05	NH3	j	0.005	mg/L	EPA-350.1
6/22/2009 11:54	Ni	j	1.81	ug/L	EPA-200.7
6/29/2009 10:30	Ni	j	1.66	ug/L	EPA-200.7
7/6/2009 11:20	Ni		2.39	ug/L	EPA-200.7
7/13/2009 11:00	Ni	j	1.9	ug/L	EPA-200.7
7/20/2009 10:05	Ni	j	1.76	ug/L	EPA-200.7
6/22/2009 11:54	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/29/2009 10:30	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2009 11:20	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2009 11:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/20/2009 10:05	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/22/2009 11:54	NO3		0.584	mg/L	EPA 353.2
6/29/2009 10:30	NO3		0.415	mg/L	EPA 353.2
7/6/2009 11:20	NO3		0.518	mg/L	EPA 353.2
7/13/2009 11:00	NO3		0.084	mg/L	EPA 353.2
6/22/2009 11:54	NO3+NO2		0.584	mg/L	EPA 353.2
6/29/2009 10:30	NO3+NO2		0.415	mg/L	EPA 353.2
7/6/2009 11:20	NO3+NO2		0.518	mg/L	EPA 353.2
7/13/2009 11:00	NO3+NO2		0.084	mg/L	EPA 353.2
7/20/2009 10:05	NO3+NO2		0.184	mg/L	EPA 353.2
6/22/2009 11:54	Pb	<	0.22	ug/L	EPA-200.7
6/29/2009 10:30	Pb	<	0.22	ug/L	EPA-200.7
7/6/2009 11:20	Pb	<	0.22	ug/L	EPA-200.7
7/13/2009 11:00	Pb	<	0.22	ug/L	EPA-200.7
7/20/2009 10:05	Pb	<	0.22	ug/L	EPA-200.7
6/22/2009 11:54	pH		8.23	S.U.	
6/29/2009 10:30	pH		7.95	S.U.	
7/6/2009 11:20	pH		8.25	S.U.	

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/13/2009 11:00	pH		7.76	S.U.	
7/20/2009 10:05	pH		8.04	S.U.	
6/22/2009 11:54	Sb	<	0.3	ug/L	EPA-200.7
6/29/2009 10:30	Sb	<	0.3	ug/L	EPA-200.7
7/6/2009 11:20	Sb	<	0.3	ug/L	EPA-200.7
7/13/2009 11:00	Sb	<	0.3	ug/L	EPA-200.7
7/20/2009 10:05	Sb	j	0.49	ug/L	EPA-200.7
6/22/2009 11:54	Se	j	0.81	ug/L	EPA-200.7
6/29/2009 10:30	Se	<	0.53	ug/L	EPA-200.7
7/6/2009 11:20	Se	j	0.75	ug/L	EPA-200.7
7/13/2009 11:00	Se	<	0.53	ug/L	EPA-200.7
7/20/2009 10:05	Se	j	1.13	ug/L	EPA-200.7
6/22/2009 11:54	Sn	<	3	ug/L	EPA-200.7
6/29/2009 10:30	Sn	<	3	ug/L	EPA-200.7
7/6/2009 11:20	Sn	<	3	ug/L	EPA-200.7
7/13/2009 11:00	Sn	<	3	ug/L	EPA-200.7
7/20/2009 10:05	Sn	<	3	ug/L	EPA-200.7
6/22/2009 11:54	Soluble-P		0.039	mg/L	EPA 365.1
6/29/2009 10:30	Soluble-P		0.048	mg/L	EPA 365.1
7/6/2009 11:20	Soluble-P		0.045	mg/L	EPA 365.1
7/13/2009 11:00	Soluble-P		0.031	mg/L	EPA 365.1
7/20/2009 10:05	Soluble-P		0.026	mg/L	EPA 365.1
6/22/2009 11:54	TDS		442	mg/L	SM2540C
6/29/2009 10:30	TDS		656	mg/L	SM2540C
7/6/2009 11:20	TDS		571	mg/L	SM2540C
7/13/2009 11:00	TDS		536	mg/L	SM2540C
7/20/2009 10:05	TDS		558	mg/L	SM2540C
6/22/2009 11:54	Ti	j	0.38	ug/L	EPA-200.7
6/29/2009 10:30	Ti	j	0.52	ug/L	EPA-200.7
7/6/2009 11:20	Ti	j	0.55	ug/L	EPA-200.7
7/13/2009 11:00	Ti	j	0.23	ug/L	EPA-200.7
7/20/2009 10:05	Ti	j	0.37	ug/L	EPA-200.7
6/22/2009 11:54	TI	j	1.81	ug/L	EPA-200.7
6/29/2009 10:30	TI	<	1.6	ug/L	EPA-200.7
7/6/2009 11:20	TI	<	1.6	ug/L	EPA-200.7
7/13/2009 11:00	TI	<	1.6	ug/L	EPA-200.7
7/20/2009 10:05	TI	<	1.6	ug/L	EPA-200.7
6/22/2009 11:54	TMET	<	10	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/29/2009 10:30	TMET	<	10	ug/L	EPA-200.7
7/6/2009 11:20	TMET		13.5	ug/L	EPA-200.7
7/13/2009 11:00	TMET	<	10	ug/L	EPA-200.7
7/20/2009 10:05	TMET	<	10	ug/L	EPA-200.7
6/22/2009 11:54	Total-P		0.05	mg/L	EPA 365.1
6/29/2009 10:30	Total-P		0.061	mg/L	EPA 365.1
7/6/2009 11:20	Total-P		0.047	mg/L	EPA 365.1
7/13/2009 11:00	Total-P		0.038	mg/L	EPA 365.1
7/20/2009 10:05	Total-P		0.035	mg/L	EPA 365.1
6/22/2009 11:54	TS		544	mg/L	SM2540B
6/29/2009 10:30	TS		700	mg/L	SM2540B
7/6/2009 11:20	TS		606	mg/L	SM2540B
7/13/2009 11:00	TS		596	mg/L	SM2540B
7/20/2009 10:05	TS		610	mg/L	SM2540B
6/22/2009 11:54	TSS		2.7	mg/L	SM2540D
6/29/2009 10:30	TSS		1.8	mg/L	SM2540D
7/6/2009 11:20	TSS		1.5	mg/L	SM2540D
7/13/2009 11:00	TSS		1.5	mg/L	SM2540D
7/20/2009 10:05	TSS	j	0.7	mg/L	SM2540D
6/22/2009 11:54	Turbidity		1.03	NTU	EPA 180.1
6/29/2009 10:30	Turbidity		1.76	NTU	EPA 180.1
7/6/2009 11:20	Turbidity		4.33	NTU	EPA 180.1
7/13/2009 11:00	Turbidity		0.99	NTU	EPA 180.1
7/20/2009 10:05	Turbidity		1.32	NTU	EPA 180.1
6/22/2009 11:54	V	j	0.19	ug/L	EPA-200.7
6/29/2009 10:30	V	<	0.17	ug/L	EPA-200.7
7/6/2009 11:20	V	<	0.17	ug/L	EPA-200.7
7/13/2009 11:00	V	<	0.17	ug/L	EPA-200.7
7/20/2009 10:05	V	<	0.17	ug/L	EPA-200.7
6/22/2009 11:54	Zn	j	4.02	ug/L	EPA-200.7
6/29/2009 10:30	Zn	j	4.27	ug/L	EPA-200.7
7/6/2009 11:20	Zn	j	7.87	ug/L	EPA-200.7
7/13/2009 11:00	Zn	j	3.64	ug/L	EPA-200.7
7/20/2009 10:05	Zn	j	3.54	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:36	Ag	<	0.05	ug/L	EPA-200.7
6/29/2009 10:15	Ag	<	0.05	ug/L	EPA-200.7
7/6/2009 10:35	Ag	<	0.05	ug/L	EPA-200.7
7/13/2009 10:40	Ag	<	0.05	ug/L	EPA-200.7
7/20/2009 9:45	Ag	<	0.05	ug/L	EPA-200.7
6/22/2009 11:36	Al		43.97	ug/L	EPA-200.7
6/29/2009 10:15	Al		86.35	ug/L	EPA-200.7
7/6/2009 10:35	Al		59.375	ug/L	EPA-200.7
7/13/2009 10:40	Al		28.23	ug/L	EPA-200.7
7/20/2009 9:45	Al		26.67	ug/L	EPA-200.7
6/22/2009 11:36	Alkalinity		106.2	mg/LCaCO3	EPA-310.2
6/29/2009 10:15	Alkalinity		111.1	mg/LCaCO3	EPA-310.2
7/6/2009 10:35	Alkalinity		113.15	mg/LCaCO3	EPA-310.2
7/13/2009 10:40	Alkalinity		109	mg/LCaCO3	EPA-310.2
7/20/2009 9:45	Alkalinity		109.3	mg/LCaCO3	EPA-310.2
6/22/2009 11:36	As	j	0.6	ug/L	EPA-200.7
6/29/2009 10:15	As	<	0.36	ug/L	EPA-200.7
7/6/2009 10:35	As	j	2.19	ug/L	EPA-200.7
7/13/2009 10:40	As	j	1	ug/L	EPA-200.7
7/20/2009 9:45	As	j	1.33	ug/L	EPA-200.7
6/22/2009 11:36	Ba		23.8	ug/L	EPA-200.7
6/29/2009 10:15	Ba		31.8	ug/L	EPA-200.7
7/13/2009 10:40	Ba		27.7	ug/L	EPA-200.7
7/20/2009 9:45	Ba		26.3	ug/L	EPA-200.7
6/22/2009 11:36	Be	<	0.01	ug/L	EPA-200.7
6/29/2009 10:15	Be	<	0.01	ug/L	EPA-200.7
7/6/2009 10:35	Be	<	0.01	ug/L	EPA-200.7
7/13/2009 10:40	Be	<	0.01	ug/L	EPA-200.7
7/20/2009 9:45	Be	<	0.01	ug/L	EPA-200.7
6/22/2009 11:36	BOD	<	2	mg/L	SM 5210
6/29/2009 10:15	BOD	<	2	mg/L	SM 5210
7/6/2009 10:35	BOD	<	2	mg/L	SM 5210
7/13/2009 10:40	BOD	<	2	mg/L	SM 5210
7/20/2009 9:45	BOD	<	2	mg/L	SM 5210
6/22/2009 11:36	Ca		51270	ug/L	EPA-200.7
6/29/2009 10:15	Ca		62060	ug/L	EPA-200.7
7/13/2009 10:40	Ca		52810	ug/L	EPA-200.7
7/20/2009 9:45	Ca		51860	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:36	CaCO3		181	mg/LCaCO3	EPA-200.7
6/29/2009 10:15	CaCO3		221	mg/LCaCO3	EPA-200.7
7/6/2009 10:35	CaCO3		220	mg/LCaCO3	EPA-200.7
7/13/2009 10:40	CaCO3		188	mg/LCaCO3	EPA-200.7
7/20/2009 9:45	CaCO3		183	mg/LCaCO3	EPA-200.7
6/22/2009 11:36	Cd	<	0.15	ug/L	EPA-200.7
6/29/2009 10:15	Cd	<	0.15	ug/L	EPA-200.7
7/6/2009 10:35	Cd	<	0.15	ug/L	EPA-200.7
7/13/2009 10:40	Cd	<	0.15	ug/L	EPA-200.7
7/20/2009 9:45	Cd	<	0.15	ug/L	EPA-200.7
6/22/2009 11:36	Co	j	0.33	ug/L	EPA-200.7
6/29/2009 10:15	Co	j	0.37	ug/L	EPA-200.7
7/6/2009 10:35	Co	j	0.34	ug/L	EPA-200.7
7/13/2009 10:40	Co	j	0.35	ug/L	EPA-200.7
7/20/2009 9:45	Co	j	0.35	ug/L	EPA-200.7
6/22/2009 11:36	COD		8	mg/L	EPA 410.4
6/29/2009 10:15	COD	<	5	mg/L	EPA 410.4
7/6/2009 10:35	COD		9	mg/L	EPA 410.4
7/13/2009 10:40	COD		6	mg/L	EPA 410.4
7/20/2009 9:45	COD		7	mg/L	EPA 410.4
6/22/2009 11:36	Cr	j	0.32	ug/L	EPA-200.7
6/29/2009 10:15	Cr	j	0.34	ug/L	EPA-200.7
7/6/2009 10:35	Cr	j	0.87	ug/L	EPA-200.7
7/20/2009 9:45	Cr	j	0.26	ug/L	EPA-200.7
6/22/2009 11:36	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/29/2009 10:15	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/6/2009 10:35	Cr+6	j	2.11	ug/L	SM 3500-Cr-D
7/20/2009 9:45	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/22/2009 11:36	Cu		2.73	ug/L	EPA-200.7
6/29/2009 10:15	Cu		2.44	ug/L	EPA-200.7
7/6/2009 10:35	Cu		3.745	ug/L	EPA-200.7
7/13/2009 10:40	Cu		3.09	ug/L	EPA-200.7
7/20/2009 9:45	Cu		2.95	ug/L	EPA-200.7
6/22/2009 11:36	Fe		118.1	ug/L	EPA-200.7
6/29/2009 10:15	Fe		149.1	ug/L	EPA-200.7
7/13/2009 10:40	Fe		115.5	ug/L	EPA-200.7
7/20/2009 9:45	Fe		89.93	ug/L	EPA-200.7
6/22/2009 11:36	Field Cond		976	uS/cm	SM 2510A

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/29/2009 10:15	Field Cond		1213	uS/cm	SM 2510A
7/6/2009 10:35	Field Cond		1011	uS/cm	SM 2510A
7/13/2009 10:40	Field Cond		1072	uS/cm	SM 2510A
7/20/2009 9:45	Field Cond		959	uS/cm	SM 2510A
6/22/2009 11:36	Field DO		10.33	mg/L	SM 4500-0 G
6/29/2009 10:15	Field DO		9.61	mg/L	SM 4500-0 G
7/6/2009 10:35	Field DO		10.24	mg/L	SM 4500-0 G
7/13/2009 10:40	Field DO		10.57	mg/L	SM 4500-0 G
7/20/2009 9:45	Field DO		9.09	mg/L	SM 4500-0 G
6/22/2009 11:36	Field Temp		21	C	EPA 170.1
6/29/2009 10:15	Field Temp		20.2	C	EPA 170.1
7/6/2009 10:35	Field Temp		19.3	C	EPA 170.1
7/13/2009 10:40	Field Temp		20	C	EPA 170.1
7/20/2009 9:45	Field Temp		18.2	C	EPA 170.1
6/22/2009 11:36	Hg	<	0.016	ug/L	EPA 245.1
6/29/2009 10:15	Hg	<	0.016	ug/L	EPA 245.1
7/6/2009 10:35	Hg	<	0.016	ug/L	EPA 245.1
7/13/2009 10:40	Hg	<	0.016	ug/L	EPA 245.1
7/20/2009 9:45	Hg	<	0.016	ug/L	EPA 245.1
6/22/2009 11:36	K		4794	ug/L	EPA-200.7
6/29/2009 10:15	K		5507	ug/L	EPA-200.7
7/13/2009 10:40	K		5137	ug/L	EPA-200.7
7/20/2009 9:45	K		4924	ug/L	EPA-200.7
6/22/2009 11:36	Mg		12790	ug/L	EPA-200.7
6/29/2009 10:15	Mg		16040	ug/L	EPA-200.7
7/6/2009 10:35	Mg		14195	ug/L	EPA-200.7
7/13/2009 10:40	Mg		13680	ug/L	EPA-200.7
7/20/2009 9:45	Mg		13010	ug/L	EPA-200.7
6/22/2009 11:36	Mn		24.34	ug/L	EPA-200.7
6/29/2009 10:15	Mn		29.18	ug/L	EPA-200.7
7/13/2009 10:40	Mn		25.07	ug/L	EPA-200.7
7/20/2009 9:45	Mn		24.98	ug/L	EPA-200.7
6/22/2009 11:36	Mo		3.92	ug/L	EPA-200.7
6/29/2009 10:15	Mo		3.58	ug/L	EPA-200.7
7/13/2009 10:40	Mo		4.83	ug/L	EPA-200.7
7/20/2009 9:45	Mo		4.41	ug/L	EPA-200.7
6/22/2009 11:36	Na	>	100000	ug/L	EPA-200.7
6/29/2009 10:15	Na	>	100000	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2009 10:35	Na	>	100000	ug/L	EPA-200.7
7/13/2009 10:40	Na	>	100000	ug/L	EPA-200.7
7/20/2009 9:45	Na		114600	ug/L	EPA-200.7
6/22/2009 11:36	NH3		0.023	mg/L	EPA-350.1
6/29/2009 10:15	NH3		0.012	mg/L	EPA-350.1
7/6/2009 10:35	NH3		0.023	mg/L	EPA-350.1
7/13/2009 10:40	NH3	j	0.005	mg/L	EPA-350.1
7/20/2009 9:45	NH3		0.014	mg/L	EPA-350.1
6/22/2009 11:36	Ni	j	1.98	ug/L	EPA-200.7
6/29/2009 10:15	Ni	j	1.88	ug/L	EPA-200.7
7/6/2009 10:35	Ni		1.955	ug/L	EPA-200.7
7/13/2009 10:40	Ni		2.12	ug/L	EPA-200.7
7/20/2009 9:45	Ni	j	1.97	ug/L	EPA-200.7
6/22/2009 11:36	NO2	j	0.002	mg/L	SM 4500-NO2-B
6/29/2009 10:15	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2009 10:35	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2009 10:40	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/20/2009 9:45	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/22/2009 11:36	NO3		0.545	mg/L	EPA 353.2
6/29/2009 10:15	NO3		0.368	mg/L	EPA 353.2
7/6/2009 10:35	NO3		0.538	mg/L	EPA 353.2
7/13/2009 10:40	NO3		0.082	mg/L	EPA 353.2
6/22/2009 11:36	NO3+NO2		0.547	mg/L	EPA 353.2
6/29/2009 10:15	NO3+NO2		0.368	mg/L	EPA 353.2
7/6/2009 10:35	NO3+NO2		0.538	mg/L	EPA 353.2
7/13/2009 10:40	NO3+NO2		0.082	mg/L	EPA 353.2
7/20/2009 9:45	NO3+NO2		0.173	mg/L	EPA 353.2
6/22/2009 11:36	Pb	<	0.22	ug/L	EPA-200.7
6/29/2009 10:15	Pb	<	0.22	ug/L	EPA-200.7
7/6/2009 10:35	Pb	<	0.22	ug/L	EPA-200.7
7/13/2009 10:40	Pb	<	0.22	ug/L	EPA-200.7
7/20/2009 9:45	Pb	<	0.22	ug/L	EPA-200.7
6/22/2009 11:36	pH		8.2	S.U.	
6/29/2009 10:15	pH		7.86	S.U.	
7/6/2009 10:35	pH		8.14	S.U.	
7/13/2009 10:40	pH		7.6	S.U.	
7/20/2009 9:45	pH		7.77	S.U.	
6/22/2009 11:36	Sb	j	0.53	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/29/2009 10:15	Sb	<	0.3	ug/L	EPA-200.7
7/6/2009 10:35	Sb	<	0.3	ug/L	EPA-200.7
7/13/2009 10:40	Sb	j	0.51	ug/L	EPA-200.7
7/20/2009 9:45	Sb	j	0.68	ug/L	EPA-200.7
6/22/2009 11:36	Se	j	0.64	ug/L	EPA-200.7
6/29/2009 10:15	Se	j	1.05	ug/L	EPA-200.7
7/13/2009 10:40	Se	<	0.53	ug/L	EPA-200.7
7/20/2009 9:45	Se	j	0.96	ug/L	EPA-200.7
6/22/2009 11:36	Sn	<	3	ug/L	EPA-200.7
6/29/2009 10:15	Sn	<	3	ug/L	EPA-200.7
7/6/2009 10:35	Sn	<	3	ug/L	EPA-200.7
7/13/2009 10:40	Sn	<	3	ug/L	EPA-200.7
7/20/2009 9:45	Sn	<	3	ug/L	EPA-200.7
6/22/2009 11:36	Soluble-P		0.031	mg/L	EPA 365.1
6/29/2009 10:15	Soluble-P		0.04	mg/L	EPA 365.1
7/6/2009 10:35	Soluble-P		0.037	mg/L	EPA 365.1
7/13/2009 10:40	Soluble-P		0.02	mg/L	EPA 365.1
7/20/2009 9:45	Soluble-P		0.016	mg/L	EPA 365.1
6/22/2009 11:36	TDS		434	mg/L	SM2540C
6/29/2009 10:15	TDS		644	mg/L	SM2540C
7/6/2009 10:35	TDS		594	mg/L	SM2540C
7/13/2009 10:40	TDS		582	mg/L	SM2540C
7/20/2009 9:45	TDS		518	mg/L	SM2540C
6/22/2009 11:36	Ti	j	0.44	ug/L	EPA-200.7
6/29/2009 10:15	Ti	j	0.72	ug/L	EPA-200.7
7/6/2009 10:35	Ti	j	0.535	ug/L	EPA-200.7
7/13/2009 10:40	Ti	j	0.24	ug/L	EPA-200.7
7/20/2009 9:45	Ti	j	0.35	ug/L	EPA-200.7
6/22/2009 11:36	TI	<	1.6	ug/L	EPA-200.7
6/29/2009 10:15	TI	<	1.6	ug/L	EPA-200.7
7/6/2009 10:35	TI	<	1.6	ug/L	EPA-200.7
7/13/2009 10:40	TI	<	1.6	ug/L	EPA-200.7
7/20/2009 9:45	TI	<	1.6	ug/L	EPA-200.7
6/22/2009 11:36	TMET	<	10	ug/L	EPA-200.7
6/29/2009 10:15	TMET		10.1	ug/L	EPA-200.7
7/6/2009 10:35	TMET		13.2	ug/L	EPA-200.7
7/13/2009 10:40	TMET	<	10	ug/L	EPA-200.7
7/20/2009 9:45	TMET		10.3	ug/L	EPA-200.7

Euclid Creek

River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:36	Total-P		0.045	mg/L	EPA 365.1
6/29/2009 10:15	Total-P		0.056	mg/L	EPA 365.1
7/6/2009 10:35	Total-P		0.0445	mg/L	EPA 365.1
7/13/2009 10:40	Total-P		0.028	mg/L	EPA 365.1
7/20/2009 9:45	Total-P		0.027	mg/L	EPA 365.1
6/22/2009 11:36	TS		548	mg/L	SM2540B
6/29/2009 10:15	TS		720	mg/L	SM2540B
7/6/2009 10:35	TS		600	mg/L	SM2540B
7/13/2009 10:40	TS		616	mg/L	SM2540B
7/20/2009 9:45	TS		584	mg/L	SM2540B
6/22/2009 11:36	TSS		1.6	mg/L	SM2540D
6/29/2009 10:15	TSS		2.7	mg/L	SM2540D
7/13/2009 10:40	TSS	j	0.7	mg/L	SM2540D
7/20/2009 9:45	TSS	j	0.8	mg/L	SM2540D
6/22/2009 11:36	Turbidity		1.3	NTU	EPA 180.1
6/29/2009 10:15	Turbidity		1.8	NTU	EPA 180.1
7/13/2009 10:40	Turbidity		1.36	NTU	EPA 180.1
7/20/2009 9:45	Turbidity		1.31	NTU	EPA 180.1
6/22/2009 11:36	V	j	0.28	ug/L	EPA-200.7
6/29/2009 10:15	V	<	0.17	ug/L	EPA-200.7
7/13/2009 10:40	V	<	0.17	ug/L	EPA-200.7
7/20/2009 9:45	V	<	0.17	ug/L	EPA-200.7
6/22/2009 11:36	Zn	j	4.79	ug/L	EPA-200.7
6/29/2009 10:15	Zn	j	5.4	ug/L	EPA-200.7
7/6/2009 10:35	Zn	j	6.82	ug/L	EPA-200.7
7/13/2009 10:40	Zn	j	4.24	ug/L	EPA-200.7
7/20/2009 9:45	Zn	j	5.16	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:13	Ag	<	0.05	ug/L	EPA-200.7
6/29/2009 9:50	Ag	<	0.05	ug/L	EPA-200.7
7/6/2009 10:05	Ag	<	0.05	ug/L	EPA-200.7
7/13/2009 10:10	Ag	<	0.05	ug/L	EPA-200.7
7/20/2009 9:25	Ag	<	4	ug/L	EPA-200.7
6/22/2009 11:13	Al		63.11	ug/L	EPA-200.7
6/29/2009 9:50	Al		134.4	ug/L	EPA-200.7
7/6/2009 10:05	Al		56.1	ug/L	EPA-200.7
7/13/2009 10:10	Al		32	ug/L	EPA-200.7
7/20/2009 9:25	Al	j	47.84	ug/L	EPA-200.7
6/22/2009 11:13	Alkalinity		110.7	mg/LCaCO3	EPA-310.2
6/29/2009 9:50	Alkalinity		114.4	mg/LCaCO3	EPA-310.2
7/6/2009 10:05	Alkalinity		115.2	mg/LCaCO3	EPA-310.2
7/13/2009 10:10	Alkalinity		113.2	mg/LCaCO3	EPA-310.2
7/20/2009 9:25	Alkalinity		105.7	mg/LCaCO3	EPA-310.2
6/22/2009 11:13	As	j	0.54	ug/L	EPA-200.7
6/29/2009 9:50	As	j	0.58	ug/L	EPA-200.7
7/6/2009 10:05	As	j	1.71	ug/L	EPA-200.7
7/13/2009 10:10	As	j	0.73	ug/L	EPA-200.7
7/20/2009 9:25	As	<	29.8	ug/L	EPA-200.7
6/22/2009 11:13	Ba		23.4	ug/L	EPA-200.7
6/29/2009 9:50	Ba		33.8	ug/L	EPA-200.7
7/6/2009 10:05	Ba		30	ug/L	EPA-200.7
7/13/2009 10:10	Ba		29.1	ug/L	EPA-200.7
7/20/2009 9:25	Ba		26.4	ug/L	EPA-200.7
6/22/2009 11:13	Be	<	0.01	ug/L	EPA-200.7
6/29/2009 9:50	Be	<	0.01	ug/L	EPA-200.7
7/6/2009 10:05	Be	<	0.01	ug/L	EPA-200.7
7/13/2009 10:10	Be	<	0.01	ug/L	EPA-200.7
7/20/2009 9:25	Be	<	0.4	ug/L	EPA-200.7
6/22/2009 11:13	BOD	<	2	mg/L	SM 5210
6/29/2009 9:50	BOD	<	2	mg/L	SM 5210
7/6/2009 10:05	BOD	<	2	mg/L	SM 5210
7/13/2009 10:10	BOD	<	2	mg/L	SM 5210
7/20/2009 9:25	BOD	<	2	mg/L	SM 5210
6/22/2009 11:13	Ca		49100	ug/L	EPA-200.7
6/29/2009 9:50	Ca		63320	ug/L	EPA-200.7
7/6/2009 10:05	Ca		57100	ug/L	EPA-200.7
7/13/2009 10:10	Ca		51640	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 9:25	Ca		52580	ug/L	EPA-200.7
6/22/2009 11:13	CaCO3		174	mg/LCaCO3	EPA-200.7
6/29/2009 9:50	CaCO3		225	mg/LCaCO3	EPA-200.7
7/6/2009 10:05	CaCO3		201	mg/LCaCO3	EPA-200.7
7/13/2009 10:10	CaCO3		184	mg/LCaCO3	EPA-200.7
7/20/2009 9:25	CaCO3		186	mg/LCaCO3	EPA-200.7
6/22/2009 11:13	Cd	<	0.15	ug/L	EPA-200.7
6/29/2009 9:50	Cd	<	0.15	ug/L	EPA-200.7
7/6/2009 10:05	Cd	<	0.15	ug/L	EPA-200.7
7/13/2009 10:10	Cd	<	0.15	ug/L	EPA-200.7
7/20/2009 9:25	Cd	<	4.7	ug/L	EPA-200.7
6/22/2009 11:13	Co	j	0.3	ug/L	EPA-200.7
6/29/2009 9:50	Co	j	0.35	ug/L	EPA-200.7
7/6/2009 10:05	Co	j	0.34	ug/L	EPA-200.7
7/13/2009 10:10	Co	j	0.27	ug/L	EPA-200.7
7/20/2009 9:25	Co	<	2.8	ug/L	EPA-200.7
6/22/2009 11:13	COD		16	mg/L	EPA 410.4
6/29/2009 9:50	COD		10	mg/L	EPA 410.4
7/6/2009 10:05	COD		16	mg/L	EPA 410.4
7/13/2009 10:10	COD	<	5	mg/L	EPA 410.4
7/20/2009 9:25	COD		8	mg/L	EPA 410.4
6/22/2009 11:13	Cr	j	0.3	ug/L	EPA-200.7
6/29/2009 9:50	Cr	j	0.42	ug/L	EPA-200.7
7/20/2009 9:25	Cr	<	1.9	ug/L	EPA-200.7
6/22/2009 11:13	Cr+6	j	1.21	ug/L	SM 3500-Cr-D
6/29/2009 9:50	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/20/2009 9:25	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/22/2009 11:13	Cu		3.19	ug/L	EPA-200.7
6/29/2009 9:50	Cu		2.55	ug/L	EPA-200.7
7/6/2009 10:05	Cu		3.38	ug/L	EPA-200.7
7/13/2009 10:10	Cu		3.43	ug/L	EPA-200.7
7/20/2009 9:25	Cu	<	5.2	ug/L	EPA-200.7
6/22/2009 11:13	Fe		187.9	ug/L	EPA-200.7
6/29/2009 9:50	Fe		218.7	ug/L	EPA-200.7
7/6/2009 10:05	Fe		154.4	ug/L	EPA-200.7
7/13/2009 10:10	Fe		112.4	ug/L	EPA-200.7
7/20/2009 9:25	Fe		126.7	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/22/2009 11:13	Field Cond		954	uS/cm	SM 2510A
6/29/2009 9:50	Field Cond		1254	uS/cm	SM 2510A
7/6/2009 10:05	Field Cond		1019	uS/cm	SM 2510A
7/13/2009 10:10	Field Cond		1092	uS/cm	SM 2510A
7/20/2009 9:25	Field Cond		933	uS/cm	SM 2510A
6/22/2009 11:13	Field DO		11.2	mg/L	SM 4500-0 G
6/29/2009 9:50	Field DO		8.99	mg/L	SM 4500-0 G
7/6/2009 10:05	Field DO		10.62	mg/L	SM 4500-0 G
7/13/2009 10:10	Field DO		9.72	mg/L	SM 4500-0 G
7/20/2009 9:25	Field DO		9.55	mg/L	SM 4500-0 G
6/22/2009 11:13	Field Temp		21.1	C	EPA 170.1
6/29/2009 9:50	Field Temp		20.8	C	EPA 170.1
7/6/2009 10:05	Field Temp		19.8	C	EPA 170.1
7/13/2009 10:10	Field Temp		20.4	C	EPA 170.1
7/20/2009 9:25	Field Temp		19	C	EPA 170.1
6/22/2009 11:13	Hg	<	0.016	ug/L	EPA 245.1
6/29/2009 9:50	Hg	<	0.016	ug/L	EPA 245.1
7/6/2009 10:05	Hg	<	0.016	ug/L	EPA 245.1
7/13/2009 10:10	Hg	<	0.016	ug/L	EPA 245.1
7/20/2009 9:25	Hg	<	0.016	ug/L	EPA 245.1
6/22/2009 11:13	K		4564	ug/L	EPA-200.7
6/29/2009 9:50	K		5576	ug/L	EPA-200.7
7/6/2009 10:05	K		5081	ug/L	EPA-200.7
7/13/2009 10:10	K		5033	ug/L	EPA-200.7
7/20/2009 9:25	K		4526	ug/L	EPA-200.7
6/22/2009 11:13	Mg		12470	ug/L	EPA-200.7
6/29/2009 9:50	Mg		16340	ug/L	EPA-200.7
7/6/2009 10:05	Mg		14130	ug/L	EPA-200.7
7/13/2009 10:10	Mg		13380	ug/L	EPA-200.7
7/20/2009 9:25	Mg		13230	ug/L	EPA-200.7
6/22/2009 11:13	Mn		32.07	ug/L	EPA-200.7
6/29/2009 9:50	Mn		40.32	ug/L	EPA-200.7
7/6/2009 10:05	Mn		22.65	ug/L	EPA-200.7
7/13/2009 10:10	Mn		26.44	ug/L	EPA-200.7
7/20/2009 9:25	Mn		21.61	ug/L	EPA-200.7
6/22/2009 11:13	Mo		4.55	ug/L	EPA-200.7
6/29/2009 9:50	Mo		4.3	ug/L	EPA-200.7
7/6/2009 10:05	Mo		4.78	ug/L	EPA-200.7
7/13/2009 10:10	Mo		5.13	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 9:25	Mo	<	2.3	ug/L	EPA-200.7
6/22/2009 11:13	Na		98070	ug/L	EPA-200.7
6/29/2009 9:50	Na	>	100000	ug/L	EPA-200.7
7/6/2009 10:05	Na	>	100000	ug/L	EPA-200.7
7/13/2009 10:10	Na	>	100000	ug/L	EPA-200.7
7/20/2009 9:25	Na		107000	ug/L	EPA-200.7
6/22/2009 11:13	NH3		0.042	mg/L	EPA-350.1
6/29/2009 9:50	NH3		0.041	mg/L	EPA-350.1
7/6/2009 10:05	NH3		0.038	mg/L	EPA-350.1
7/13/2009 10:10	NH3		0.019	mg/L	EPA-350.1
7/20/2009 9:25	NH3		0.013	mg/L	EPA-350.1
6/22/2009 11:13	Ni	j	1.96	ug/L	EPA-200.7
6/29/2009 9:50	Ni	j	1.88	ug/L	EPA-200.7
7/6/2009 10:05	Ni		2.37	ug/L	EPA-200.7
7/13/2009 10:10	Ni		2.03	ug/L	EPA-200.7
7/20/2009 9:25	Ni	<	9.5	ug/L	EPA-200.7
6/22/2009 11:13	NO2	j	0.007	mg/L	SM 4500-NO2-B
6/29/2009 9:50	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2009 10:05	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2009 10:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/20/2009 9:25	NO2	<	0.002	mg/L	SM 4500-NO2-B
6/22/2009 11:13	NO3		0.472	mg/L	EPA 353.2
6/29/2009 9:50	NO3		0.273	mg/L	EPA 353.2
7/6/2009 10:05	NO3		0.502	mg/L	EPA 353.2
7/13/2009 10:10	NO3		0.067	mg/L	EPA 353.2
6/22/2009 11:13	NO3+NO2		0.479	mg/L	EPA 353.2
6/29/2009 9:50	NO3+NO2		0.274	mg/L	EPA 353.2
7/6/2009 10:05	NO3+NO2		0.502	mg/L	EPA 353.2
7/13/2009 10:10	NO3+NO2		0.067	mg/L	EPA 353.2
7/20/2009 9:25	NO3+NO2		0.137	mg/L	EPA 353.2
6/22/2009 11:13	Pb	j	0.27	ug/L	EPA-200.7
6/29/2009 9:50	Pb	j	0.34	ug/L	EPA-200.7
7/6/2009 10:05	Pb	<	0.22	ug/L	EPA-200.7
7/13/2009 10:10	Pb	<	0.22	ug/L	EPA-200.7
7/20/2009 9:25	Pb	<	20.7	ug/L	EPA-200.7
6/22/2009 11:13	pH		8.33	S.U.	
6/29/2009 9:50	pH		7.85	S.U.	
7/6/2009 10:05	pH		8.16	S.U.	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/13/2009 10:10	pH		7.62	S.U.	
7/20/2009 9:25	pH		7.85	S.U.	
6/22/2009 11:13	Sb	j	0.57	ug/L	EPA-200.7
6/29/2009 9:50	Sb	<	0.3	ug/L	EPA-200.7
7/6/2009 10:05	Sb	j	0.41	ug/L	EPA-200.7
7/13/2009 10:10	Sb	j	0.65	ug/L	EPA-200.7
7/20/2009 9:25	Sb	<	23.9	ug/L	EPA-200.7
6/22/2009 11:13	Se	j	0.82	ug/L	EPA-200.7
6/29/2009 9:50	Se	j	0.88	ug/L	EPA-200.7
7/6/2009 10:05	Se	j	0.94	ug/L	EPA-200.7
7/13/2009 10:10	Se	<	0.53	ug/L	EPA-200.7
7/20/2009 9:25	Se	<	21.5	ug/L	EPA-200.7
6/22/2009 11:13	Sn	<	3	ug/L	EPA-200.7
6/29/2009 9:50	Sn	<	3	ug/L	EPA-200.7
7/6/2009 10:05	Sn	<	3	ug/L	EPA-200.7
7/13/2009 10:10	Sn	<	3	ug/L	EPA-200.7
7/20/2009 9:25	Sn	<	8.2	ug/L	EPA-200.7
6/22/2009 11:13	Soluble-P		0.026	mg/L	EPA 365.1
6/29/2009 9:50	Soluble-P		0.044	mg/L	EPA 365.1
7/6/2009 10:05	Soluble-P		0.037	mg/L	EPA 365.1
7/13/2009 10:10	Soluble-P		0.018	mg/L	EPA 365.1
7/20/2009 9:25	Soluble-P		0.015	mg/L	EPA 365.1
6/22/2009 11:13	TDS		400	mg/L	SM2540C
6/29/2009 9:50	TDS		660	mg/L	SM2540C
7/6/2009 10:05	TDS		576	mg/L	SM2540C
7/13/2009 10:10	TDS		604	mg/L	SM2540C
7/20/2009 9:25	TDS		543.3	mg/L	SM2540C
6/22/2009 11:13	Ti	j	0.63	ug/L	EPA-200.7
6/29/2009 9:50	Ti	j	1.2	ug/L	EPA-200.7
7/6/2009 10:05	Ti	j	0.36	ug/L	EPA-200.7
7/13/2009 10:10	Ti	j	0.24	ug/L	EPA-200.7
7/20/2009 9:25	Ti	<	1.3	ug/L	EPA-200.7
6/22/2009 11:13	TI	j	1.74	ug/L	EPA-200.7
6/29/2009 9:50	TI	<	1.6	ug/L	EPA-200.7
7/6/2009 10:05	TI	j	2.09	ug/L	EPA-200.7
7/13/2009 10:10	TI	j	1.84	ug/L	EPA-200.7
7/20/2009 9:25	TI	<	44.9	ug/L	EPA-200.7
6/22/2009 11:13	TMET		11.2	ug/L	EPA-200.7

Euclid Creek River Mile 0.55						
Sample Date	Parameter	Code	Result	Units	Method	
6/29/2009 9:50	TMET	<	10	ug/L	EPA-200.7	
7/6/2009 10:05	TMET		12.6	ug/L	EPA-200.7	
7/13/2009 10:10	TMET		10.8	ug/L	EPA-200.7	
7/20/2009 9:25	TMET		10	ug/L	EPA-200.7	
6/22/2009 11:13	Total-P		0.047	mg/L	EPA 365.1	
6/29/2009 9:50	Total-P		0.073	mg/L	EPA 365.1	
7/6/2009 10:05	Total-P		0.043	mg/L	EPA 365.1	
7/13/2009 10:10	Total-P		0.02	mg/L	EPA 365.1	
7/20/2009 9:25	Total-P		0.027	mg/L	EPA 365.1	
6/22/2009 11:13	TS		542	mg/L	SM2540B	
6/29/2009 9:50	TS		730	mg/L	SM2540B	
7/6/2009 10:05	TS		620	mg/L	SM2540B	
7/13/2009 10:10	TS		624	mg/L	SM2540B	
7/20/2009 9:25	TS		557	mg/L	SM2540B	
6/22/2009 11:13	TSS		1.2	mg/L	SM2540D	
6/29/2009 9:50	TSS		3.1	mg/L	SM2540D	
7/6/2009 10:05	TSS		1.3	mg/L	SM2540D	
7/13/2009 10:10	TSS		1	mg/L	SM2540D	
7/20/2009 9:25	TSS		2.1	mg/L	SM2540D	
6/22/2009 11:13	Turbidity		1.51	NTU	EPA 180.1	
6/29/2009 9:50	Turbidity		2.9	NTU	EPA 180.1	
7/6/2009 10:05	Turbidity		3.34	NTU	EPA 180.1	
7/13/2009 10:10	Turbidity		1.4	NTU	EPA 180.1	
7/20/2009 9:25	Turbidity		1.99	NTU	EPA 180.1	
6/22/2009 11:13	V	j	0.28	ug/L	EPA-200.7	
6/29/2009 9:50	V	j	0.21	ug/L	EPA-200.7	
7/6/2009 10:05	V	<	0.17	ug/L	EPA-200.7	
7/13/2009 10:10	V	<	0.17	ug/L	EPA-200.7	
7/20/2009 9:25	V	<	5.6	ug/L	EPA-200.7	
6/22/2009 11:13	Zn	j	5.77	ug/L	EPA-200.7	
6/29/2009 9:50	Zn	j	5	ug/L	EPA-200.7	
7/6/2009 10:05	Zn	j	6.26	ug/L	EPA-200.7	
7/13/2009 10:10	Zn	j	5	ug/L	EPA-200.7	
7/20/2009 9:25	Zn	<	2.4	ug/L	EPA-200.7	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)