

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 10:45	Ag	<	0.12	ug/L	EPA-200.7
6/29/2010 12:10	Ag	<	0.12	ug/L	EPA-200.7
7/6/2010 10:45	Ag	<	0.12	ug/L	EPA-200.7
7/13/2010 9:54	Ag	<	0.12	ug/L	EPA-200.7
7/20/2010 10:25	Ag	<	0.12	ug/L	EPA-200.7
6/22/2010 10:45	Al		1161	ug/L	EPA-200.7
6/29/2010 12:10	Al		118.1	ug/L	EPA-200.7
7/6/2010 10:45	Al		24.72	ug/L	EPA-200.7
7/13/2010 9:54	Al		458.6	ug/L	EPA-200.7
7/20/2010 10:25	Al		156.25	ug/L	EPA-200.7
6/22/2010 10:45	Alkalinity		68.8	mg/LCaCO3	EPA-310.2
6/29/2010 12:10	Alkalinity		109.6	mg/LCaCO3	EPA-310.2
7/6/2010 10:45	Alkalinity		118.3	mg/LCaCO3	EPA-310.2
7/13/2010 9:54	Alkalinity		72.9	mg/LCaCO3	EPA-310.2
7/20/2010 10:25	Alkalinity		104.7	mg/LCaCO3	EPA-310.2
10/7/2010 12:15	Alkalinity		114.9	mg/LCaCO3	EPA-310.2
6/22/2010 10:45	As		2.68	ug/L	EPA-200.7
6/29/2010 12:10	As	j	1.07	ug/L	EPA-200.7
7/6/2010 10:45	As	<	0.66	ug/L	EPA-200.7
7/13/2010 9:54	As	j	1.82	ug/L	EPA-200.7
7/20/2010 10:25	As	j	1.195	ug/L	EPA-200.7
6/22/2010 10:45	Ba		33.2	ug/L	EPA-200.7
6/29/2010 12:10	Ba		25	ug/L	EPA-200.7
7/6/2010 10:45	Ba		26.1	ug/L	EPA-200.7
7/13/2010 9:54	Ba		19.6	ug/L	EPA-200.7
7/20/2010 10:25	Ba		31.85	ug/L	EPA-200.7
6/22/2010 10:45	Be	j	0.07	ug/L	EPA-200.7
6/29/2010 12:10	Be	j	0.01	ug/L	EPA-200.7
7/6/2010 10:45	Be	<	0.01	ug/L	EPA-200.7
7/13/2010 9:54	Be	j	0.03	ug/L	EPA-200.7
7/20/2010 10:25	Be	j	0.02	ug/L	EPA-200.7
6/22/2010 10:45	BOD		5.8	mg/L	SM 5210
6/29/2010 12:10	BOD	<	2	mg/L	SM 5210
7/6/2010 10:45	BOD		3.5	mg/L	SM 5210
7/13/2010 9:54	BOD	<	2	mg/L	SM 5210
7/20/2010 10:25	BOD	<	2	mg/L	SM 5210
6/22/2010 10:45	Ca		45630	ug/L	EPA-200.7
6/29/2010 12:10	Ca		48020	ug/L	EPA-200.7
7/6/2010 10:45	Ca		49790	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
7/13/2010 9:54	Ca		36550	ug/L	EPA-200.7
7/20/2010 10:25	Ca		59055	ug/L	EPA-200.7
6/22/2010 10:45	CaCO3		156	mg/LCaCO3	EPA-200.7
6/29/2010 12:10	CaCO3		172	mg/LCaCO3	EPA-200.7
7/6/2010 10:45	CaCO3		182	mg/LCaCO3	EPA-200.7
7/13/2010 9:54	CaCO3		124	mg/LCaCO3	EPA-200.7
7/20/2010 10:25	CaCO3		203	mg/LCaCO3	EPA-200.7
6/22/2010 10:45	Cd	j	0.09	ug/L	EPA-200.7
6/29/2010 12:10	Cd	<	0.05	ug/L	EPA-200.7
7/6/2010 10:45	Cd	<	0.05	ug/L	EPA-200.7
7/13/2010 9:54	Cd	j	0.08	ug/L	EPA-200.7
7/20/2010 10:25	Cd	j	0.06	ug/L	EPA-200.7
6/22/2010 10:45	Chloride		238.9	mg/L	EPA 300.0
6/29/2010 12:10	Chloride		178.8	mg/L	EPA 300.0
7/6/2010 10:45	Chloride		186.6	mg/L	EPA 300.0
7/13/2010 9:54	Chloride		116.9	mg/L	EPA 300.0
7/20/2010 10:25	Chloride		258.55	mg/L	EPA 300.0
6/22/2010 10:45	Co		1.68	ug/L	EPA-200.7
6/29/2010 12:10	Co	j	0.34	ug/L	EPA-200.7
7/6/2010 10:45	Co	j	0.25	ug/L	EPA-200.7
7/13/2010 9:54	Co	j	0.61	ug/L	EPA-200.7
7/20/2010 10:25	Co	j	0.48	ug/L	EPA-200.7
6/22/2010 10:45	COD		32	mg/L	EPA 410.4
6/29/2010 12:10	COD	j	9	mg/L	EPA 410.4
7/6/2010 10:45	COD	<	5	mg/L	EPA 410.4
7/13/2010 9:54	COD		21	mg/L	EPA 410.4
7/20/2010 10:25	COD		12.5	mg/L	EPA 410.4
6/22/2010 10:45	Cr		3.1	ug/L	EPA-200.7
6/29/2010 12:10	Cr	<	0.7	ug/L	EPA-200.7
7/6/2010 10:45	Cr	<	0.7	ug/L	EPA-200.7
7/13/2010 9:54	Cr	j	1.03	ug/L	EPA-200.7
7/20/2010 10:25	Cr	<	0.7	ug/L	EPA-200.7
6/22/2010 10:45	Cr+6	j	2.257	ug/L	SM 3500-Cr-D
6/29/2010 12:10	Cr+6	<	0.4	ug/L	SM 3500-Cr-D
7/6/2010 10:45	Cr+6	j	1.137	ug/L	SM 3500-Cr-D
7/13/2010 9:54	Cr+6	j	1.829	ug/L	SM 3500-Cr-D
7/20/2010 10:25	Cr+6	j	0.728	ug/L	SM 3500-Cr-D
6/22/2010 10:45	Cu		10.84	ug/L	EPA-200.7

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/29/2010 12:10	Cu		2.92	ug/L	EPA-200.7
7/6/2010 10:45	Cu		1.89	ug/L	EPA-200.7
7/13/2010 9:54	Cu		8.37	ug/L	EPA-200.7
7/20/2010 10:25	Cu		3.515	ug/L	EPA-200.7
6/22/2010 10:45	E. coli		57000	cfu/100mL	EPA 1603
6/29/2010 12:10	E. coli		360	cfu/100mL	EPA 1603
7/6/2010 10:45	E. coli		260	cfu/100mL	EPA 1603
7/13/2010 9:54	E. coli		3100	cfu/100mL	EPA 1603
7/20/2010 10:25	E. coli		5900	cfu/100mL	EPA 1603
6/22/2010 10:45	Fe		2206	ug/L	EPA-200.7
6/29/2010 12:10	Fe		231.2	ug/L	EPA-200.7
7/6/2010 10:45	Fe		33.42	ug/L	EPA-200.7
7/13/2010 9:54	Fe		779.8	ug/L	EPA-200.7
7/20/2010 10:25	Fe		335.05	ug/L	EPA-200.7
6/22/2010 10:45	Field Cond		1025	uS/cm	SM 2510A
7/6/2010 10:45	Field Cond		884	uS/cm	SM 2510A
7/13/2010 9:54	Field Cond		580	uS/cm	SM 2510A
7/20/2010 10:25	Field Cond		1134	uS/cm	SM 2510A
10/7/2010 12:15	Field Cond		651	uS/cm	SM 2510A
6/22/2010 10:45	Field DO		9.22	mg/L	SM 4500-0 G
7/6/2010 10:45	Field DO		9.51	mg/L	SM 4500-0 G
7/13/2010 9:54	Field DO		8.92	mg/L	SM 4500-0 G
7/20/2010 10:25	Field DO		10.35	mg/L	SM 4500-0 G
10/7/2010 12:15	Field DO		12.19	mg/L	SM 4500-0 G
6/22/2010 10:45	Field Temp		21.4	C	EPA 170.1
7/6/2010 10:45	Field Temp		24.6	C	EPA 170.1
7/13/2010 9:54	Field Temp		22	C	EPA 170.1
7/20/2010 10:25	Field Temp		21.4	C	EPA 170.1
10/7/2010 12:15	Field Temp		13.8	C	EPA 170.1
6/22/2010 10:45	Hg	<	0.005	ug/L	EPA 245.1
6/29/2010 12:10	Hg	<	0.005	ug/L	EPA 245.1
7/6/2010 10:45	Hg	<	0.005	ug/L	EPA 245.1
7/13/2010 9:54	Hg	<	0.005	ug/L	EPA 245.1
6/22/2010 10:45	K		4471	ug/L	EPA-200.7
6/29/2010 12:10	K		4204	ug/L	EPA-200.7
7/6/2010 10:45	K		4214	ug/L	EPA-200.7
7/13/2010 9:54	K		3554	ug/L	EPA-200.7
7/20/2010 10:25	K		4597.5	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 10:45	Mg		10100	ug/L	EPA-200.7
6/29/2010 12:10	Mg		12630	ug/L	EPA-200.7
7/6/2010 10:45	Mg		14100	ug/L	EPA-200.7
7/13/2010 9:54	Mg		7972	ug/L	EPA-200.7
7/20/2010 10:25	Mg		13485	ug/L	EPA-200.7
6/22/2010 10:45	Mn		89.09	ug/L	EPA-200.7
6/29/2010 12:10	Mn		17.2	ug/L	EPA-200.7
7/6/2010 10:45	Mn		7.19	ug/L	EPA-200.7
7/13/2010 9:54	Mn		32.44	ug/L	EPA-200.7
7/20/2010 10:25	Mn		24.145	ug/L	EPA-200.7
6/22/2010 10:45	Mo		2.47	ug/L	EPA-200.7
6/29/2010 12:10	Mo		3.51	ug/L	EPA-200.7
7/6/2010 10:45	Mo		3.66	ug/L	EPA-200.7
7/13/2010 9:54	Mo		2.34	ug/L	EPA-200.7
7/20/2010 10:25	Mo		3.365	ug/L	EPA-200.7
6/22/2010 10:45	Na		145800	ug/L	EPA-200.7
6/29/2010 12:10	Na		103100	ug/L	EPA-200.7
7/6/2010 10:45	Na		95060	ug/L	EPA-200.7
7/13/2010 9:54	Na		74400	ug/L	EPA-200.7
7/20/2010 10:25	Na		161950	ug/L	EPA-200.7
6/22/2010 10:45	NH3		0.137	mg/L	EPA-350.1
6/29/2010 12:10	NH3	j	0.004	mg/L	EPA-350.1
7/6/2010 10:45	NH3		0.011	mg/L	EPA-350.1
7/13/2010 9:54	NH3		0.019	mg/L	EPA-350.1
6/22/2010 10:45	Ni		3.92	ug/L	EPA-200.7
6/29/2010 12:10	Ni	j	1.95	ug/L	EPA-200.7
7/6/2010 10:45	Ni	j	1.48	ug/L	EPA-200.7
7/13/2010 9:54	Ni		2.23	ug/L	EPA-200.7
7/20/2010 10:25	Ni		2.125	ug/L	EPA-200.7
6/22/2010 10:45	NO2		0.032	mg/L	SM 4500-NO2-B
6/29/2010 12:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2010 10:45	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2010 9:54	NO2		0.014	mg/L	SM 4500-NO2-B
7/20/2010 10:25	NO2	j	0.003	mg/L	SM 4500-NO2-B
6/22/2010 10:45	NO3		0.888	mg/L	EPA 353.2
6/29/2010 12:10	NO3		0.208	mg/L	EPA 353.2
7/6/2010 10:45	NO3		0.128	mg/L	EPA 353.2
7/13/2010 9:54	NO3		0.54	mg/L	EPA 353.2
7/20/2010 10:25	NO3		0.241	mg/L	EPA 353.2

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 10:45	NO3+NO2		0.92	mg/L	EPA 353.2
6/29/2010 12:10	NO3+NO2		0.208	mg/L	EPA 353.2
7/6/2010 10:45	NO3+NO2		0.128	mg/L	EPA 353.2
7/13/2010 9:54	NO3+NO2		0.554	mg/L	EPA 353.2
7/20/2010 10:25	NO3+NO2		0.244	mg/L	EPA 353.2
10/7/2010 12:15	NO3+NO2		0.711	mg/L	EPA 353.2
6/22/2010 10:45	Pb	j	2.66	ug/L	EPA-200.7
6/29/2010 12:10	Pb	<	0.43	ug/L	EPA-200.7
7/6/2010 10:45	Pb	<	0.43	ug/L	EPA-200.7
7/13/2010 9:54	Pb	j	0.77	ug/L	EPA-200.7
7/20/2010 10:25	Pb	<	0.43	ug/L	EPA-200.7
6/22/2010 10:45	pH		7.88	S.U.	
7/6/2010 10:45	pH		8.31	S.U.	
7/13/2010 9:54	pH		8.02	S.U.	
7/20/2010 10:25	pH		8.25	S.U.	
10/7/2010 12:15	pH		8.23	S.U.	
6/22/2010 10:45	Sb	j	0.4	ug/L	EPA-200.7
6/29/2010 12:10	Sb	<	0.4	ug/L	EPA-200.7
7/6/2010 10:45	Sb	<	0.4	ug/L	EPA-200.7
7/13/2010 9:54	Sb	<	0.4	ug/L	EPA-200.7
7/20/2010 10:25	Sb	j	0.44	ug/L	EPA-200.7
6/22/2010 10:45	Se	<	0.71	ug/L	EPA-200.7
6/29/2010 12:10	Se	j	1.28	ug/L	EPA-200.7
7/6/2010 10:45	Se	j	0.76	ug/L	EPA-200.7
7/13/2010 9:54	Se	<	0.71	ug/L	EPA-200.7
7/20/2010 10:25	Se	j	0.89	ug/L	EPA-200.7
6/22/2010 10:45	Sn	<	13.4	ug/L	EPA-200.7
6/29/2010 12:10	Sn	<	13.4	ug/L	EPA-200.7
7/6/2010 10:45	Sn	<	13.4	ug/L	EPA-200.7
7/13/2010 9:54	Sn	<	13.4	ug/L	EPA-200.7
7/20/2010 10:25	Sn	<	13.4	ug/L	EPA-200.7
6/22/2010 10:45	SO4		44.59	mg/L	EPA 300.0
6/29/2010 12:10	SO4		46.86	mg/L	EPA 300.0
7/6/2010 10:45	SO4		64.18	mg/L	EPA 300.0
7/13/2010 9:54	SO4		37.66	mg/L	EPA 300.0
7/20/2010 10:25	SO4		60.325	mg/L	EPA 300.0
6/22/2010 10:45	Soluble-P		0.055	mg/L	EPA 365.1
6/29/2010 12:10	Soluble-P		0.046	mg/L	EPA 365.1

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2010 10:45	Soluble-P		0.043	mg/L	EPA 365.1
7/13/2010 9:54	Soluble-P		0.054	mg/L	EPA 365.1
7/20/2010 10:25	Soluble-P		0.0305	mg/L	EPA 365.1
10/7/2010 12:15	Soluble-P		0.038	mg/L	EPA 365.1
6/22/2010 10:45	TDS		593	mg/L	SM2540C
6/29/2010 12:10	TDS		466	mg/L	SM2540C
7/6/2010 10:45	TDS		494	mg/L	SM2540C
7/13/2010 9:54	TDS		351	mg/L	SM2540C
7/20/2010 10:25	TDS		641.5	mg/L	SM2540C
6/22/2010 10:45	Ti		13.61	ug/L	EPA-200.7
6/29/2010 12:10	Ti	j	1.02	ug/L	EPA-200.7
7/6/2010 10:45	Ti	<	0.24	ug/L	EPA-200.7
7/13/2010 9:54	Ti		4.65	ug/L	EPA-200.7
7/20/2010 10:25	Ti	j	1.615	ug/L	EPA-200.7
6/22/2010 10:45	TI	<	1.3	ug/L	EPA-200.7
6/29/2010 12:10	TI	<	1.3	ug/L	EPA-200.7
7/6/2010 10:45	TI	<	1.3	ug/L	EPA-200.7
7/13/2010 9:54	TI	j	1.45	ug/L	EPA-200.7
7/20/2010 10:25	TI	j	1.655	ug/L	EPA-200.7
6/22/2010 10:45	TMET		42.7	ug/L	EPA-200.7
6/29/2010 12:10	TMET	<	10	ug/L	EPA-200.7
7/6/2010 10:45	TMET	<	10	ug/L	EPA-200.7
7/13/2010 9:54	TMET		22.2	ug/L	EPA-200.7
7/20/2010 10:25	TMET		15.5	ug/L	EPA-200.7
6/22/2010 10:45	Total-P		0.136	mg/L	EPA 365.1
6/29/2010 12:10	Total-P		0.061	mg/L	EPA 365.1
7/6/2010 10:45	Total-P		0.057	mg/L	EPA 365.1
7/13/2010 9:54	Total-P		0.091	mg/L	EPA 365.1
7/20/2010 10:25	Total-P		0.057	mg/L	EPA 365.1
10/7/2010 12:15	Total-P		0.048	mg/L	EPA 365.1
6/22/2010 10:45	TS		648	mg/L	SM2540B
6/29/2010 12:10	TS		514	mg/L	SM2540B
7/6/2010 10:45	TS		529	mg/L	SM2540B
7/13/2010 9:54	TS		378	mg/L	SM2540B
7/20/2010 10:25	TS		704.5	mg/L	SM2540B
6/22/2010 10:45	TSS		57.2	mg/L	SM2540D
6/29/2010 12:10	TSS		5.1	mg/L	SM2540D
7/6/2010 10:45	TSS		1.2	mg/L	SM2540D
7/13/2010 9:54	TSS		20	mg/L	SM2540D

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/20/2010 10:25	TSS		9.55	mg/L	SM2540D
10/7/2010 12:15	TSS		1.1	mg/L	SM2540D
6/22/2010 10:45	Turbidity		37.45	NTU	EPA 180.1
6/29/2010 12:10	Turbidity		1.15	NTU	EPA 180.1
7/6/2010 10:45	Turbidity		0.69	NTU	EPA 180.1
7/13/2010 9:54	Turbidity		14.94	NTU	EPA 180.1
7/20/2010 10:25	Turbidity		3.13	NTU	EPA 180.1
10/7/2010 12:15	Turbidity		1	NTU	EPA 180.1
6/22/2010 10:45	V		3.29	ug/L	EPA-200.7
6/29/2010 12:10	V	j	0.29	ug/L	EPA-200.7
7/6/2010 10:45	V	<	0.17	ug/L	EPA-200.7
7/13/2010 9:54	V		1.32	ug/L	EPA-200.7
7/20/2010 10:25	V	j	0.395	ug/L	EPA-200.7
6/22/2010 10:45	Zn		24.83	ug/L	EPA-200.7
6/29/2010 12:10	Zn	j	3.98	ug/L	EPA-200.7
7/6/2010 10:45	Zn	j	2.35	ug/L	EPA-200.7
7/13/2010 9:54	Zn		10.59	ug/L	EPA-200.7
7/20/2010 10:25	Zn	j	9.83	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 11:05	Ag	<	0.12	ug/L	EPA-200.7
6/29/2010 11:45	Ag	<	0.12	ug/L	EPA-200.7
7/6/2010 10:25	Ag	<	0.12	ug/L	EPA-200.7
7/20/2010 10:45	Ag	<	0.12	ug/L	EPA-200.7
6/22/2010 11:05	Al		1038	ug/L	EPA-200.7
6/29/2010 11:45	Al		54.72	ug/L	EPA-200.7
7/6/2010 10:25	Al		30.75	ug/L	EPA-200.7
7/20/2010 10:45	Al		171.5	ug/L	EPA-200.7
6/22/2010 11:05	Alkalinity		71.4	mg/LCaCO3	EPA-310.2
6/29/2010 11:45	Alkalinity		113.8	mg/LCaCO3	EPA-310.2
7/6/2010 10:25	Alkalinity		119	mg/LCaCO3	EPA-310.2
7/13/2010 9:35	Alkalinity		75.7	mg/LCaCO3	EPA-310.2
7/20/2010 10:45	Alkalinity		101.7	mg/LCaCO3	EPA-310.2
10/7/2010 11:15	Alkalinity		114.7	mg/LCaCO3	EPA-310.2
6/22/2010 11:05	As		2.59	ug/L	EPA-200.7
6/29/2010 11:45	As	j	0.89	ug/L	EPA-200.7
7/6/2010 10:25	As	j	0.77	ug/L	EPA-200.7
7/20/2010 10:45	As	j	1.18	ug/L	EPA-200.7
6/22/2010 11:05	Ba		39.6	ug/L	EPA-200.7
6/29/2010 11:45	Ba		24	ug/L	EPA-200.7
7/6/2010 10:25	Ba		26.7	ug/L	EPA-200.7
7/20/2010 10:45	Ba		27.6	ug/L	EPA-200.7
6/22/2010 11:05	Be	j	0.07	ug/L	EPA-200.7
6/29/2010 11:45	Be	<	0.01	ug/L	EPA-200.7
7/6/2010 10:25	Be	<	0.01	ug/L	EPA-200.7
7/20/2010 10:45	Be	j	0.02	ug/L	EPA-200.7
6/22/2010 11:05	BOD		6.2	mg/L	SM 5210
6/29/2010 11:45	BOD	<	2	mg/L	SM 5210
7/6/2010 10:25	BOD	<	2	mg/L	SM 5210
7/13/2010 9:35	BOD	<	2	mg/L	SM 5210
7/20/2010 10:45	BOD		2	mg/L	SM 5210
6/22/2010 11:05	Ca		56020	ug/L	EPA-200.7
6/29/2010 11:45	Ca		48500	ug/L	EPA-200.7
7/6/2010 10:25	Ca		53040	ug/L	EPA-200.7
7/20/2010 10:45	Ca		52420	ug/L	EPA-200.7
6/22/2010 11:05	CaCO3		190	mg/LCaCO3	EPA-200.7
6/29/2010 11:45	CaCO3		173	mg/LCaCO3	EPA-200.7
7/6/2010 10:25	CaCO3		194	mg/LCaCO3	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2010 10:45	CaCO3		183	mg/LCaCO3	EPA-200.7
6/22/2010 11:05	Cd	j	0.07	ug/L	EPA-200.7
6/29/2010 11:45	Cd	<	0.05	ug/L	EPA-200.7
7/6/2010 10:25	Cd	<	0.05	ug/L	EPA-200.7
7/20/2010 10:45	Cd	j	0.11	ug/L	EPA-200.7
6/22/2010 11:05	Chloride		304.1	mg/L	EPA 300.0
6/29/2010 11:45	Chloride		183.4	mg/L	EPA 300.0
7/6/2010 10:25	Chloride		182.6	mg/L	EPA 300.0
7/13/2010 9:35	Chloride		107.9	mg/L	EPA 300.0
7/20/2010 10:45	Chloride		222.1	mg/L	EPA 300.0
6/22/2010 11:05	Co		1.74	ug/L	EPA-200.7
6/29/2010 11:45	Co	j	0.37	ug/L	EPA-200.7
7/6/2010 10:25	Co	j	0.55	ug/L	EPA-200.7
7/20/2010 10:45	Co		1.14	ug/L	EPA-200.7
6/22/2010 11:05	COD		33	mg/L	EPA 410.4
6/29/2010 11:45	COD		18	mg/L	EPA 410.4
7/6/2010 10:25	COD		6	mg/L	EPA 410.4
7/13/2010 9:35	COD		20	mg/L	EPA 410.4
7/20/2010 10:45	COD		14	mg/L	EPA 410.4
6/22/2010 11:05	Cr		2.89	ug/L	EPA-200.7
6/29/2010 11:45	Cr	<	0.7	ug/L	EPA-200.7
7/6/2010 10:25	Cr	<	0.7	ug/L	EPA-200.7
7/20/2010 10:45	Cr	j	1.45	ug/L	EPA-200.7
6/22/2010 11:05	Cr+6	j	1.886	ug/L	SM 3500-Cr-D
6/29/2010 11:45	Cr+6	j	0.908	ug/L	SM 3500-Cr-D
7/6/2010 10:25	Cr+6	j	1.082	ug/L	SM 3500-Cr-D
7/13/2010 9:35	Cr+6	j	0.989	ug/L	SM 3500-Cr-D
7/20/2010 10:45	Cr+6	j	0.586	ug/L	SM 3500-Cr-D
6/22/2010 11:05	Cu		10.12	ug/L	EPA-200.7
6/29/2010 11:45	Cu		2.71	ug/L	EPA-200.7
7/6/2010 10:25	Cu		2.08	ug/L	EPA-200.7
7/20/2010 10:45	Cu		3.33	ug/L	EPA-200.7
6/22/2010 11:05	E. coli	EC	100000	cfu/100mL	EPA 1603
6/29/2010 11:45	E. coli		447	cfu/100mL	EPA 1603
7/6/2010 10:25	E. coli		490	cfu/100mL	EPA 1603
7/13/2010 9:35	E. coli		4500	cfu/100mL	EPA 1603
7/20/2010 10:45	E. coli		1945	cfu/100mL	EPA 1603

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 11:05	Fe		2138	ug/L	EPA-200.7
6/29/2010 11:45	Fe		152.1	ug/L	EPA-200.7
7/6/2010 10:25	Fe		130.4	ug/L	EPA-200.7
7/20/2010 10:45	Fe		1684	ug/L	EPA-200.7
6/22/2010 11:05	Field Cond		1267	uS/cm	SM 2510A
7/6/2010 10:25	Field Cond		913	uS/cm	SM 2510A
7/13/2010 9:35	Field Cond		553	uS/cm	SM 2510A
7/20/2010 10:45	Field Cond		976	uS/cm	SM 2510A
10/7/2010 11:15	Field Cond		637	uS/cm	SM 2510A
6/22/2010 11:05	Field DO		9.09	mg/L	SM 4500-0 G
7/6/2010 10:25	Field DO		8.76	mg/L	SM 4500-0 G
7/13/2010 9:35	Field DO		8.65	mg/L	SM 4500-0 G
7/20/2010 10:45	Field DO		9.87	mg/L	SM 4500-0 G
10/7/2010 11:15	Field DO		12.53	mg/L	SM 4500-0 G
6/22/2010 11:05	Field Temp		21.9	C	EPA 170.1
7/6/2010 10:25	Field Temp		25.2	C	EPA 170.1
7/13/2010 9:35	Field Temp		22.1	C	EPA 170.1
7/20/2010 10:45	Field Temp		22.4	C	EPA 170.1
10/7/2010 11:15	Field Temp		13.2	C	EPA 170.1
6/22/2010 11:05	Hg	<	0.005	ug/L	EPA 245.1
6/29/2010 11:45	Hg	<	0.005	ug/L	EPA 245.1
7/6/2010 10:25	Hg	<	0.005	ug/L	EPA 245.1
7/20/2010 10:45	Hg	j	0.041	ug/L	EPA 245.1
6/22/2010 11:05	K		5074	ug/L	EPA-200.7
6/29/2010 11:45	K		4259	ug/L	EPA-200.7
7/6/2010 10:25	K		4549	ug/L	EPA-200.7
7/20/2010 10:45	K		4374	ug/L	EPA-200.7
6/22/2010 11:05	Mg		12090	ug/L	EPA-200.7
6/29/2010 11:45	Mg		12670	ug/L	EPA-200.7
7/6/2010 10:25	Mg		15020	ug/L	EPA-200.7
7/20/2010 10:45	Mg		12690	ug/L	EPA-200.7
6/22/2010 11:05	Mn		98.46	ug/L	EPA-200.7
6/29/2010 11:45	Mn		25.53	ug/L	EPA-200.7
7/6/2010 10:25	Mn		29.71	ug/L	EPA-200.7
7/20/2010 10:45	Mn		138.8	ug/L	EPA-200.7
6/22/2010 11:05	Mo		4.21	ug/L	EPA-200.7
6/29/2010 11:45	Mo		4.89	ug/L	EPA-200.7
7/6/2010 10:25	Mo		5.47	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2010 10:45	Mo		16.81	ug/L	EPA-200.7
6/22/2010 11:05	Na		181500	ug/L	EPA-200.7
6/29/2010 11:45	Na		110000	ug/L	EPA-200.7
7/6/2010 10:25	Na		96430	ug/L	EPA-200.7
7/20/2010 10:45	Na		136200	ug/L	EPA-200.7
6/22/2010 11:05	NH3		0.185	mg/L	EPA-350.1
6/29/2010 11:45	NH3		0.022	mg/L	EPA-350.1
7/6/2010 10:25	NH3		0.051	mg/L	EPA-350.1
7/13/2010 9:35	NH3		0.042	mg/L	EPA-350.1
7/20/2010 10:45	NH3		1.533	mg/L	EPA-350.1
6/22/2010 11:05	Ni		4.25	ug/L	EPA-200.7
6/29/2010 11:45	Ni		2.02	ug/L	EPA-200.7
7/6/2010 10:25	Ni	j	1.89	ug/L	EPA-200.7
7/20/2010 10:45	Ni		7.25	ug/L	EPA-200.7
6/22/2010 11:05	NO2		0.034	mg/L	SM 4500-NO2-B
6/29/2010 11:45	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2010 10:25	NO2	j	0.003	mg/L	SM 4500-NO2-B
7/13/2010 9:35	NO2		0.015	mg/L	SM 4500-NO2-B
7/20/2010 10:45	NO2	j	0.008	mg/L	SM 4500-NO2-B
6/22/2010 11:05	NO3		0.887	mg/L	EPA 353.2
6/29/2010 11:45	NO3		0.221	mg/L	EPA 353.2
7/6/2010 10:25	NO3		0.136	mg/L	EPA 353.2
7/13/2010 9:35	NO3		0.534	mg/L	EPA 353.2
7/20/2010 10:45	NO3		0.232	mg/L	EPA 353.2
6/22/2010 11:05	NO3+NO2		0.921	mg/L	EPA 353.2
6/29/2010 11:45	NO3+NO2		0.224	mg/L	EPA 353.2
7/6/2010 10:25	NO3+NO2		0.139	mg/L	EPA 353.2
7/13/2010 9:35	NO3+NO2		0.55	mg/L	EPA 353.2
7/20/2010 10:45	NO3+NO2		0.24	mg/L	EPA 353.2
10/7/2010 11:15	NO3+NO2		0.743	mg/L	EPA 353.2
6/22/2010 11:05	Pb		3.08	ug/L	EPA-200.7
6/29/2010 11:45	Pb	<	0.43	ug/L	EPA-200.7
7/6/2010 10:25	Pb	<	0.43	ug/L	EPA-200.7
7/20/2010 10:45	Pb	j	0.94	ug/L	EPA-200.7
6/22/2010 11:05	pH		7.83	S.U.	
7/6/2010 10:25	pH		8.09	S.U.	
7/13/2010 9:35	pH		7.97	S.U.	
7/20/2010 10:45	pH		7.81	S.U.	

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 11:15	pH		8.14	S.U.	
6/22/2010 11:05	Sb	j	0.56	ug/L	EPA-200.7
6/29/2010 11:45	Sb	j	0.44	ug/L	EPA-200.7
7/6/2010 10:25	Sb	<	0.4	ug/L	EPA-200.7
7/20/2010 10:45	Sb	j	1.75	ug/L	EPA-200.7
6/22/2010 11:05	Se	<	0.71	ug/L	EPA-200.7
6/29/2010 11:45	Se	j	0.87	ug/L	EPA-200.7
7/6/2010 10:25	Se	<	0.71	ug/L	EPA-200.7
7/20/2010 10:45	Se	<	0.71	ug/L	EPA-200.7
6/22/2010 11:05	Sn	<	13.4	ug/L	EPA-200.7
6/29/2010 11:45	Sn	<	13.4	ug/L	EPA-200.7
7/6/2010 10:25	Sn	<	13.4	ug/L	EPA-200.7
7/20/2010 10:45	Sn	<	13.4	ug/L	EPA-200.7
6/22/2010 11:05	SO4		52.2	mg/L	EPA 300.0
6/29/2010 11:45	SO4		55.24	mg/L	EPA 300.0
7/6/2010 10:25	SO4		77.17	mg/L	EPA 300.0
7/13/2010 9:35	SO4		37.26	mg/L	EPA 300.0
7/20/2010 10:45	SO4		51.74	mg/L	EPA 300.0
6/22/2010 11:05	Soluble-P		0.051	mg/L	EPA 365.1
6/29/2010 11:45	Soluble-P		0.035	mg/L	EPA 365.1
7/6/2010 10:25	Soluble-P		0.024	mg/L	EPA 365.1
7/13/2010 9:35	Soluble-P		0.046	mg/L	EPA 365.1
7/20/2010 10:45	Soluble-P	j	0.006	mg/L	EPA 365.1
10/7/2010 11:15	Soluble-P		0.037	mg/L	EPA 365.1
6/22/2010 11:05	TDS		734.3	mg/L	SM2540C
6/29/2010 11:45	TDS		481	mg/L	SM2540C
7/6/2010 10:25	TDS		531	mg/L	SM2540C
7/13/2010 9:35	TDS		334	mg/L	SM2540C
7/20/2010 10:45	TDS		565	mg/L	SM2540C
6/22/2010 11:05	Ti		12.49	ug/L	EPA-200.7
6/29/2010 11:45	Ti	j	0.39	ug/L	EPA-200.7
7/6/2010 10:25	Ti	j	0.27	ug/L	EPA-200.7
7/20/2010 10:45	Ti	j	1.96	ug/L	EPA-200.7
6/22/2010 11:05	TI	<	1.3	ug/L	EPA-200.7
6/29/2010 11:45	TI	<	1.3	ug/L	EPA-200.7
7/6/2010 10:25	TI	j	1.65	ug/L	EPA-200.7
7/20/2010 10:45	TI	j	2.38	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 11:05	TMET		42.6	ug/L	EPA-200.7
6/29/2010 11:45	TMET	<	10	ug/L	EPA-200.7
7/6/2010 10:25	TMET	<	10	ug/L	EPA-200.7
7/20/2010 10:45	TMET		31.9	ug/L	EPA-200.7
6/22/2010 11:05	Total-P		0.15	mg/L	EPA 365.1
6/29/2010 11:45	Total-P		0.049	mg/L	EPA 365.1
7/6/2010 10:25	Total-P		0.045	mg/L	EPA 365.1
7/13/2010 9:35	Total-P		0.091	mg/L	EPA 365.1
7/20/2010 10:45	Total-P		0.049	mg/L	EPA 365.1
10/7/2010 11:15	Total-P		0.048	mg/L	EPA 365.1
6/22/2010 11:05	TS		783	mg/L	SM2540B
6/29/2010 11:45	TS		536	mg/L	SM2540B
7/6/2010 10:25	TS		545	mg/L	SM2540B
7/13/2010 9:35	TS		362	mg/L	SM2540B
7/20/2010 10:45	TS		605	mg/L	SM2540B
6/22/2010 11:05	TSS		55.2	mg/L	SM2540D
6/29/2010 11:45	TSS		1.5	mg/L	SM2540D
7/6/2010 10:25	TSS		1.3	mg/L	SM2540D
7/13/2010 9:35	TSS		25.8	mg/L	SM2540D
7/20/2010 10:45	TSS		16	mg/L	SM2540D
10/7/2010 11:15	TSS	j	0.7	mg/L	SM2540D
6/22/2010 11:05	Turbidity		29.93	NTU	EPA 180.1
6/29/2010 11:45	Turbidity		0.85	NTU	EPA 180.1
7/6/2010 10:25	Turbidity		1.04	NTU	EPA 180.1
7/13/2010 9:35	Turbidity		18.62	NTU	EPA 180.1
7/20/2010 10:45	Turbidity		14.16	NTU	EPA 180.1
10/7/2010 11:15	Turbidity		1	NTU	EPA 180.1
6/22/2010 11:05	V		2.91	ug/L	EPA-200.7
6/29/2010 11:45	V	j	0.31	ug/L	EPA-200.7
7/6/2010 10:25	V	<	0.17	ug/L	EPA-200.7
7/20/2010 10:45	V	j	0.63	ug/L	EPA-200.7
6/22/2010 11:05	Zn		25.35	ug/L	EPA-200.7
6/29/2010 11:45	Zn	j	3.26	ug/L	EPA-200.7
7/6/2010 10:25	Zn	j	3.19	ug/L	EPA-200.7
7/20/2010 10:45	Zn		19.87	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 11:30	Ag	<	0.12	ug/L	EPA-200.7
6/29/2010 11:10	Ag	<	0.12	ug/L	EPA-200.7
7/6/2010 9:55	Ag	<	0.12	ug/L	EPA-200.7
7/13/2010 9:15	Ag	<	0.12	ug/L	EPA-200.7
7/20/2010 11:00	Ag	<	0.12	ug/L	EPA-200.7
7/27/2010 10:00	Ag	<	0.12	ug/L	EPA-200.7
6/22/2010 11:30	Al		1105	ug/L	EPA-200.7
6/29/2010 11:10	Al		107.7	ug/L	EPA-200.7
7/13/2010 9:15	Al		846.2	ug/L	EPA-200.7
7/20/2010 11:00	Al		38.92	ug/L	EPA-200.7
7/27/2010 10:00	Al		200.2	ug/L	EPA-200.7
6/22/2010 11:30	Alkalinity		76.5	mg/LCaCO3	EPA-310.2
6/29/2010 11:10	Alkalinity		115	mg/LCaCO3	EPA-310.2
7/6/2010 9:55	Alkalinity		124.3	mg/LCaCO3	EPA-310.2
7/13/2010 9:15	Alkalinity		70.5	mg/LCaCO3	EPA-310.2
7/20/2010 11:00	Alkalinity		110.6	mg/LCaCO3	EPA-310.2
7/27/2010 10:00	Alkalinity		108.1	mg/LCaCO3	EPA-310.2
10/7/2010 10:04	Alkalinity		116.2	mg/LCaCO3	EPA-310.2
6/22/2010 11:30	As		2.61	ug/L	EPA-200.7
6/29/2010 11:10	As	j	0.82	ug/L	EPA-200.7
7/6/2010 9:55	As	j	0.86	ug/L	EPA-200.7
7/13/2010 9:15	As		2.36	ug/L	EPA-200.7
7/20/2010 11:00	As	j	1.09	ug/L	EPA-200.7
7/27/2010 10:00	As	j	1.19	ug/L	EPA-200.7
6/22/2010 11:30	Ba		42.7	ug/L	EPA-200.7
6/29/2010 11:10	Ba		25.4	ug/L	EPA-200.7
7/6/2010 9:55	Ba		29.15	ug/L	EPA-200.7
7/13/2010 9:15	Ba		20.4	ug/L	EPA-200.7
7/20/2010 11:00	Ba		28.2	ug/L	EPA-200.7
7/27/2010 10:00	Ba		23.9	ug/L	EPA-200.7
6/22/2010 11:30	Be	j	0.07	ug/L	EPA-200.7
6/29/2010 11:10	Be	j	0.01	ug/L	EPA-200.7
7/6/2010 9:55	Be	<	0.01	ug/L	EPA-200.7
7/13/2010 9:15	Be	j	0.04	ug/L	EPA-200.7
7/20/2010 11:00	Be	j	0.01	ug/L	EPA-200.7
7/27/2010 10:00	Be	j	0.02	ug/L	EPA-200.7
6/22/2010 11:30	BOD		7.9	mg/L	SM 5210
7/6/2010 9:55	BOD	<	2	mg/L	SM 5210
7/13/2010 9:15	BOD		4.5	mg/L	SM 5210
7/20/2010 11:00	BOD	<	2	mg/L	SM 5210

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/27/2010 10:00	BOD		4	mg/L	SM 5210
6/22/2010 11:30	Ca		62130	ug/L	EPA-200.7
6/29/2010 11:10	Ca		48800	ug/L	EPA-200.7
7/6/2010 9:55	Ca		54380	ug/L	EPA-200.7
7/13/2010 9:15	Ca		34060	ug/L	EPA-200.7
7/20/2010 11:00	Ca		56930	ug/L	EPA-200.7
7/27/2010 10:00	Ca		42690	ug/L	EPA-200.7
6/22/2010 11:30	CaCO3		208	mg/LCaCO3	EPA-200.7
6/29/2010 11:10	CaCO3		175	mg/LCaCO3	EPA-200.7
7/6/2010 9:55	CaCO3		198.5	mg/LCaCO3	EPA-200.7
7/13/2010 9:15	CaCO3		117	mg/LCaCO3	EPA-200.7
7/20/2010 11:00	CaCO3		202	mg/LCaCO3	EPA-200.7
7/27/2010 10:00	CaCO3		155	mg/LCaCO3	EPA-200.7
6/22/2010 11:30	Cd	j	0.11	ug/L	EPA-200.7
6/29/2010 11:10	Cd	j	0.06	ug/L	EPA-200.7
7/6/2010 9:55	Cd	<	0.05	ug/L	EPA-200.7
7/13/2010 9:15	Cd	j	0.08	ug/L	EPA-200.7
7/20/2010 11:00	Cd	<	0.05	ug/L	EPA-200.7
7/27/2010 10:00	Cd	j	0.08	ug/L	EPA-200.7
6/22/2010 11:30	Chloride		306	mg/L	EPA 300.0
6/29/2010 11:10	Chloride		183.2	mg/L	EPA 300.0
7/6/2010 9:55	Chloride		184.35	mg/L	EPA 300.0
7/13/2010 9:15	Chloride		102.5	mg/L	EPA 300.0
7/20/2010 11:00	Chloride		196.2	mg/L	EPA 300.0
7/27/2010 10:00	Chloride		143	mg/L	EPA 300.0
6/22/2010 11:30	Co		1.82	ug/L	EPA-200.7
6/29/2010 11:10	Co	j	0.32	ug/L	EPA-200.7
7/6/2010 9:55	Co	j	0.355	ug/L	EPA-200.7
7/13/2010 9:15	Co		1.01	ug/L	EPA-200.7
7/20/2010 11:00	Co	j	0.28	ug/L	EPA-200.7
7/27/2010 10:00	Co	j	0.43	ug/L	EPA-200.7
6/22/2010 11:30	COD		31	mg/L	EPA 410.4
6/29/2010 11:10	COD		21	mg/L	EPA 410.4
7/6/2010 9:55	COD	<	9.5	mg/L	EPA 410.4
7/13/2010 9:15	COD		17	mg/L	EPA 410.4
7/20/2010 11:00	COD		6	mg/L	EPA 410.4
7/27/2010 10:00	COD		16	mg/L	EPA 410.4
6/22/2010 11:30	Cr		2.66	ug/L	EPA-200.7
6/29/2010 11:10	Cr	<	0.7	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2010 9:55	Cr	<	0.7	ug/L	EPA-200.7
7/13/2010 9:15	Cr	j	1.62	ug/L	EPA-200.7
7/20/2010 11:00	Cr	<	0.7	ug/L	EPA-200.7
7/27/2010 10:00	Cr	<	0.7	ug/L	EPA-200.7
6/22/2010 11:30	Cr+6	j	1.784	ug/L	SM 3500-Cr-D
6/29/2010 11:10	Cr+6	j	1.022	ug/L	SM 3500-Cr-D
7/6/2010 9:55	Cr+6	j	1.181	ug/L	SM 3500-Cr-D
7/13/2010 9:15	Cr+6	j	2.273	ug/L	SM 3500-Cr-D
7/20/2010 11:00	Cr+6	j	0.506	ug/L	SM 3500-Cr-D
7/27/2010 10:00	Cr+6	j	0.595	ug/L	SM 3500-Cr-D
6/22/2010 11:30	Cu		10.36	ug/L	EPA-200.7
6/29/2010 11:10	Cu		3.05	ug/L	EPA-200.7
7/6/2010 9:55	Cu		2.4425	ug/L	EPA-200.7
7/13/2010 9:15	Cu		5.31	ug/L	EPA-200.7
7/20/2010 11:00	Cu		2.74	ug/L	EPA-200.7
7/27/2010 10:00	Cu		3.22	ug/L	EPA-200.7
6/22/2010 11:30	E. coli	EC	86500	cfu/100mL	EPA 1603
6/29/2010 11:10	E. coli		1000	cfu/100mL	EPA 1603
7/6/2010 9:55	E. coli		715	cfu/100mL	EPA 1603
7/13/2010 9:15	E. coli		5400	cfu/100mL	EPA 1603
7/20/2010 11:00	E. coli		910	cfu/100mL	EPA 1603
7/27/2010 10:00	E. coli		800	cfu/100mL	EPA 1603
6/22/2010 11:30	Fe		2209	ug/L	EPA-200.7
6/29/2010 11:10	Fe		311.5	ug/L	EPA-200.7
7/6/2010 9:55	Fe		273.2	ug/L	EPA-200.7
7/13/2010 9:15	Fe		1483	ug/L	EPA-200.7
7/20/2010 11:00	Fe		178.7	ug/L	EPA-200.7
7/27/2010 10:00	Fe		535.4	ug/L	EPA-200.7
6/22/2010 11:30	Field Cond		1302	uS/cm	SM 2510A
6/29/2010 11:10	Field Cond		804	uS/cm	SM 2510A
7/6/2010 9:55	Field Cond		936	uS/cm	SM 2510A
7/13/2010 9:15	Field Cond		536	uS/cm	SM 2510A
7/20/2010 11:00	Field Cond		1020	uS/cm	SM 2510A
7/27/2010 10:00	Field Cond		803	uS/cm	SM 2510A
10/7/2010 10:04	Field Cond		640	uS/cm	SM 2510A
6/22/2010 11:30	Field DO		9.2	mg/L	SM 4500-0 G
6/29/2010 11:10	Field DO		10.21	mg/L	SM 4500-0 G
7/6/2010 9:55	Field DO		9.09	mg/L	SM 4500-0 G
7/13/2010 9:15	Field DO		8.92	mg/L	SM 4500-0 G
7/20/2010 11:00	Field DO		12.88	mg/L	SM 4500-0 G

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/27/2010 10:00	Field DO		9.2	mg/L	SM 4500-O G
10/7/2010 10:04	Field DO		13.03	mg/L	SM 4500-O G
6/22/2010 11:30	Field Temp		22.2	C	EPA 170.1
6/29/2010 11:10	Field Temp		22.6	C	EPA 170.1
7/6/2010 9:55	Field Temp		25.7	C	EPA 170.1
7/13/2010 9:15	Field Temp		22.1	C	EPA 170.1
7/20/2010 11:00	Field Temp		24.8	C	EPA 170.1
7/27/2010 10:00	Field Temp		22	C	EPA 170.1
10/7/2010 10:04	Field Temp		13.2	C	EPA 170.1
6/22/2010 11:30	Hg	j	0.044	ug/L	EPA 245.1
6/29/2010 11:10	Hg	<	0.005	ug/L	EPA 245.1
7/6/2010 9:55	Hg	<	0.005	ug/L	EPA 245.1
7/13/2010 9:15	Hg	<	0.005	ug/L	EPA 245.1
7/20/2010 11:00	Hg	<	0.005	ug/L	EPA 245.1
7/27/2010 10:00	Hg	<	0.005	ug/L	EPA 245.1
6/22/2010 11:30	K		5371	ug/L	EPA-200.7
6/29/2010 11:10	K		4344	ug/L	EPA-200.7
7/6/2010 9:55	K		4643.5	ug/L	EPA-200.7
7/13/2010 9:15	K		3559	ug/L	EPA-200.7
7/20/2010 11:00	K		4677	ug/L	EPA-200.7
7/27/2010 10:00	K		4052	ug/L	EPA-200.7
6/22/2010 11:30	Mg		12900	ug/L	EPA-200.7
6/29/2010 11:10	Mg		12820	ug/L	EPA-200.7
7/6/2010 9:55	Mg		15320	ug/L	EPA-200.7
7/13/2010 9:15	Mg		7695	ug/L	EPA-200.7
7/20/2010 11:00	Mg		14450	ug/L	EPA-200.7
7/27/2010 10:00	Mg		11690	ug/L	EPA-200.7
6/22/2010 11:30	Mn		103	ug/L	EPA-200.7
6/29/2010 11:10	Mn		30.72	ug/L	EPA-200.7
7/6/2010 9:55	Mn		44.68	ug/L	EPA-200.7
7/13/2010 9:15	Mn		55.61	ug/L	EPA-200.7
7/20/2010 11:00	Mn		25.19	ug/L	EPA-200.7
7/27/2010 10:00	Mn		39.96	ug/L	EPA-200.7
6/22/2010 11:30	Mo		4.08	ug/L	EPA-200.7
6/29/2010 11:10	Mo		5.02	ug/L	EPA-200.7
7/6/2010 9:55	Mo		5.715	ug/L	EPA-200.7
7/13/2010 9:15	Mo		3.17	ug/L	EPA-200.7
7/20/2010 11:00	Mo		5.41	ug/L	EPA-200.7
7/27/2010 10:00	Mo		4.99	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2010 11:30	Na		183000	ug/L	EPA-200.7
6/29/2010 11:10	Na		102900	ug/L	EPA-200.7
7/6/2010 9:55	Na		103800	ug/L	EPA-200.7
7/13/2010 9:15	Na		69030	ug/L	EPA-200.7
7/20/2010 11:00	Na		111200	ug/L	EPA-200.7
7/27/2010 10:00	Na		87080	ug/L	EPA-200.7
6/22/2010 11:30	NH3		0.154	mg/L	EPA-350.1
6/29/2010 11:10	NH3		0.034	mg/L	EPA-350.1
7/6/2010 9:55	NH3		0.021	mg/L	EPA-350.1
7/13/2010 9:15	NH3		0.032	mg/L	EPA-350.1
7/20/2010 11:00	NH3	j	0.006	mg/L	EPA-350.1
7/27/2010 10:00	NH3	j	0.008	mg/L	EPA-350.1
6/22/2010 11:30	Ni		4.23	ug/L	EPA-200.7
6/29/2010 11:10	Ni		2.11	ug/L	EPA-200.7
7/6/2010 9:55	Ni		1.965	ug/L	EPA-200.7
7/13/2010 9:15	Ni		2.86	ug/L	EPA-200.7
7/20/2010 11:00	Ni	j	1.81	ug/L	EPA-200.7
7/27/2010 10:00	Ni	j	1.81	ug/L	EPA-200.7
6/22/2010 11:30	NO2		0.031	mg/L	SM 4500-NO2-B
6/29/2010 11:10	NO2	j	0.004	mg/L	SM 4500-NO2-B
7/6/2010 9:55	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2010 9:15	NO2		0.02	mg/L	SM 4500-NO2-B
7/20/2010 11:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/27/2010 10:00	NO2	j	0.002	mg/L	SM 4500-NO2-B
6/22/2010 11:30	NO3		0.873	mg/L	EPA 353.2
6/29/2010 11:10	NO3		0.167	mg/L	EPA 353.2
7/6/2010 9:55	NO3		0.053	mg/L	EPA 353.2
7/13/2010 9:15	NO3		0.545	mg/L	EPA 353.2
7/20/2010 11:00	NO3		0.058	mg/L	EPA 353.2
7/27/2010 10:00	NO3		0.111	mg/L	EPA 353.2
6/22/2010 11:30	NO3+NO2		0.904	mg/L	EPA 353.2
6/29/2010 11:10	NO3+NO2		0.171	mg/L	EPA 353.2
7/6/2010 9:55	NO3+NO2		0.053	mg/L	EPA 353.2
7/13/2010 9:15	NO3+NO2		0.564	mg/L	EPA 353.2
7/20/2010 11:00	NO3+NO2		0.058	mg/L	EPA 353.2
7/27/2010 10:00	NO3+NO2		0.113	mg/L	EPA 353.2
10/7/2010 10:04	NO3+NO2		0.713	mg/L	EPA 353.2
6/22/2010 11:30	Pb		3.73	ug/L	EPA-200.7
6/29/2010 11:10	Pb	<	0.43	ug/L	EPA-200.7
7/6/2010 9:55	Pb	<	0.43	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/13/2010 9:15	Pb	j	1.47	ug/L	EPA-200.7
7/20/2010 11:00	Pb	<	0.43	ug/L	EPA-200.7
7/27/2010 10:00	Pb	j	0.74	ug/L	EPA-200.7
6/22/2010 11:30	pH		7.8	S.U.	
6/29/2010 11:10	pH		8.35	S.U.	
7/6/2010 9:55	pH		8.02	S.U.	
7/13/2010 9:15	pH		8.06	S.U.	
7/20/2010 11:00	pH		8.56	S.U.	
7/27/2010 10:00	pH		8.12	S.U.	
10/7/2010 10:04	pH		8.24	S.U.	
6/22/2010 11:30	Sb	j	0.48	ug/L	EPA-200.7
6/29/2010 11:10	Sb	j	0.49	ug/L	EPA-200.7
7/6/2010 9:55	Sb	<	0.47	ug/L	EPA-200.7
7/13/2010 9:15	Sb	<	0.4	ug/L	EPA-200.7
7/20/2010 11:00	Sb	j	0.62	ug/L	EPA-200.7
7/27/2010 10:00	Sb	j	0.53	ug/L	EPA-200.7
6/22/2010 11:30	Se	<	0.71	ug/L	EPA-200.7
6/29/2010 11:10	Se	j	1.13	ug/L	EPA-200.7
7/6/2010 9:55	Se	j	0.755	ug/L	EPA-200.7
7/13/2010 9:15	Se	<	0.71	ug/L	EPA-200.7
7/20/2010 11:00	Se	<	0.71	ug/L	EPA-200.7
7/27/2010 10:00	Se	<	0.71	ug/L	EPA-200.7
6/22/2010 11:30	Sn	<	13.4	ug/L	EPA-200.7
6/29/2010 11:10	Sn	<	13.4	ug/L	EPA-200.7
7/6/2010 9:55	Sn	<	13.4	ug/L	EPA-200.7
7/13/2010 9:15	Sn	<	13.4	ug/L	EPA-200.7
7/20/2010 11:00	Sn	<	13.4	ug/L	EPA-200.7
7/27/2010 10:00	Sn	<	13.4	ug/L	EPA-200.7
6/22/2010 11:30	SO4		54.84	mg/L	EPA 300.0
6/29/2010 11:10	SO4		54.99	mg/L	EPA 300.0
7/6/2010 9:55	SO4		80.68	mg/L	EPA 300.0
7/13/2010 9:15	SO4		35.91	mg/L	EPA 300.0
7/20/2010 11:00	SO4		66.72	mg/L	EPA 300.0
7/27/2010 10:00	SO4		49.72	mg/L	EPA 300.0
6/22/2010 11:30	Soluble-P		0.042	mg/L	EPA 365.1
6/29/2010 11:10	Soluble-P		0.028	mg/L	EPA 365.1
7/6/2010 9:55	Soluble-P		0.0145	mg/L	EPA 365.1
7/13/2010 9:15	Soluble-P		0.048	mg/L	EPA 365.1
7/20/2010 11:00	Soluble-P		0.015	mg/L	EPA 365.1
7/27/2010 10:00	Soluble-P		0.034	mg/L	EPA 365.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 10:04	Soluble-P		0.037	mg/L	EPA 365.1
6/22/2010 11:30	TDS		735.7	mg/L	SM2540C
6/29/2010 11:10	TDS		474	mg/L	SM2540C
7/6/2010 9:55	TDS		548	mg/L	SM2540C
7/13/2010 9:15	TDS		320.5	mg/L	SM2540C
7/20/2010 11:00	TDS		552.5	mg/L	SM2540C
7/27/2010 10:00	TDS		419	mg/L	SM2540C
6/22/2010 11:30	Ti		12.14	ug/L	EPA-200.7
6/29/2010 11:10	Ti	j	0.98	ug/L	EPA-200.7
7/6/2010 9:55	Ti	j	0.94	ug/L	EPA-200.7
7/13/2010 9:15	Ti		9.01	ug/L	EPA-200.7
7/20/2010 11:00	Ti	j	0.29	ug/L	EPA-200.7
7/27/2010 10:00	Ti		2.32	ug/L	EPA-200.7
6/22/2010 11:30	TI	<	1.3	ug/L	EPA-200.7
6/29/2010 11:10	TI	<	1.3	ug/L	EPA-200.7
7/6/2010 9:55	TI	j	1.9425	ug/L	EPA-200.7
7/13/2010 9:15	TI	j	1.73	ug/L	EPA-200.7
7/20/2010 11:00	TI	j	1.91	ug/L	EPA-200.7
7/27/2010 10:00	TI	<	1.3	ug/L	EPA-200.7
6/22/2010 11:30	TMET		43.1	ug/L	EPA-200.7
6/29/2010 11:10	TMET		11	ug/L	EPA-200.7
7/6/2010 9:55	TMET		10.6	ug/L	EPA-200.7
7/13/2010 9:15	TMET		22.6	ug/L	EPA-200.7
7/20/2010 11:00	TMET	<	10	ug/L	EPA-200.7
7/27/2010 10:00	TMET		20	ug/L	EPA-200.7
6/22/2010 11:30	Total-P		0.163	mg/L	EPA 365.1
6/29/2010 11:10	Total-P		0.062	mg/L	EPA 365.1
7/6/2010 9:55	Total-P		0.0375	mg/L	EPA 365.1
7/13/2010 9:15	Total-P		0.133	mg/L	EPA 365.1
7/20/2010 11:00	Total-P		0.038	mg/L	EPA 365.1
7/27/2010 10:00	Total-P		0.065	mg/L	EPA 365.1
10/7/2010 10:04	Total-P		0.052	mg/L	EPA 365.1
6/22/2010 11:30	TS		820	mg/L	SM2540B
6/29/2010 11:10	TS		549	mg/L	SM2540B
7/6/2010 9:55	TS		588	mg/L	SM2540B
7/13/2010 9:15	TS		359	mg/L	SM2540B
7/20/2010 11:00	TS		576	mg/L	SM2540B
7/27/2010 10:00	TS		462	mg/L	SM2540B
6/22/2010 11:30	TSS		103	mg/L	SM2540D

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/29/2010 11:10	TSS		14	mg/L	SM2540D
7/13/2010 9:15	TSS		34.2	mg/L	SM2540D
7/20/2010 11:00	TSS		2.4	mg/L	SM2540D
7/27/2010 10:00	TSS		2.4	mg/L	SM2540D
10/7/2010 10:04	TSS		5.7	mg/L	SM2540D
6/22/2010 11:30	Turbidity		35.21	NTU	EPA 180.1
6/29/2010 11:10	Turbidity		1.68	NTU	EPA 180.1
7/13/2010 9:15	Turbidity		26.4	NTU	EPA 180.1
7/20/2010 11:00	Turbidity		1.45	NTU	EPA 180.1
7/27/2010 10:00	Turbidity		1.57	NTU	EPA 180.1
10/7/2010 10:04	Turbidity		2	NTU	EPA 180.1
6/22/2010 11:30	V		3	ug/L	EPA-200.7
6/29/2010 11:10	V	j	0.36	ug/L	EPA-200.7
7/6/2010 9:55	V	j	0.1825	ug/L	EPA-200.7
7/13/2010 9:15	V		2.37	ug/L	EPA-200.7
7/20/2010 11:00	V	<	0.17	ug/L	EPA-200.7
7/27/2010 10:00	V	j	0.4	ug/L	EPA-200.7
6/22/2010 11:30	Zn		25.85	ug/L	EPA-200.7
6/29/2010 11:10	Zn	j	5.79	ug/L	EPA-200.7
7/13/2010 9:15	Zn		12.79	ug/L	EPA-200.7
7/20/2010 11:00	Zn	j	4.25	ug/L	EPA-200.7
7/27/2010 10:00	Zn		15	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count