Level 3 Project Study Plan

2010 West Creek Environmental Monitoring

(1) Objectives

In 2010, the Cleveland Metroparks will initiate an ecosystem restoration project that includes urban stormwater retrofits in the Upper West Creek watershed. Since 2005, the Cleveland Metroparks has been collecting baseline data that included conducting plant community mapping, headwater habitat and wetland assessments, and flow monitoring to document changes in the watershed and the success of restoration efforts. There are two additional sites in the West Creek Reservation located upstream and downstream of the closed Parma Landfill that the Cleveland Metroparks would like to obtain baseline data from to determine the effect, if any, the landfill has on stream biota. In 2010, the Northeast Ohio Regional Sewer District intends to conduct water chemistry sampling and biological and habitat assessments to determine the current State of Ohio aquatic life use attainment at these sites.

The purpose of this study is to assess water chemistry, habitat conditions and fish and macroinvertebrate community health in West Creek upstream and downstream of the closed Parma Landfill. The results obtained from this assessment will be used to assign a characterization of the water quality and fish and macroinvertbrate health in the creek in relation to the landfill. Fish and macroinvertebrate community health will be evaluated through the use of Ohio EPA indices (IBI and ICI). An examination of the individual metrics that comprise these indices will be used in conjunction with water quality data, the NEORSD Macroinvertebrate Field Sheet, and the Qualitative Habitat Evaluation Index (QHEI) results in order to identify impacts to the aquatic communities. Water quality sample analyses will be compared to applicable Ohio Water Quality Standards.

(2) Point/Nonpoint Sources

| Point Sources | Nonpoint Sources |
|--------------------------|------------------|
| Sanitary Sewer Overflows | Urban runoff |
| Storm Sewer Outfalls | Landfills |
| Septic Tanks | Spills |

A map has been provided in Appendix A to show point sources that may be influencing the water quality at each sample location. These sources of pollution, along with the nonpoint sources listed in the table above, may be impacting the health of the fish and benthic macroinvertebrate communities in West Creek.

(3) Parameters Covered

Fish specimens will be identified to species level, counted and examined for the presence of external anomalies including DELTs (deformities, eroded fins, lesions and tumors). Quantitative fish sampling is expected to be conducted at RMs 5.30 and 5.75 (see table in section 5).

Macroinvertebrate community assemblages will also be collected from RMs 5.30 and 5.75 and shipped to Aquatic Macroinvertebrate Taxonomy (AMT¹ Ravenna, Ohio) for identification and enumeration. AMT will identify the specimens to the lowest practical taxonomic level and whenever possible, to the level of taxonomy recommended in Ohio EPA's *Biological Criteria for the Protection of Aquatic Life, Volume III* (1987, updated September 30, 1989, November 8, 2006, and August 26, 2008)².

The NEORSD Macroinvertebrate Field Sheet (Appendix B) will be completed at each site during sampler retrieval. In addition, stream habitat will be measured by scoring components of the QHEI at all locations including substrate, instream cover, channel morphology, riparian zone and bank erosion, pool/glide and riffle/run quality and gradient.

Water chemistry samples will be collected at each electrofishing/macroinvertebrate site. Appendix C lists the parameters to be tested along with the detection limits and practical quantitation limits. Field measurements for dissolved oxygen, pH, temperature, conductivity and flow velocity will also be performed. A Surface Water Condition Sampling Field Data Form will be completed at each site during each sample collection (Appendix D).

(4) Field Collection and Data Assessment Techniques

Field collections for fish will be conducted at RMs 5.30 and 5.75. Sampling will be conducted using longline electrofishing techniques and will consist of shocking all habitat types within a sampling zone, which is 0.15 kilometers in length, while moving from downstream to upstream. The stunned fish will be collected and placed into a live well for later identification.

Fish will be identified to species level, counted, and examined for the presence of external anomalies including DELTs. Fish easily identified (commonly collected from year to year) will be returned to the site from which they are collected.

¹ The Northeast Ohio Regional Sewer District Board of Trustees has approved the District to enter into a contract with AMT; however at the time of this writing the contract has not been fully executed. An amended study plan will be submitted if is the District is unable to enter into a contract with AMT and must contract this service with another vendor.

² See Appendix I for a list of all references.

Subsamples of difficult to identify species will be brought back to the laboratory for verification by NEORSD Level 3 Fish Qualified Data Collectors (QDC) and, if necessary, sent to The Ohio State University Museum of Biological Diversity for verification by the Curator and/or Associate Curator of Fish. Voucher specimens will be collected as described in section (14). Endangered species and those too large for preservation will not be collected as voucher specimens, but will instead be photographed. Photographed vouchers will include features that permit definitive identification of the particular species.

Fish will be preserved in 10 percent formalin in the field, soaked in tap water for 24 to 48 hours after 5 to 7 days, then transferred to solutions of 30 and 50 percent ethanol for 5 to 7 days each and, finally, to 70 percent ethanol for long-term storage. Specimens larger than six inches will be slit along the right side and then soaked in formalin for approximately 10 to 14 days before being transferred to water and solutions of 30, 50 and 70 percent ethanol. Label information will include location (description and coordinates), date, time, collectors' names and sample identification code for each specimen collected.

Macroinvertebrate sampling will be conducted at RMs 5.30 and 5.75 using quantitative and qualitative sampling techniques. Quantitative sampling will include installation of five replicates of Hester-Dendy multi-plate artificial substrate sampler (HD) that will be colonized for a six-week period. Multiple HD samplers may be installed at one or all of the locations to reduce the loss of samplers due to vandalism, burial, etc and for the purpose of providing a duplicate sample. Qualitative sampling will be conducted using a D-frame dip net when HDs are retrieved. The NEORSD Macroinvertebrate Field Sheet will be completed during each HD retrieval. All macroinvertebrate community assemblages will be shipped to AMT for identification and enumeration. AMT will identify specimens to the lowest practical taxonomic level and when the condition of the specimen allows, to the level of taxonomy recommended in Ohio EPA's Biological Criteria for the Protection of Aquatic Life, Volume III (1987, updated September 30, 1989; November 8, 2006; and August 26, 2008). Voucher specimens will be collected as described in section (14). Stream flow will be measured with a Marsh-McBirney FloMate Model 2000 Portable Flow Meter when the HD samplers are installed and retrieved.

A detailed description of the sampling and analysis methods utilized in the fish community and macroinvertebrate surveys, including calculations of the IBI and ICI, can be found in Ohio EPA's *Biological Criteria for the Protection of Aquatic Life, Volumes II* (1987, updated January 1, 1988, November 8, 2006, and August 26, 2008) and *III* (1987, updated September 30, 1989, November 8, 2006, and August 26, 2008).

Water chemistry sampling will be completed at RMs 5.30 and 5.75. Techniques used for water chemistry sampling and chemical analyses will follow the *Manual* of Ohio EPA Surveillance Methods and Quality Assurance Practices (2009). Chemical water quality samples from each site will be collected with two 4-liter disposable polyethylene cubitainers with disposable polypropylene lids and two 473-mL plastic bottles. All water quality samples will be collected as grab samples. One duplicate sample and one field blank will be collected at a randomly selected site, at the frequency not less than 10% of the total samples collected, for this study plan. The acceptable relative percent difference (RPD) for field duplicate samples will be ≤30 percent; results outside this range will trigger further evaluation and investigation into causes for disparities. RPD values above 30 percent, with results less than ten times the practical quantitation limit, will be reviewed on a case-by-case base to determine if there is any merit for further investigation. Acid preservation of the samples, as specified in the NEORSD laboratory's standard operating procedure for each parameter, will occur in the field. Appendix C lists the analytical method, detection limit and practical quantitation limit for each parameter analyzed. Field analyses include the use of either a YSI-556 MPS Multi-Parameter Water Ouality Meter or YSI 600XL sonde to measure dissolved oxygen, water temperature, conductivity and pH; and when necessary, a Hanna HI 98129 meter to measure pH. Meter specifications have been included in Appendix E.

The QHEI, as described in Ohio EPA's, *Methods for Assessing Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index (QHEI)* (2006) will be used to assess aquatic habitat conditions at all sample locations by Level 3 QDCs.

Species assemblages and individual metrics will be analyzed. Graphs that show current and historic QHEI, IBI, and ICI scores and how these scores compare to attainment status of biocriteria will be prepared. These graphs, along with an examination of individual metrics that comprise these indices, will be used to evaluate the degree of success resulting from specific restoration activities. Water chemistry data collected will be compared to Ohio water quality standards to determine whether any excursions from the applicable water quality criteria have occurred. Comparisons between water quality and biological community health will only be made if at least three water quality samples have been collected from a particular site. Where possible, data assessment will include an analysis of spatial trends in the collected data, especially changes in fish and macroinvertebrate communities immediately upstream and downstream of removed migration barriers.

(5) Sampling Locations

The following electrofishing, QHEI and macroinvertebrate sample locations, listed from upstream to downstream on West Creek, will be surveyed during the 2010 field season. HD and water chemistry collection sites are located near the mid point of each electrofishing zone, indicated by river mile, unless otherwise noted. GPS coordinates are recorded at the downstream end of each electrofishing zone.

| River Mile | Latitude | Longitude | Description | Quadrangle | Purpose |
|---------------|-----------|-----------|---|--------------------|---|
| 5.75 | 41.3836°N | 81.6934°W | Upstream of closed Parma Landfill | Cleveland South | Evaluate habitat, fish, & macroinvertebrates upstream of landfill |
| 5.30 | 41.3899°N | 81.6982°W | Upstream of West Ridgewood Drive Bridge | Cleveland South | Evaluate habitat, fish, & macroinvertebrates downstream of landfill |

(6) Schedule

One to two electrofishing surveys will be conducted between June 15 and October 15, 2010. Surveys will be conducted at least four to five weeks apart. Specific dates have not been scheduled. Stream flow and weather conditions will be assessed weekly to determine when each electrofishing pass will be conducted.

Artificial substrate samplers will be installed once, between June 15 and August 19, 2010, at all of the sites and retrieved six weeks later. Specific dates have not been scheduled. Stream flow and weather conditions will be assessed weekly to determine when the HD sampler installations and retrievals will be conducted.

Water chemistry samples will be collected a minimum of three times between June 15 and October 15, 2010.

QHEI habitat evaluations will be conducted one time between June 15 and October 15, 2010. These evaluations will be conducted around the same time as one of the electrofishing passes.

(7) QA/QC

Quality assurance and quality control of sampling and analysis methods for habitat, fish, and macroinvertebrate evaluations will follow Ohio EPA's *Biological Criteria for the Protection of Aquatic Life, Volumes II* (1987, updated January 1, 1988, November 8, 2006 and August 26, 2008) and *III* (1987, updated September 30, 1989, November 8, 2006, and August 26, 2008) and *Methods for Assessing*

West Creek Environmental Monitoring Study Plan April 12, 2010

Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index (QHEI) (2006).

Electrofishing equipment will be used according to the guidelines listed in the operation and maintenance manual provided by Smith-Root, Inc. Malfunctioning equipment will not be used to conduct surveys. Proper steps will be taken to correct the problem as soon as possible, whether by repairing in the field, at the NEORSD Environmental & Maintenance Services Center, or by contacting the supplier or an appropriate service company.

Subsamples of difficult to identify fish species will be brought back to the laboratory for verification by NEORSD Level 3 Fish Qualified Data Collectors (QDC), and if necessary, sent to The Ohio State University Museum of Biological Diversity for verification by the Curator and/or Associate Curator of Fish. Voucher specimens will be collected as described in section (14). Endangered species and those too large for preservation will not be collected as voucher specimens, but will instead be photographed. Photographed vouchers will include features that permit definitive identification of the particular species.

All macroinvertebrate community assemblages will be collected and sent to AMT for identification and enumeration. AMT will identify specimens to the lowest practical taxonomic level and when the condition of the specimen allows, to the level of taxonomy recommended in Ohio EPA's *Biological Criteria for the Protection of Aquatic Life, Volume III* (1987, updated September 30, 1989, November 8, 2006, and August 26, 2008). The AMT QA/QC manual is attached in Appendix F. All macroinvertebrate specimens will be returned to NEORSD by AMT. At least two voucher specimens of each species, when available, will be separated into individual vials and kept as described in section (14). The remaining specimens for each site will be placed in a single container labeled with the site number and collection method and date. All specimens and accompanying chain-of-custody documentation will be retained by NEORSD and stored at the Environmental & Maintenance Services Center (EMSC) for a period not less than ten years.

Water samples obtained for chemical analyses will be collected, preserved (see section 4), labeled and then placed on ice inside the field truck. The field truck will remain locked at all times when not occupied/visible. Sampling activities, including sample time and condition of surface water sampled, will be entered in a field log book and on the Surface Water Condition Sampling Field Data Form. The samples will then be delivered immediately to the NEORSD Analytical Services cooler, after which the door to the cooler will be locked and the samples will be transferred to the custody of Analytical Services. The NEORSD Analytical Services Quality Manual and associated Standard Operating Procedures

West Creek Environmental Monitoring Study Plan April 12, 2010

> are on file with Ohio EPA. The Quality Assurance Officer at Analytical Services will send updates, revisions and any information on document control to Ohio EPA as needed.

(8) Work Products

Within one year of completion of the project, fish data (species, numbers, pollution tolerances, the incidence of DELT anomalies, and IBI scores), macroinvertebrate data (types and numbers of macroinvertebrates collected and ICI scores), habitat data (QHEI raw data and scores) and water chemistry results will be submitted to the Ohio EPA. Additionally, reports summarizing, interpreting, graphically presenting and discussing the IBI, ICI and QHEI scores and any excursions from water quality standards may be prepared for internal use.

(9) Qualified Data Collectors

The following Level 3 Qualified Data Collectors (QDC) will be involved with this study:

| Name | Address | Email Address | Phone Number | QDC Specialty(s) |
|-------------------------------|---|--|--------------|---------------------------|
| ¹ John W. Rhoades | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | rhoadesj@neorsd.org | 216-641-6000 | QDC - 008 CWQA/FCB/SHA |
| Cathy Zamborsky | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | zamborskyc@neorsd.org | 216-641-6000 | QDC - 009 CWQA/SHA |
| Seth Hothem | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | hothems@neorsd.org | 216-641-6000 | QDC - 010 CWQA/FCB/SHA |
| Kathryn Crestani | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | crestanik@neorsd.org | 216-641-6000 | QDC - 011 CWQA/SHA |
| ^{2,3,6} Tom Zablotny | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | zablotnyt@neorsd.org | 216-641-6000 | QDC - 018 CWQA/FCB/SHA |
| ⁴ Ron Maichle | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | maichler@neorsd.org | 216-641-6000 | QDC - 145 CWQA/BMB/SHA |
| Francisco Rivera | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | riveraf@neorsd.org | 216-641-6000 | QDC - 262 CWQA |
| ⁵ Tiffany Moore | Aquatic Macroinvertebrate Taxonomy 8927 Weaver Road Ravenna, Ohio 44266 | tiffany@digitaldesignmedia.com | 330-626-2310 | QDC - 017 BMB |
| | | ⁴ Benthic Macroinvertebrate Biolog ⁵ Benthic Macroinvertebrate Identifi ⁶ Chemical Water Quality Assessme | ication | |

The following is a list of persons not qualified as QDCs who may be involved in the project. Prior to the start of sampling, the project managers will explain to each of these and any other individuals the proper methods for electrofishing and macroinvertebrate collections, water chemistry sampling and QHEI evaluation. Sampling will only be completed under the direct observation of a QDC. The lead project manager will be responsible for reviewing all reports and data analysis prepared by qualified personnel prior to completion.

| Name | Address | Email Address | Phone Number |
|-------------------------|--|-------------------------|-----------------|
| Nicholas Barille | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | barillen@neorsd.org | 216-641-6000 |
| Joseph Broz | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | brozj@neorsd.org | 216-641-6000 |
| Tim Dobriansky | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | dobrianskyt@neorsd.org | 216-641-6000 |
| Kyle Frantz | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | frantzk@neorsd.org | 216-641-6000 |
| Kristina Granlund | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | granlundk@neorsd.org | 216-641-6000 |
| Rae Grant | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | grantr@neorsd.org | 216-641-6000 |
| Eric Hinton | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | hintone@neorsd.org | 216-641-6000 |
| John Junkin | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | junkinj@neorsd.org | 216-641-6000 |
| Jillian Novak | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | novakj@neorsd.org | 216-641-6000 |
| Cathy O'Grady | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | ogradyc@neorsd.org | 216-641-6000 |
| Kevin Roff | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | roffk@neorsd.org | 216-641-6000 |
| Frank Schuschu | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | schuschuf@neorsd.org | 216-641-6000 |
| Wolfram von Kiparski | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | vonkiparskiw@neorsd.org | 216-641-6000 |
| Mark Matteson | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | mattesonm@neorsd.org | 216-641-6000 |
| Denise Phillips | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | phillipsd@neorsd.org | 216-641-6000 |
| Summer Co-op | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | To Be Determined | 216-641-6000 |
| Summer Co-op | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | To Be Determined | 216-641-6000 |
| Summer Co-op | 4747 East 49 th Street Cuyahoga Hts., Ohio 44125 | To Be Determined | 216-641-6000 |

(10) Documentation of approval of project manager and other personnel as level 3 qualified data collectors

See attached (Appendix G).

West Creek Environmental Monitoring Study Plan April 12, 2010

(11) Contract laboratory contact information

Any fish that is not positively identified in the field or NEORSD laboratory will be sent to The Ohio State University Museum of Biological Diversity for verification by the Curator and/or Associate Curator of Fish. Fish will be identified to the species level.

Dr. Ted Cavender, Curator of Fish / Mr. Marc Kibbey, Associate Curator of Fish 1315 Kinnear Road, Columbus, Ohio 43212 cavender.1@osu.edu / kibbey.3@osu.edu 614-292-7873

Identification of macroinvertebrates will be completed by AMT. The AMT QA/QC manual is attached in Appendix F. Benthic macroinvertebrates will be identified to the lowest practical level as recommended in Ohio EPA's *Biological Criteria for the Protection of Aquatic Life, Volume III* (1987, updated September 30, 1989, November 8, 2006, and August 26, 2008).

Tiffany Moore, Benthic Specialist (QDC# 017) 8927 Weaver Road Ravenna, OH 44266 tiffany@digitaldesignmedia.com 330-626-2310

(12) Copy of ODNR collector's permit

To be submitted electronically when issued to NEORSD by ODNR (Appendix H).

Twenty-four hours prior to biological collection, the county ODNR wildlife officer will be contacted by a NEORSD QDC. See table below for contact information for ODNR Wildlife Officers by county. A message may be left instructing: type of sampling, location of sampling, and duration.

| County | Contact Person | Phone Number |
|-----------------|-----------------------|----------------|
| Cuyahoga County | Hollie J. Fluharty | (330) 245-3033 |

The most current wildlife officer contact information should always be checked at the following web address:

http://www.dnr.state.oh.us/Home/wild_resourcessubhomepage/about_the_division_landingpage/contactdefault/WildlifeOfficersbyCounty/tabid/7004/Default.aspx

| West | Cre | ek l | Envir | onmen | tal M | onito | ring | Study | Plan |
|-------|-----|------|-------|-------|-------|-------|------|-------|------|
| April | 12, | 201 | 10 | | | | | | |

(13) Catalog Statement

A digital photo catalog of all sampling locations will be maintained for 10 years and will include photos of the specific sampling location(s), the riparian zone adjacent to the sampling location(s) and the general land use in the immediate vicinity of the sampling location(s).

| Print | /Signature: John W. Rhoades / | Date: |
|-------|---|---|
| (14) | Voucher Specimen Statement NEORSD will maintain a benthic macroinvertebrate and | fish yougher collection |
| | which includes two specimens, or appropriate photo vouc taxa collected during the course of biological sampling fr NEORSD's service area. When benthic macroinvertebra waters are collected within the same year and identified by voucher collection will be created to represent the speciments streams. When fish specimens from multiple surface water the same year, one voucher collection will be created to recollected from those streams. A separate collection for earnot be maintained. | chers, of each species or om any stream within the te from multiple surface by the same QDC, one nens collected from those ters are collected within epresent the specimens |
| | NEORSD will provide specimens or photo vouchers to the This collection will be stored at the NEORSD laboratory Maintenance Services Center. | |
| Print | /Signature: John W. Rhoades / | Date: |


(15) Trespassing Statement

I have not been convicted or pleaded guilty to a Violation of section 2911.21 of the Revised Code (criminal trespass) or a substantially similar municipal ordinance within the previous five years.

West Creek Environmental Monitoring Study Plan April 12, 2010

| Print/Signature: | John W. Rhoades / | Date: |
|------------------|--------------------|-------|
| Print/Signature: | Cathy Zamborsky / | Date: |
| Print/Signature: | Seth Hothem / | Date: |
| Print/Signature: | Kathryn Crestani / | Date: |
| Print/Signature: | Tom Zablotny / | Date: |
| Print/Signature: | Ron Maichle / | Date: |
| Print/Signature: | Francisco Rivera / | Date: |

Appendix A



Appendix B

NEORSD Macroinvertebrate Field Sheet

| Su'eam. | | | | | | |
|--|--|--|--|---|---|--------------|
| Location Descripti | ion: | | Proje | ct: | | |
| | | tiente v | med follows | | | 300 |
| Latitude (°N)/Long | gitude (°W): | rentic) | instruduti | | | 14 |
| | | Hester-Dendy | Deployment | Information | | |
| Install Date: | (0)))(1) | nig n. | Crew Initi | als (QDC Cir | cled): | Lycen |
| Current at HD (fps | 8): | Depth (cm | n): | | Pictures Obtained: | Yes No |
| Reinstall Date: | acut unch | | Crew Initi | als (ODC Cir | cled): | |
| Current (fps): | Depth | (cm): | R | Reason: | | 811 |
| Reinstall Date: | | | Crew Initi | als (ODC Cir | cled): | |
| | Denth | (cm). | Crew initi | gescon. | | |
| ourrent (ips). | Дерин | tem). | | ccason. | | -100 |
| | | | Retrieval Info | | | |
| Sampling Method: | Hester-De | ndy Dipne | et Surbe | r Grab | Other: | ST-1 |
| Sampling Date: | | (| rew Initials ((| ODC Circled) |): | |
| - | THIS IS NOT THE PARTY OF THE PA | | New Illians (| QDC Circled) | · | Ul AND I |
| | | | | | | °F / °C |
| HD Condition- | Current (fps): | Depth | n (cm): | 1 | Water Temp: | 1/ 0 |
| | Current (fps): Number of HD Block | cks Obtained: | | Remar | ks: | |
| | Number of HD Block | cks Obtained: | | Remar | ks: | |
| | Number of HD Blood Disturbed: Y | cks Obtained: | Comments: | Remar | Water Temp:ks: | |
| apati - K tyo II - et a donal | Number of HD Bloc Disturbed: Y Debris: Y | cks Obtained: Yes No C Yes No C | Comments: _ | Remar | ks: | |
| ment of the Bost stand | Number of HD Bloo Disturbed: Y Debris: Y Silt/Solids: N | cks Obtained: Tes No C Tes No C Tone Slight | Comments:Comments:t Mode | Remar | ks: | Minchie wood |
| Dipnet- | Number of HD Blood Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min | cks Obtained: Tes No C Tes No C Tone Slight C: Construction of the Construction of | Comments:Comments:t | Remar | Heavy Total (min): | Clinchie von |
| Dipnet- | Number of HD Blood Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min | cks Obtained: Tes No C Tes No C Tone Slight C: Construction of the Construction of | Comments:Comments:t | Remar | ks: | Clinchie von |
| Dipnet- | Number of HD Blood Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min | cks Obtained: Tes No C | Comments: Comments: t | Remar | Heavy Total (min): | eer |
| Dipnet- | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: | cks Obtained: Tes No C Tes No C Tone Slight Pool R | Comments:Comments:Comments: Mode X Number of Riffle R | Remar Prate I f Crew: Cun N #: | Heavy Total (min): Margin Backwat Date: | eer |
| Dipnet- | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: | cks Obtained: Tes No C T | Comments: Comments: t | Remar Prate H Crew: Cun N #: #: | Heavy = Total (min): Margin Backwat Date: | eer |
| Dipnet- Samples Analyzed Flow Condition: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood | cks Obtained: Tes No Cores No Cores No Cores Slight Pool R River Sa Above Normal | Comments: Comments: t | Remar Frate F Crew: Kun N #: ditions al Low | Heavy = Total (min): Margin Backwat Date: Interstitial Inte | eer |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast | cks Obtained: Tes No C Tes No | Comments: Comments: Mode X Number of Riffle R QDC Ampling Cond Norm Slow | Remar Frate H Crew: Cun N #: ditions al Low Non-detect | Heavy Total (min): Margin Backwate Date: Interstitial Interst | eer |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural | cks Obtained: Tes No Company | Comments: | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Inte | eer |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: | Number of HD Blood Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural Extensive | cks Obtained: Tes No Company Tes No | Comments: Comments: t | Remar | Heavy Total (min): Margin Backwate Date: Interstitial Interst | eer |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Developmen | Number of HD Blood Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural Extensive | cks Obtained: Tes No Company | Comments: | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Intest d) Impounded | eer |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Development Riffle Quality: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural Extensive at: Extensive | cks Obtained: Tes No Cores No Cores No Cores Slight Pool R River Sa Above Normal Moderate Channelized Moderate Moderate Moderate | Comments: Comments: t | Remar | Heavy Total (min): Margin Backwate Date: Interstitial Interst | ermittent |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Development Riffle Quality: Water Clarity: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural Extensive Good | cks Obtained: Tes No Come Slight Come Slight Pool R River Sa Above Normal Moderate Channelized Moderate Moderate Moderate Fair | Comments:Commen | Remar | Heavy = Total (min): Margin Backwate Date: Interstitial Intert at d) Impounded Embedded: | ermittent |
| Dipnet- | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: d By: Flood Fast ogy: Natural Extensive at: Extensive Good Clear | cks Obtained: Tes No Come Slight Come Slight River San Above Normal Moderate Channelized Moderate Moderate Fair Murky | Comments:Commen | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Intert at d) Impounded Embedded: Other: | ermittent |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Development Riffle Quality: Water Clarity: Water Color: Canopy: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: Habitats Sampled: Flood Fast Degy: Natural Extensive Good Clear None Open | cks Obtained: Tes No Composed to the Solight of th | Comments:Commen | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Interstit d) Impounded Embedded: Other: Other: | ermittent |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Development Riffle Quality: Water Clarity: Water Color: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: Habitats Sampled: Flood Fast Degy: Natural Extensive Good Clear None Open | cks Obtained: Tes No Composed to the Solight of th | Comments:Commen | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Interstit d) Impounded Embedded: Other: Other: | ermittent |
| Dipnet- Samples Analyzed Flow Condition: Current Velocity: Channel Morpholo Bank Erosion: Riffle Development Riffle Quality: Water Clarity: Water Color: Canopy: | Number of HD Bloc Disturbed: Y Debris: Y Silt/Solids: N Time Sampled (min Habitats Sampled: Habitats Sampled: Flood Fast Degy: Natural Extensive Good Clear None Open | cks Obtained: Tes No Composed to the Solight of th | Comments:Commen | Remar | Heavy = Total (min): Margin Backwat Date: Interstitial Interstit d) Impounded Embedded: Other: Other: | ermittent |

Physical Characteristics

| | | | | | | | - | and Use (Left | 0 | |
|---|---|----------------------------|----------------------|----------------------|---------------------|-------------------|--|----------------------------|---|---|
| | 70 | | le | | п | | Forest | Urban | | Open Pasture |
| | Pool | Units | Riffle | Units | Run | Units | Shrub Old Field | Residential/ Mining/Con | | Closed Pasture |
| Bedrock | | | | | | | Rowcrop | Wetland | | |
| Boulder | | | | | | | Industrial | Other | | |
| Rubble | | | | | | | | | | |
| Coarse Gravel | | | | | | were the Conf | Predominant Ri | parian Veget | tation | |
| Fine Gravel | | | | | | AGIOTA III | | Right | Туре | |
| Sand | | | | | | | | (Ifrema) | Large T | rees |
| Silt | | | | | | | | | Small T | |
| Clay/Hardpan | | | | | | | rimi war t | | Shrubs | |
| Detritus | | | | | | 11100110 | | Simple | Grass/V | Veeds |
| Peat | | | | | l | | | | None | |
| Muck | \vdash | | | | | office she | idel cort | | 1,0110 | |
| Other | | | | | | | Margin Habitat | | | . Odoreni |
| Macrophytes | | | | | | | Margin Quality: | Good | Fair | Poor |
| Algae | | | - | | | | Undercut Ba | | Root Mats | 1 001 |
| Artifacts | \vdash | | \vdash | | - | | Grass | uiks | Water Willo | W. |
| Compaction (F,M,S) | \vdash | | \vdash | | 12.510 | | Shallows | | Caly/Hardpa | |
| Depth (Avg) | \vdash | | | | | | Rip Rap | | Bulkhead | |
| | - | | | | | 11 -1 -1-150 | Other | | Buikileau | |
| Width (Avg) | Ш | | Ш | | L | | Other | | | |
| | anism | ıs: | | | | Diolo | gical Characteris | V= Very Abu | | nt; C= Common; R= Rare; N= No |
| Riffle: Predominant Org Other Common O | | | | | | Biolo | gicai Characteris | | ount | |
| Predominant Org Other Common C | rgani | | | oder | ate | 514 | Commission (Commission Contraction Contrac | V= Very Abu Overall Amo | ount Porifera, Cnic | laria, Bryozoa |
| Predominant Org Other Common C Density: | rgani High | | Me | oder | | Low | Commission (Commission Contraction Contrac | Overall Amo | Porifera, Cnic Turbellaria, C | daria, Bryozoa Digochaeta, Hirudinea |
| Predominant Org Other Common O Density: | rgani | | Me | oder | | Low | Commission (Commission Contraction Contrac | Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp | daria, Bryozoa Digochaeta, Hirudinea Dhipoda |
| Predominant Org Other Common C Density: Diversity: | rgani High | | Me | | | Low | Commission (Commission Contraction Contrac | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy | daria, Bryozoa Digochaeta, Hirudinea Dhipoda Varacarina |
| Predominant Org Other Common C Density: Diversity: | organi High High | isms | Me | | | Low | Commission (Commission Contraction Contrac | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina Ta |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org | Organi High High anism | isms | Me Me | | | Low | Commission (Commission Contraction Contrac | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina Ta |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C | Organi High High anism | isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other | daria, Bryozoa Oligochaeta, Hirudinea ohipoda o'dracarina ra |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: | Organi High High anism Organi High | isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An | daria, Bryozoa Oligochaeta, Hirudinea ohipoda o'dracarina ra |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: | Organi High High anism | isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An | daria, Bryozoa Oligochaeta, Hirudinea ohipoda o'dracarina ra |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: | Organi High High anism Organi High | isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera | oligochaeta, Hirudinea ohipoda odracarina ra nisoptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: | Organi High High anism Organi High High | isms ns: isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org | Organi High High anism Organi High High | isms ns: isms | Me Me | oder | ate | Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera | daria, Bryozoa Digochaeta, Hirudinea Dhipoda Varacarina Ta Thisoptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Other Common C | Organi High High anism Organi High High | isms ns: isms | Me Me | oder | ate | Low Low Low | Commission (Commission) | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda odracarina ra nisoptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: | Organi High High anism Organi High anism Organi High | isms ns: isms | Me Me | oder | ate ate ate | Low Low Low | Tatalanana (Carana Carana Cara | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda odracarina ra nisoptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: | Organi High High anism Organi High High | isms ns: isms | Me Me | oder | ate ate ate | Low Low Low | Compresses Compresses Compresses Compresses Compresses Compress Compre | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: | Organi High High anism Organi High anism Organi High | isms ns: isms | Me Me | oder | ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Margin: | Organi High High Anism Organi High High High High High | ns: isms | Me Me | oder | ate ate ate | Low Low Low | Compresses Compresses Compresses Compresses Compresses Compress Compre | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Margin: Predominant Org | Organi High High Anism Organi High High High High High | ns: isms ns: isms | Mo Mo Mo Mo | oder | ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera ychidae |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Predominant Org Other Common C Density: Diversity: Predominant Org Other Common C Density: Diversity: Margin: Predominant Org Other Common C | organi High High anism organi High High High High High | ns: isms ns: isms | Mo Mo | oder | ate ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other Diptera Other Di | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra Inisoptera Neuroptera ychidae |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Margin: Predominant Org Other Common C Density: | Organi High High anism Organi High High High High Jegani High High | ns: isms ns: isms | Mo Mo | oder oder oder | ate ate ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other Diptera Other Di Chironor | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera ychidae pteran midae |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Margin: Predominant Org Other Common C Density: Diversity: | organi High High anism organi High High High High High | ns: isms ns: isms | Mo Mo | oder | ate ate ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other Diptera Other Di Chironon Gastropoda, E | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera ychidae pteran midae |
| Predominant Org Other Common C Density: Diversity: Run: Predominant Org Other Common C Density: Diversity: Pool: Predominant Org Other Common C Density: Diversity: Margin: Predominant Org Other Common C Density: Diversity: | Organi High High anism Organi High High High High Jegani High High | ns: isms ns: isms | Mo Mo | oder oder oder | ate ate ate ate ate | Low Low Low | Community Service S | V= Very Abu Overall Amo | Porifera, Cnic Turbellaria, C Isopoda, Amp Decapoda, Hy Ephemeropter Baetidae Other Zygoptera, An Plecoptera Hemiptera Megaloptera, Trichoptera Hydrops Other Coleoptera Elimidae Other Diptera Other Di Chironor | daria, Bryozoa Oligochaeta, Hirudinea Ohipoda Odracarina ra nisoptera Neuroptera ychidae pteran midae |

Appendix C

| Parameter | Test | Minimum Detection Limit | Practical Quantitation Limit |
|------------------|----------------------------------|-------------------------|------------------------------|
| Alkalinity | EPA 310.2 | 2.3 mg/L | 10 mg/L |
| COD | EPA 410.4 | 5 mg/L | 10 mg/L |
| Hex Chrome | SM 3500 Cr D. 1 | 1 μg/L | 5 μg/L |
| Mercury | EPA 245.1 | 0.016 μg/L | 0.050 μg/L |
| NH3 | EPA 350.1 | 0.002 mg/L | 0.010 mg/L |
| NO2 + NO3 | EPA 353.2 | 0.002 mg/L | 0.010 mg/L |
| NO2 | Method 4500-N0 ₂ B. 1 | 0.002 mg/L | 0.010 mg/L |
| NO3 | EPA 353.2 | 0.002 mg/L | 0.010 mg/L |
| Soluble-P | EPA 365.1 | 0.001 mg/L | 0.010 mg/L |
| Total-P | EPA 365.1 | 0.001 mg/L | 0.010 mg/L |
| Chlorophyll a | EPA 445.0 | To be determined | 2.0 µg/L |
| Chloride by IC | EPA 300.0 | 0.031 mg/L | 5.000 mg/L |
| Sulfate by IC | EPA 300.0 | 0.061 mg/L | 5.000 mg/L |
| BOD | EPA 405.1 (5 Day) | 2 mg/L | |
| Ag | EPA 200.7 | 2.8 μg/L | 10.00 μg/L |
| Al | EPA 200.7 | 26.3 μg/L | 100.0 μg/L |
| As | EPA 200.7 | 13.9 μg/L | 100.0 μg/L |
| Ва | EPA 200.7 | 0.70 μg/L | 10.00 μg/L |
| Ве | EPA 200.7 | 0.20 μg/L | 1.00 µg/L |
| Ca | EPA 200.7 | 25.5 μg/L | 275 μg/L |
| Hardness (calc.) | SM 2340 B | CaCO3 mg/L =(2.497* | Ca mg/L)+(4.118*Mg mg/L) |
| Cd | EPA 200.7 | 4.6 μg/L | 10.00 μg/L |
| Со | EPA 200.7 | 2.0 μg/L | 10.00 μg/L |
| Cr | EPA 200.7 | 4.6 μg/L | 10.00 μg/L |
| Cu | EPA 200.7 | 1.9 μg/L | 10.00 μg/L |
| Fe | EPA 200.7 | 3.3 µg/L | 10.00 μg/L |
| K | EPA 200.7 | 590.0 μg/L | 2000.0 μg/L |
| Mg | EPA 200.7 | 29.9 μg/L | 100.0 μg/L |
| Mn | EPA 200.7 | 1.2 μg/L | 10.00 μg/L |
| Мо | EPA 200.7 | 3.8 μg/L | 10.00 μg/L |
| Na | EPA 200.7 | 59.5 μg/L | 500.0 μg/L |
| Ni | EPA 200.7 | 6.2 μg/L | 20.00 µg/L |
| Pb | EPA 200.7 | 13.4 μg/L | 50.00 μg/L |
| Sb | EPA 200.7 | 17.0 μg/L | 100.0 µg/L |
| Se | EPA 200.7 | 36.0 μg/L | 75.00 µg/L |
| Sn | EPA 200.7 | 13.4 μg/L | 50.00 μg/L |
| Total Metals | EPA 200.7 | - | μg/L)+(Ni μg/L)+(Zn μg/L) |
| Ti | EPA 200.7 | 1.6 μg/L | 10.00 μg/L |
| TI | EPA 200.7 | 47.0 μg/L | 100.0 μg/L |
| | EPA 200.7 | 4.5 μg/L | 10.00 μg/L |
| Zn | EPA 200.7 | 1.3 μg/L | 10.00 μg/L |
| TS | SM 2540 B | 0.5 mg/L | 1.0 mg/L |
| TSS | SM 2540 D | 0.5 mg/L | 1.0 mg/L |
| TDS | SM 2540 C | 0.5 mg/L | 1.0 mg/L |
| Turbidity | EPA 180.1 | 0.5 Mg/L 0.1 NTU | 0.2 NTU |
| E. coli | EPA 9213D | 1 colony | 0.2 N10 |
| | | , | Papartad in |
| Field Parameter | Test | (value i | Reported in) |
| pH | SM 4500H-B | | S.U. |
| Conductivity | SM 2510A | · | us/cm |
| Dissolved Oxygen | SM 4500-0 G | | mg/L |
| Temperature | SM 2550B | | °C |

_

¹ Standard Methods for the Examination of Water and Wastewater, 19th Edition

Appendix D

NEORSD Surface Water Condition Sampling Field Data Form

| Stream: | | | | | | |
|--|-----------------------|---|---|---|---|----------|
| Date: | | Cı | uyahoga River I | Daily Mean Discharg | ge*: | ft³/ |
| | | n during or follow how much rain oc | | | YES / NO | |
| Water Qual | lity Meters | s Used: | | | | |
| Time: | | | | | | |
| Flow: | Low | Norma | ıl | High (| Other: | _ |
| HD Status: | | OK B | uried | Out of Water | H-D was Reset | |
| | Unknov | wn (river to high) | Missing | Not Installed | Flow: | |
| Clarity: | Clear | Murky | Turbid | Other | : | |
| Color: | None | Green | Brown | Other | : | |
| Field Paran | neters: | Dissolved Oxyg | gen (mg/L): | T | emperature (°C): | |
| | | | | | | |
| General Co | mments: | | | | pH (s.u.): | |
| General Co | mments: | | | *** | pH (s.u.): | |
| General Co | mments: | | | Field Blar | | ate Site |
| | Domments: | | Site Location (I | Field Blar | ık Site / Sample Duplic | ate Site |
| Time: | Low | Norma | Site Location (I | Field Blar | ık Site / Sample Duplic | ate Site |
| Time: | Low | Norma OK Bi | Site Location (I Il uried | Field Blar RM): High (| ok Site / Sample Duplic Other: H-D was Reset | ate Site |
| Time: | Low | Norma OK Bi | Site Location (I Il uried | Field Blar RM): High C Out of Water | Other: H-D was Reset Flow: | ate Site |
| Time: | Low | Norma OK Bu | Site Location (I al uried Missing | Field Blar RM): High Out of Water Not Installed | Other: H-D was Reset Flow: | ate Site |
| Time: Flow: HD Status: Clarity: | Low Unknow Clear None | Norma OK Bi wn (river to high) Murky | Site Location (I al uried Missing Turbid Brown | Field Blan RM): High O Out of Water Not Installed Other | Other: H-D was Reset Flow: | ate Site |
| Time: Flow: HD Status: Clarity: Color: | Low Unknow Clear None | Norma OK Bi wn (river to high) Murky Green Dissolved Oxyg | Site Location (I uried Missing Turbid Brown gen (mg/L): | Field Blan RM): High O Out of Water Not Installed Other | Other: H-D was Reset Flow: : : : : : : : : : : : : : : : : : : | ate Site |
| Time: Flow: HD Status: Clarity: Color: | Low Unknow Clear None | Norma OK Bi wn (river to high) Murky Green Dissolved Oxyg | Site Location (I uried Missing Turbid Brown gen (mg/L): | Field Blar RM): High | Other: H-D was Reset Flow: : : : : : : : : : : : : : : : : : : | ate Site |

NEORSD Surface Water Condition Sampling Field Data Form

| | | | | | | Stream: |
|-----------|--|---|--|---|-----------------------|--|
| ft³/ | Cuyahoga River Daily Mean Discharge*: | | | | Date: | |
| | YES / NO | r event? | 10 | n during or following a how much rain occurre | | |
| | | | | s Used: | ity Meters | Water Qual |
| | | | | Site I | | Time: |
| | er: | High Oth |] | Normal | Low | Flow: |
| | H-D was Reset | Out of Water | (| OK Buried | | HD Status: |
| | Flow: | Not Installed | Missing | wn (river to high) | Unknov | |
| | | Other: | Turbid | Murky | Clear | Clarity: |
| | | Other: | Brown | Green | None | Color: |
| | | | 70 | Dissolved Overson (n | neters: | Field Paran |
| | perature (°C): | Tem | ng/L): | Dissolved Oxygen (I | ictors. | I lold I didil |
| | | | | | icters. | riora raran |
| | pH (s.u.): | m): | ce (µmhos/c | Specific Conductano | | General Co |
| | pH (s.u.): | m):Field Blank | ce (μmhos/c | Specific Conductano | | |
| cate Site | pH (s.u.): | m):Field Blank | ce (μmhos/cr | Specific Conductano | | |
| cate Site | pH (s.u.): | m):Field Blank | ce (μmhos/cr | Specific Conductano | | General Co |
| cate Site | pH (s.u.): | m):Field Blank M): | ce (μmhos/cr Location (R) | Specific Conductano | mments: | General Co |
| cate Site | pH (s.u.):Site / Sample Duplica | Field Blank M): High Oth | Location (R) | Specific Conductand Site I Normal | mments: | General Con |
| cate Site | pH (s.u.):Site / Sample Duplica | Field Blank M): High Oth | Location (R) | Specific Conductance Site I Normal OK Buried | mments: | General Con |
| cate Site | pH (s.u.): Site / Sample Duplication eer: H-D was Reset Flow: | Field Blank M): High Oth Out of Water Not Installed | Location (RI Missing | Specific Conductance Site I Normal OK Buried wn (river to high) | Low Unknow | General Con Time: Flow: HD Status: |
| cate Site | pH (s.u.): Site / Sample Duplicate: H-D was Reset Flow: | Field Blank M): High Oth Out of Water Not Installed Other: Other: | Location (RI Missing Turbid Brown | Specific Conductance Site I Normal OK Buried wn (river to high) Murky | Low Unknow Clear None | General Con Time: Flow: HD Status: Clarity: |
| cate Site | pH (s.u.): Site / Sample Duplication eer: H-D was Reset Flow: aperature (°C): | Field Blank M): High Oth Out of Water Not Installed Other: Other: | Location (R) Missing Turbid Brown ng/L): | Specific Conductance Site I Normal OK Buried wn (river to high) Murky Green Dissolved Oxygen (no | Low Unknow Clear None | General Control Time: Flow: HD Status: Clarity: Color: |

Appendix E

YSI 556 Meter Specifications

14.1 Sensor Specifications

| Dissolved O | xygen | | | |
|--------------|-------------|---|--|--|
| Sensor Type | | Steady state polarographic | | |
| Range: | % air sat'n | ■ 0 to 500% air saturation | | |
| _ | mg/L | ■ 0 to 50 mg/L | | |
| Accuracy: | % air sat'n | ■ 0 to 200% air saturation: | | |
| | | $\pm 2\%$ of the reading or 2% air saturation; | | |
| | | whichever is greater | | |
| | | ■ 200 to 500% air saturation: | | |
| | | $\pm 6\%$ of the reading | | |
| | mg/L | • 0 to 20 mg/L: | | |
| | | $\pm 2\%$ of the reading or 0.2 mg/L; whichever is | | |
| | | greater | | |
| | | • 20 to 50 mg/L: | | |
| | | ±6% of the reading | | |
| Resolution: | | • 0.1% air saturation | | |
| | mg/L | ■ 0.01 mg/L | | |
| Temperatu | re | | | |
| Sensor Type: | • | YSI Precision™ thermistor | | |
| Range: | | -5 to 45°C | | |
| Accuracy: | | ±0.15°C | | |
| Resolution: | | 0.01°C | | |
| Conductivi | ity | | | |
| Sensor Type: | • | 4-electrode cell with auto-ranging | | |
| Range: | | 0 to 200 mS/cm | | |
| Accuracy: | | $\pm 0.5\%$ of reading or ± 0.001 mS/cm; whichever is | | |
| | | greater-4 meter cable | | |
| | | $\pm 1.0\%$ of reading or ± 0.001 mS/cm; whichever is | | |
| | | greater–20 meter cable | | |
| Resolution: | | 0.001 mS/cm to 0.1 mS/cm (range-dependent) | | |
| Salinity | | | | |
| Sensor Type: | • | Calculated from conductivity and temperature | | |
| Range: | | 0 to 70 ppt | | |
| Accuracy: | | ±1.0% of reading or 0.1 ppt; whichever is greater | | |
| Resolution: | | 0.01 ppt | | |



03/30/00 MDV 17:44:12 © 21.35°C 1746 PSKIS 88.4 DDZ 01/11/00 05:08:08

The YSI 650 Multiparameter Display System

Pure Data for a Healthy Planet ®

A powerful logging display for your data collection processes

YSI 650 Multiparameter Display System

Rugged and Reliable Display and Data Logging System

Easily log real-time data, calibrate YSI 6-Series sondes, set up sondes for deployment, and upload data to a PC with the feature-packed YSI 650MDS (Multiparameter Display System). Designed for reliable field use, this versatile display and data logger features a waterproof IP-67, impact-resistant case.

- Compatible with EcoWatch® for Windows® data analysis software
- User-upgradable software from YSI's website
- Menu-driven, easy-to-use interface
- Multiple language capabilities
- Graphing feature
- Three-year warranty

Feature-Packed Performance

Battery Life

With the standard alkaline battery configuration of 4 C-cells, the YSI 650 will power itself and a YSI 6600 sonde continuously for approximately 30 hours. Or, choose the rechargeable battery pack option with quick-charge feature.

Optional Barometer

Temperature-compensated barometer readings are displayed and can be used in dissolved oxygen calibration. Measurements can be logged to memory for tracking changes in barometric pressure.

Optional GPS Interface

Designed to NMEA protocol, the YSI 650 MDS will display and log real-time GPS readings with a user supplied GPS interfaced with YSI 6-Series sondes.

Memory Options

Standard memory with 150 data sets, or a high-memory option (1.5 MB) with more than 50,000 data sets; both options with time and date stamp.

The 650MDS can be used with YSI sondes for spot sampling as well as short-term data logging.

Supply a GPS with NMEA 0183 protocol, connect with the YSI 6115 kit, and collect GPS data along with water quality data.

Upload data from the 650 to EcoWatch® for instant data viewing.





To order, or for more information, contact YSI +1 937 767 7241 800 897 4151 (US) www.ysi.com

YSI Environmental +1 937 767 7241 Fax +1 937 767 9353 environmental@ysi.com

YSI Integrated Systems & Services +15087480366 Fax +15087482543 systems@ysi.com

SonTek/YSI +1 858 546 8327 Fax +1 858 546 8150 inquiry@sontek.com

YSI Gulf Coast +1 225 753 2650 Fax +1 225 753 8669 environmental@ysi.com

YSI Hydrodata (UK) +44 1462 673 581 Fax +44 1462 673 582 europe@ysi.com

YSI Middle East (Bahrain) +973 1753 6222 Fax +973 1753 6333 halsalem@ysi.com

YSI (Hong Kong) Limited +852 2891 8154 Fax +852 2834 0034 hongkong@ysi.com

YSI (China) Limited +86 10 5203 9675 Fax +86 10 5203 9679 beijing@ysi-china.com

YSI Nanotech (Japan) +81 44 222 0009 Fax +81 44 221 1102 nanotech@ysi.com



Yellow Springs, Ohio Facility

EcoWatch, Pure Data for a Healthy Planet and Who's Minding the Planet? are registered trademarks of YSI Incorporated. Windows is a registered trademark of the Microsoft Corporation.

©2007 YSI Incorporated Printed in USA 0707 E11-03



YSI incorporated
Who's Minding
the Planet?

YSI 650MDS Specifications

| Temperature Operating Storage | -10 to +60°C for visible display -20 to +70°C | | |
|---|--|--|--|
| Waterproof Rating | IP-67 for both the standard alkaline battery configuration and for the rechargeable battery pack option | | |
| Connector | MS-8; meets IP-67 specification | | |
| Dimensions Width Length Weight with batteries | 4.7 in, 11.9 cm 9 in, 22.9 cm 2.1 lbs, 0.91 kg | | |
| Display | VGA; LCD with 320 by 240 pixels with backlight | | |
| Power Standard Optional | 4 alkaline C-cells with detachable battery cover Ni metal hydride battery pack with attached battery cover and 110/220 volt charging system | | |
| Communications | RS-232 to all sondes, for data transfer to PC, and for software updates | | |
| Optional GPS | NMEA 0183; requires user-supplied GPS and YSI 6115 Y-cable | | |
| Backlight | 4 LEDs illuminating LCD; user-selectable | | |
| Keypad | 20 keys, including instrument on/off, backlight on/off, enter, esc, 10 number/letter entry keys, 2 vertical arrow keys, 2 horizontal arrow keys, period key, and minus key | | |
| Warranty | 3 years | | |

| Ordering Information | | | | |
|---|---|--|--|--|
| 650-01 | Instrument, standard memory | | | |
| 650-02 | Instrument, high memory | | | |
| 650-03 | Instrument, standard memory, barometer | | | |
| 650-04 | Instrument, high memory, barometer | | | |
| 6113 | Rechargeable battery pack kit with 110 volt charger and adapter cable | | | |
| 616 | Charger, cigarette lighter | | | |
| 4654 | Tripod | | | |
| 614 | Ultra clamp, C-clamp mount Carrying case, hard-sided Hands-free harness | | | |
| 5081 | | | | |
| 5085 | | | | |
| 5065 Form-fitted carrying case 6115 Y-cable for interface with user-supplied GPS system | | | | |



The 650MDS can interface with any YSI sonde for

- spot sampling
- short-term studies
- surface and ground water monitoring
- water level monitoring

Packaged together, the 600QS system includes a 600R conductivity sonde, 650MDS, field cable, and additional sensor options such as pH, dissolved oxygen, ORP, and vented level.





The YSI 600XL and 600XLM

Accessed to the construction of the construction

YSI 600XL and 600XLM Sondes

Measure multiple parameters simultaneously

The YSI 600XL and YSI 600XLM compact sondes measure eleven parameters simultaneously:

Temperature TDS
Conductivity pH
Specific Conductance ORP

Salinity Depth or Level

Resistivity Rapid Pulse™ DO (% and mg/L)

Connect with Data Collection Platforms

Either sonde can easily connect to the YSI 6200 DAS (Data Acquisition System), YSI EcoNet[™] or your own data collection platform, via SDI-12 for remote and real-time data acquisition applications.

Economical Logging System

The YSI 600XLM is an economical logging system for long-term, *in situ* monitoring and profiling. It will log all parameters at programmable intervals and store 150,000 readings. At one-hour intervals, the instrument will log data for about 75 days utilizing its own power source. The 600XL can also be utilized in the same manner with user-supplied external power.

- Either sonde fits down 2-inch wells
- Horizontal measurements in very shallow waters
- Stirring-independent Rapid Pulse® dissolved oxygen sensor
- Field-replaceable sensors
- Easily connects to data collection platforms
- Available with detachable cables to measure depth up to 200 feet
- Compatible with YSI 650 Multiparameter Display System
- Use with the YSI 5083 flow cell for groundwater applications



Economical, multiparameter sampling or logging in a compact sonde

Sensor performance verified*

The 6820 **VZ** and 6920 **VZ** sondes use sensor technology that was verified through the US EPA's Environmental Technology Verification Program (ETV). For information on which sensors were performance-verified, turn this sheet over and look for the ETV logo.



To order, or for more info, contact YSI Environmental.

+1 937 767 7241 800 897 4151 (US) www.ysi.com

YSI Environmental +1 937 767 7241 Fax +1 937 767 9353 environmental@ysi.com

Endeco/YSI +1 508 748 0366 Fax +1 508 748 2543 systems@ysi.com

SonTek/YSI +1 858 546 8327 Fax +1 858 546 8150 inquiry@sontek.com

YSI Gulf Coast +1 225 753 2650 Fax +1 225 753 8669 environmental@ysi.com

YSI Hydrodata (UK) +44 1462 673 581 Fax +44 1462 673 582 europe@ysi.com

YSI Middle East (Bahrain) +973 1753 6222 Fax +973 1753 6333 halsalem@ysi.com

YSI (Hong Kong) Limited +852 2891 8154 Fax +852 2834 0034 hongkong@ysi.com

YSI (China) Limited +86 10 5203 9675 Fax +86 10 5203 9679 beijing@ysi-china.com

YSI Nanotech (Japan) +81 44 222 0009 Fax +81 44 221 1102 nanotech@ysi.com



ROX and Rapid Pulse are trademarks and EcoWatch, Pure Data for a Healthy Planet and Who's Minding the Planet? are registered trademarks of YSI Incorporated.

©2007 YSI Incorporated
Printed in USA 0107 E55-01



"Sensors with listed with the ETV logo were submitted to the ETV program on the VSI 6600EDS. Information on the performance characteristics of YSI water quality sensors can be found at www. peagowiety, or all YSI at 800.8974.151 for the ETV verification report. Use of the ETV name or logo does not imply approval or certification of this product nor does it make any explicit or implied warranties or guarantees as to product performance.

Y S I incorporated
Who's Minding
the Planet?

YSI 600XL & 600XLM Sensor Specifications

| | Range | Resolution | Accuracy |
|--|-------------------|---|---|
| Dissolved Oxygen % Saturation ET 6562 Rapid Pulse™ Sensor* | 0 to 500% | 0.1% | 0 to 200%: ±2% of reading or 2% air saturation, whichever is greater; 200 to 500%: ±6% of reading |
| Dissolved Oxygen mg/L ET1 6562 Rapid Pulse™ Sensor* | 0 to 50 mg/L | 0.01 mg/L | 0 to 20 mg/L: \pm 0.2 mg/L or 2% of reading, whichever is greater; 20 to 50 mg/L: \pm 6% of reading |
| Conductivity 6560 Sensor* ET | 0 to 100 mS/cm | 0.001 to 0.1 mS/cm (range dependent) | ±0.5% of reading + 0.001 mS/cm |
| Salinity | 0 to 70 ppt | 0.01 ppt | ±1% of reading or 0.1 ppt, whichever is greater |
| Temperature 6560 Sensor* ET | -5 to +50°C | 0.01°C | ±0.15°C |
| pH 6561 Sensor* ET | 0 to 14 units | 0.01 unit | ±0.2 unit |
| ORP | -999 to +999 mV | 0.1 mV | ±20 mV |
| Depth & Level Medium Shallo Vented Lev | 0 to 30 ft, 9.1 m | 0.001 ft, 0.001 m 0.001 ft, 0.001 m 0.001 ft, 0.001 m | ±0.4 ft, ±0.12 m ±0.06 ft, ±0.02 m ±0.01 ft, 0.003 m |

Report outputs of specific conductance (conductivity corrected to 25° C), resistivity, and total dissolved solids are
also provided. These values are automatically calculated from conductivity according to algorithms found in Standard
Methods for the Examination of Water and Wastewater (ed 1989).

| YSI 600XL & 600XLM Sonde Specifications | | | |
|---|-----------------------------------|--|--|
| Medium | Fresh, sea or polluted water | | |
| Temperature Operating Storage | -5 to +50°C -10 to +60°C | | |
| Communications | RS-232, SDI-12 | | |
| Software | EcoWatch* | | |
| Dimensions 600XL 600XLM Length Weigh | 16 in, 40.6 cm 21.3 in, 54.1 cm | | |
| Power External Internal (600XLM only | | | |

YSI model 5083 flow cell and 600XL. This is an ideal combination for groundwater applications.



HI 98129

Combo pH/EC/TDS/Temperature Tester with Low Range EC



Description

The HI 98129 Combo waterproof tester offer high accuracy pH, EC/TDS and temperature measurements in a single tester! No more switching between meters for your routine measurements. The waterproof Combo (it even floats) has a large easy-to-read, dual-level LCD and automatic shut-off. pH and EC/TDS readings are automatically compensated for the effects of temperature (ATC). This technologically advanced tester has a replaceable pH electrode cartridge with an extendable cloth junction as well as an EC/TDS graphite electrode that resists contamination by salts and other substances. This gives these meters a greatly extended life. Your tester no longer needs to be thrown away when the pH sensor is exhausted.

The EC/TDS conversion factor is user selectable as is the temperature compensation coefficient (ß). Fast, efficient, accurate and portable, the Combo pH, EC/TDS and temperature tester brings you all the features you've asked for and more!

Specifications

| Range | рН | 0.00 to 14.00 pH |
|-----------------------|-------------|--|
| Range | EC | 0 to 3999 μS/cm |
| Range | TDS | 0 to 2000 ppm |
| Range | Temperature | 0.0 to 60.0°C / 32 to 140.0°F |
| Resolution | рН | 0.01 pH |
| Resolution | EC | 1 μS/cm |
| Resolution | TDS | 1 ppm |
| Resolution | Temperature | 0.1°C / 0.1°F |
| Accuracy | рН | ±0.05 pH |
| Accuracy | EC/TDS | ±2% F.S. |
| Accuracy | Temperature | ±0.5°C / ±1°F |
| Temperature | | pH: automatic; EC/TDS: automatic with ß adjustable |
| Compensation | | from 0.0 to 2.4% / °C |
| Calibration | рН | automatic, 1 or 2 points with 2 sets of memorized |
| | | buffers |
| | | (pH 4.01 / 7.01 / 10.01 or 4.01 / 6.86 / 9.18) |
| Calibration | EC/TDS | automatic, 1 point |
| TDS Conversion Factor | or | adjustable from 0.45 to 1.00 |
| pH Electrode | | HI 73127 (replaceable; included) |
| Environment | | 0 to 50°C (32 to 122°F); RH max 100% |
| Battery Type / Life | | 4 x 1.5V / approx. 100 hours of continuous use; |
| | | auto-off after 8 minutes of non-use |
| Dimensions | | 163 x 40 x 26 mm (6.4 x 1.6 x 1.0") |
| Weight | | 100 g (3.5 oz.) |
| | | |

Appendix F

Aquatic Macroinvertebrate Standard Operating Procedures

Sample Processing

Hester-Dendy samplers (HD) for each site are rinsed and cleaned in a #30 sieve stacked upon a #40 sieve. The resulting #30 and #40 samples are labeled, pre-picked for rare and/or large taxa under 3X magnification and then, if needed, subsampled, using a Folsom sample splitter to achieve more manageable numbers of organisms (minimums of 100 midge larvae, 75 mayflies and 75 caddisflies for #30 sample and minimum of 100 organisms in #40 sample). The resulting macroinvertebrates are then sorted into major orders, using a dissecting scope with at least 10X magnification. The sorted macroinvertebrates are put into labeled vials and preserved in 70% ethanol.

Qualitative samples (QUAL) are not subsampled but are rinsed in a #40 sieve to remove the formalin solution. The sample is then placed in a labeled vial and preserved in 70% ethanol.

Macroinvertebrate Identification

Macroinvertebrates from #30 HD samples and QUAL samples are identified to the lowest practical taxonomic level using OEPA approved references. Exceptions include damaged and immature specimens, which are extrapolated into the counts of the larger, identified specimens. Macroinvertebrates, except for midge larvae, from #40 HD samples are identified, counted and extrapolated into the taxa identified in the corresponding #30 HD sample. Midge larvae from #40 HD samples are also counted and extrapolated into the corresponding #30 HD sample, except for six easily recognizable midge taxa (*Corynoneura spp., Thienemanniella spp., Nilotanypus fimbriatus, Labrundinia spp., Stemepellina spp.* and *Stempellinella spp.*) If found, these are removed, identified and counted separately from the #40 HD sample and included in the #30 HD sample.

Midge larvae are mounted directly onto labeled slides using CMC-10, which is a clearing agent and a mounting medium. Voucher slides will be ringed with clear nail polish to prevent air fingers from forming.

A voucher collection, consisting of at least two organisms in good condition for each taxon found, will be prepared and will represent all three projects. In the case that only one organism of a certain taxon is found, that organism will be the voucher.

For each site, identifications will be recorded on bench sheets provided by the OEPA. These sheets include identifications, raw counts, extrapolated counts and identification numbers.

Metric Calculations

Invertebrate Community Index (ICI) calculations will be figured by hand for each site containing both a HD sample and a QUAL sample. For samples consisting of only a QUAL sample, a Qualitative Community Tolerance Value (QCTV) score will be calculated by hand and will be based on the most recent Ohio EPA Macroinvertebrate Taxa List, which contains tolerance values.

Supporting Documents References

- Davis, W.S. and T.P. Simon (editors). 1995. Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making. Lewis Publishers, (Chapter 15 by J.E. DeShon), 217-243.
- Ohio EPA. 1989. Biological Criteria for the Protection of Aquatic Life: Volume III: Standardized Biological Field Sampling and Laboratory Methods for Assessing Fish and Macroinvertebrate Communites, updated 1989, 2006 and 2008.
- Ohio EPA. 1987. Biological Criteria for the Protection of Aquatic Life: Volume II: Users Manual for Biological Field Assessment of Ohio Surface Waters, updated 1988, 2006 and 2008.

Taxonomic References

- Allen, R.K. and G.F. Edmunds. 1962. A revision of the genus Ephemerella (Ephemeroptera: Ephemerellidae). IV. The subgenus Danella. Journal of the Kansas Entomological Society 35:333-338.
- Allen, R.K. and G.F. Edmunds. 1963b. A revision of the genus Ephemerella (Ephemeroptera: Ephemerellidae). VI. The subgenus Serratella in North America. Annals of the Entomological Society of America 56:583-600.
- Bednarik, A.F. and W.P. McCafferty. 1979. Biosystematic revision of the genus Stenonema (Ephemeroptera: Heptageniidae). Canadian Bulletins of Fisheries and Aquatic Sciences 201:1-73.
- Bode, R.W. 1983. Larvae of North American Eukiefferiella and Tvetenia (Diptera: Chironomidae). New York State Museum Bulletin No. 452:1-40.
- Brown, P. 1972. Aquatic dryopoid beetles (Coleoptera) of the United States. Biota of Freshwater Ecosystems Identification Manual No. 6. U.S. Environmental Protection Agency, Washington, D.C.
- Burch, J.B. 1982. Freshwater snails (Mollusca: Gastropoda) of North America. EPA-600/3-82-026. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio.
- Epler, J.H. 2001. Identification manual for the larval Chironomidae (Diptera) of North and South Carolina. A guide to the taxonomy of the midges of the southeastern

- United States, including Florida. Special Publication SJ2001-SP13. North Carolina Department of Environmental and Natural Resources, Raleigh, NC, and St. John's River Water Management District, Palatka, FL. 526 pp.
- Floyd, M.A. 1995. Larvae of the caddisfly genus Oecetis (Trichoptera: Leptoceridae) in North America. Bulletin of the Ohio Biological Survey Vol. 10, No. 3. 85 pp.
- Glover, J.B. 1996. Larvae of the caddisfly genera Triaenodes and Ylodes (Trichoptera: Leptoceridae) in North America. Bulletin of the Ohio Biological Survey Vol. 11, No. 2. 89 pp.
- Glover, J.B. and M.A. Floyd. 2004. Larvae of the genus Nectopsyche (Trichoptera: Leptoceridae) in eastern North America, including a new species from North Carolina. Journal of the North American Benthological Society 23(3):526-541.
- Grodhaus, G. 1987. Endochironmus Kieffer, Tribelos Townes, Synendotendipes new genus, and Endotribelos new genus (Diptera: Chironomidae) of the Nearctic region. Journal of the Kansas Entomological Society 60(2):167-247.
- Hestenes, T.C. and O.A. Saether. 2000. Three new Nearctic Thienemanniella Kieffer species with a review of the Nearctic species. Late 20th Century Research on Chironomidae. An Anthology from the 13th International Symposium on Chironomidae: pp. 103-127. Shaker Verlag, Aachen.
- Hilsenhoff, W.L. 1995. Aquatic insects of Wisconsin. Keys to Wisconsin genera and notes on biology, habitat, distribution and species. Publication Number 3 of the Natural History Museums Council. University of Wisconsin Madison.
- Hitchcock, S.W. 1974. Guide to the insects of Connecticut. Part VII. The Plecoptera or stoneflies of Connecticut. State Geological and Natural History Survey of Connecticut Bulletin Number 107:1-262.
- Holsinger, J.R. 1972. The freshwater amphipod crustaceans (Gammaridae) of North America. Biota of Freshwater Ecosystems Identification Manual No. 5. U.S. Environmental Protection Agency, Washington, D.C.
- Jackson, G.A. 1977. Nearctic and Palearctic Paracladopelma Harnisch and Saetheria n.gen. (Diptera: Chironomidae). Journal of the Fisheries Research Board of Canada 34:1321-1359.
- Jezerinac, R.F. 1978. Key to the first form male Procambarus and Orconectes (Decapoda: Cambaridae) of Ohio. Unpublished.
- Jezerinac, R.F. 1993. A new subgenus and species of crayfish (Decapoda:Cambaridae) of the genus Cambarus, with an amended description of the subgenus

- Lacunicambarus. Proceedings of the Biological Society of Washington 106(3):532-544.
- Jezerinac, R.F. and R.F. Thoma. 1984. An illustrated key to the Ohio Cambarus and Fallicambarus (Decapoda: Cambaridae) with comments and a new subspecies record. Ohio Journal of Science 84(3):120-125.
- Johannsen, O.A. 1935. Aquatic diptera. Part II. Orthorrhapha Brachycera and Cyclorrhapha. Cornell University Agricultural Experiment Station Memoir 177:1-62.
- Klemm, D.J. 1982. Leeches (Annelida: Hirudinea) of North America. EPA-600/3-82-025. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio.
- Lugo-Ortiz, C.R. and W.P. McCafferty. 1998. A new North American genus of Baetidae (Ephemeroptera) and key to Baetis complex genera. Entomological News 109(5): 345-353.
- Maschwitz, D.E. and E.F. Cook. 2000. Revision of the Nearctic species of the genus Polypedilum Kieffer (Diptera: Chironomidae) in the subgenera P. (Polypedilum) Kieffer and P. (Uresipedilum) Oyewo and Saether. Bulletin of the Ohio Biological Survey. New Series 12(3): 1-135.
- McCafferty, W.P. 1975. The burrowing mayflies (Ephemeroptera: Ephmeroidea) of the United States. Transactions of the American Entomological Society 101:447-504.
- McCafferty, W.P. and R.D. Waltz. 1995. Labiobaetis (Ephemeroptera: Baetidae): new status, new North American species, and related new genus. Ent. News 106(1): 19-28.
- McCafferty, W.P. and R.D. Waltz. 1990. Revisionary synopsis of the Baetidae (Ephemeroptera) of North and Middle America. Transactions of the American Entomological Society 116(4):769-799.
- Merritt, R.W., K.W. Cummins, and M.B. Berg (editors). 2008. An introduction to the aquatic insects of North America. Fourth Edition. Kendall/Hunt Publishing Company, Dubuque, Iowa 1158 pp.
- Morihara, D.K. and W.P. McCafferty. 1979. The Baetis larvae of North America (Ephemeroptera: Baetidae). Transactions of the American Entomological Society 105:139-221.
- Needham, J.G., M.J. Westfall, Jr., and M.L. May. 2000. Dragonflies of North America. Revised edition. Scientific Publishers, Gainesville, Florida 939 pp.

- Neunzig, H.H. 1966. Larvae of the genus Nigronia Banks (Neuroptera: Corydalidae). Proceedings of the Entomological Society of Washington 68(1):11-16.
- Ohio EPA. 2007a. Larval key for the "two tailed" Baetidae of Ohio. Ohio EPA, Division of Surface Water, Ecological Assessment Section, Columbus, Ohio 3 pp.
- Ohio EPA. 2007b. Ohio EPA supplemental keys to the larval Chironomidae (Diptera) of Ohio. Ohio EPA, Division of Surface Water, Ecological Assessment Section, Columbus, Ohio 59 pp plus 8 pp. of figures.
- Oliver, D.R. and M.E. Roussel. 1983. The insects and arachnids of Canada. Part II. The genera of larval midges of Canada (Diptera: Chironomidae). Agriculture Canada Publication 1746:1-263.
- Parker, C.R. and G.B. Wiggins. 1987. Revision of the caddisfly genus Psilotreta (Trichoptera:Odontoceridae). Royal Ontario Museum. Life Sciences Contributions No. 144 55 pp.
- Pennak, R.W. 1989. Fresh-water invertebrates of the United States. Third Edition. John Wiley & Sons, New York, New York.
- Pescador, M.L.and L. Berner. 1981. The mayfly family Baetiscidae (Ephemeroptera). Part II. Biosystematics of the genus Baetisca. Transactions of the American Entomological Society 107:163-228.
- Prather, A.L. and J.C. Morse. 2001. Eastern Nearctic Rhyacophila species, with revision of the Rhyacophila invaria group (Trichoptera: Rhyacophilidae). Transactions of the American Entomological Society 127(1):85-166.
- Resh, V.H. 1976. The biology and immature stages of the caddisfly genus Ceraclea in eastern North America (Trichoptera: Leptoceridae). Annals of the Entomological Society of America 69(6):1039-1061.
- Roback, S.S. 1977. The immature chironomids of the eastern United States II.

 Tanypodinae Tanypodini. Proceedings of The Academy of Natural Sciences of Philadelphia 128:55-87.
- Roback, S.S. 1985. The immature chironomids of the eastern United States VI. Penaneurini genus Ablabesmyia. Proceedings of The Academy of Natural Sciences of Philadelphia 137(2):153-212.
- Roback, S.S. 1987. The immature chironomids of the eastern United States IX. Pentaneurini genus Labrundinia, with the description of some Neotropical material.

- Proceedings of The Academy of Natural Sciences of Philadelphia 139:159-209.
- Ross, H. 1944. The caddisflies or Trichoptera of Illinois. Bulletin of the Illinois Natural History Survey Division 23(1):1-326.
- Saether, O.A. 1985. A review of the genus Rheocricotopus Thienemann & Harnisch, 1932, with the description of three new species (Diptera: Chironomidae). Spixiana Supplement 11:59- 108.
- Schefter, P.W. and G.B. Wiggins. 1986. A systematic study of the Nearctic larvae of the Hydropsyche morosa Group (Trichoptera: Hydropsychidae). Royal Ontario Museum. Life Sciences Miscellaneous Publications, Toronto, Ontario 94 pp.
- Schuster, G.A. and D.A. Etnier. 1978. A manual for the identification of the larvae of the caddisfly gerera Hydropsyche Pictet and Symphitopsyche Ulmer in eastern and central North America (Trichoptera: Hydropsychidae). EPA-600/4-78-060. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio.
- Smith, D.G. 2001. Pennak's freshwater invertebrates of the United States. Fourth Edition. Porifera to Crustacea. John Wiley & Sons, Inc., New York, New York. 638 pp.
- Stewart, K.W. and B.P. Stark. 2002. Nymphs of North American stonefly genera (Plecoptera). Second Edition. The Caddis Press, Columbus, Ohio. 510 pp.
- Sun, L and W.P. McCafferty. 2008. Cadistics, classification and identification of the brachycercine mayflies (Insecta: Ephemeroptera: Caenidae). Zootaxa 1801:1-239.
- Thorp, J.H. and A.P. Covich (editors). 2001. Ecology and classification of North American freshwater invertebrates. 2nd edition. Academic Press, San Diego, California. 1056 pp.
- Waters, G.T. 1995. A guide to the freshwater mussels of Ohio. Third Edition. The Ohio Department of Natural Resources, Division of Wildlife, Columbus, Ohio.
- Wiederholm, T. (editor). 1983. Chironomidae of the Holarctic region. Keys and diagnoses. Part 1. Larvae. Entomologica Scandinavica Supplement No. 19:1-457.
- Wiggins, G.B. 1996. Larvae of the North American caddisfly genera (Trichoptera). Second Edition. University of Toronto Press, Toronto, Canada.
- Yamamoto, T. and G.B. Wiggins. 1964. A comparative study of the North American species in the caddisfly genus Mystacides (Trichoptera: Leptoceridae). Canadian Journal of Zoology 42: 1105-1126.

Appendix G



OHIO E.P.A.

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

P.O. Box 1049

LITTURES DIRECTOR'S Columbus, OH 43216-1049

Effective Date: August 22, 2008 Expiration Date: August 21, 2010

John W. Rhoades Northeast Ohio Regional Sewer District 22370 Blossom Drive Rocky River, Ohio 44116

CERTIFIED MAIL I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear John:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

ODC Specialty:

Chemical Water Quality Assessment

QDC number:

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

OHIO E.P.A.

STREET ADDRESS:

AUG 22 2000

MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

P.O. Box 1049 - 112162 D.M. 5 J. Columbus, OH 43216-1049

Effective Date: August 22, 2008 Expiration Date: August 21, 2010

John W. Rhoades Northeast Ohio Regional Sewer District 22370 Blossom Drive Rocky River, Ohio 44116 CERTIFIED MAIL
I certify this to be a true and accurate copy of the
official documents as filed in the records of the Ohio
Environmental Protection Agency.

3/ 1 Bhapo Date: 8/22/08

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear John:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Fish Community Biology/QHEI

QDC number:

008

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

ONIO E.P.A.

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE (514) 644-3020 FAX: (614) 544-3184 www.eps.state.oh.us P.O. Box 1049 Columbus, OH_43216-1049

. MAILING ADDRESS:

Effective Date: November 4, 2008 Expiration Date: November 3, 2010 I certify this to be a true and accurate correction MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

John Rhoades Northeast Ohio Regional Sewer District 22370 Blossom Drive Rocky River, Ohio 44116

Re: Qualified Data Collector Approval, Surface Water Volunteer Monitoring Program

Dear John:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

ODC Level:

3

QDC Specialty:

Benthic Macroinvertebrate Biology (Collection and Data Evaluation)

QDC number:

008

Please use this QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date. You may now submit study plans to the Volunteer Monitoring Program.

A renewal application must be submitted in accordance with OAC 3745-4-03(C). As provided in this rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski Director

OHIO E.P.A.

STREET ADDRESS:

Lazarus Government Center

50 W. Town St., Suite 700 Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049

ATTERED DIRECTOR'S Columbus, OH 43216-1049

Effective Date: August 15, 2008 Expiration Date: August 14, 2010

Catherine M. Zamborsky Northeast Ohio Regional Sewer District 1749 Royalwood Road Broadview Heights, Ohio 44147

I certify this to be a true and accurate cop CERTIFIED MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Catherine:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

ODC Specialty:

Chemical Water Quality Assessment

QDC number:

009

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski



State of Ohio Environmental Protection Agency

OHIO E.P.A.

MAILING ADDRESS:

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE (614) 644-3020 FAX (614) 644-3184 www.epa.state.oh.us AUG 15 2003

P.O. Box 1049 Columbus, OH 43216-1049

LITTERED DIRECTOR'S JOURNAL

Effective Date: August 15, 2008 Expiration Date: August 14, 2010

Catherine M. Zamborsky Northeast Ohio Regional Sewer District 1749 Royalwood Road Broadview Heights, Ohio 44147 I certify this to be a true and accurate The AIL official documents as filed in the records of the Ohio Environmental Protection Agency.

over lassyer Date: 8-15-08

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Catherine:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Stream Habitat Assessment (QHEI)

QDC number:

009

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

OIIIO E.P.A.

STREET ADDRESS

AUG 15 200 MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (514) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us P.O. Box 1049

62

Effective Date: August 15, 2008 Expiration Date: August 14, 2010 I certify this to be a true and accurate of RTIFIED MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

Seth Hothem Northeast Ohio Regional Sewer District 7815 Dartworth Drive Parma, Ohio 44129

By Date: O 13

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Seth:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Chemical Water Quality Assessment

ODC number:

010

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

STREET ADDRESS:

TELE: (614) 544-3020 FAX: (614) 544-3184 www.epa.state.oh.us AUG 15 2080. Box 1049
-MIEREU DIRECTOR'S JOURNAL

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215

Effective Date: August 15, 2008 Expiration Date: August 14, 2010

Seth Hothem Northeast Ohio Regional Sewer District 7815 Dartworth Drive Parma, Ohio 44129 I certify this to be a true and accurate c**CERTIFIED MAIL** official documents as filed in the records of the Ohio Environmental Protection Agency.

Date: 8-15-08

O .

Dear Seth:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

QDC Level:

3

QDC Specialty:

Fish Community Biology & Stream Habitat Assessment

QDC number:

010

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski



State of Ohio Environmental Protection Agen@ill 0 E.P.A.

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE (614) 644-3020 FAX: (614) 644-3184 www.eps.state.oh.us AUG 15 2000

P.O. Box 1049 Columbus, OH 43216-1049

CHIERED DIRECTOR'S JOURNAL

Effective Date: August 15, 2008 Expiration Date: August 14, 2010 I certify this to be a true and accurate congriftFIED MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

Kathryn Crestani Northeast Ohio Regional Sewer District 4075 West 215 Street Fairview Park, Ohio 44126

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Kathryn:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

ODC Level:

3

QDC Specialty:

Chemical Water Quality Assessment

ODC number:

011

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski Director



OHIO E.P.A.

STREET ADDRESS:

AUG 15 2009

MAILING ADDRESS:

67

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE (614) 644-3020 FAX: (614) 644-3184 HTERED DIRECTION'S JColumbus, OH 43216-1049

Effective Date: August 15, 2008 Expiration Date: August 14, 2010 I certify this to be a true and accurate copy of the IFIED MAIL official documents as filed in the records of the Onio Environmental Protection Agency.

Kathryn Crestani Northeast Ohio Regional Sewer District 4075 West 215 Street Fairview Park, Ohio 44126

Day Cossiter Date: 8-15-08

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Kathryn:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

ODC Level:

3

ODC Specialty:

Stream Habitat Assessment (QHEI)

QDC number:

011

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski Director



State of Ohio Environmental Protection Agency

OHIO E.P.A.

MAILING ADDRESS:

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (514) 644-3020 FAX: (514) 544-3184 www.epa.state.oh.us AUG 15 2008 P.O. Box 1049 Columbus, OH 43216-1049

LATERLU DINESTON'S JOURNAL

Effective Date: August 15, 2008 Expiration Date: August 14, 2010

Tom Zablotny Northeast Ohio Regional Sewer District 1660 Melody Lane Medina, Ohio 44356 I certify this to be a true and accurate **CERTIFIED MAIL** official documents as filed in the records of the Ohio Environmental Protection Agency.

By: 200 | 055 Clar Date: 8-(5-0)

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Tom:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

ODC Specialty:

Chemical Water Quality Assessment

ODC number:

018

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

ONIO E.P.A.

STREET ADDRESS:

Lazarus Government Center

50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049

TENLO DIRECTOR S JOHNSON 43216-1049

Effective Date: August 15, 2008 Expiration Date: August 14, 2010 I certify this to be a true and accurate ceremonal MAIL official documents as filed in the records of the Onio Environmental Protection Agency.

Tom Zablotny Northeast Ohio Regional Sewer District 1660 Melody Lane Medina, Ohio 44356

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Tom:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Fish Community Biology

ODC number:

018

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski



STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.eps.state.ch.us P.O. Box 1049 Columbus, OH 43216-1049

I certify this to be a true and accurate copy of the

Effective Date: March 3, 2009 official documents as filed in the records of the Ohio

Expiration Date: March 2, 201 Environmental Protection Agency.

Ronald Maichle

Northeast Ohio Regional Sewer District

25970 Elmer Avenue

Olmsted Falls, Ohio 44138

Date 3.3.09

OHIO E.P.A.

NWR -3 ZOD

CERTIFIED MAIL

Re: Qualified Data Collector Approval, Surface Water Volunteer Monitoring Program

Dear Ronald:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

ODC Specialty:

Benthic Macroinvertebrate Biology

ODC number:

145

Please use this QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date. You may now submit study plans to the Volunteer Monitoring Program.

A renewal application must be submitted in accordance with OAC 3745-4-03(C). As provided in this rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.



OHIO E.P.A.

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.eps.ohio.gov JAN 28 ZULOO, Box 1049 ENTERED DIRECTOR'S JOURNAL

Effective Date: January 28, 2010 Expiration Date: January 27, 2012

Ronald Maichle NEORSD 25970 Elmer Avenue Olmsted Falls, Ohio 44138 certify this to be a trocertified MAIC the official documents as filed in the records of the Onio Environmental Protection Agency.

Re: Qualified Data Collector Approval, Surface Water Volunteer Monitoring Program

Dear Ronald:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Chemical Water Quality Assessment

QDC number:

145

Please use this QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date. You may now submit study plans to the Volunteer Monitoring Program.

A renewal application must be submitted in accordance with OAC 3745-4-03(C). As provided in this rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

OHIO E.P.A.

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us P.O. Box 1049

MANUAL MAILING ADDRESS:

Effective Date: November 4, 2008 Expiration Date: November 3, 2010 I certify this to be a true and accurate copy of the official documents as filed in the recent that I Environmental Protection Agency.

Ronald Maichle Northeast Ohio Regional Sewer District 25970 Elmer Avenue Olmsted Falls, Ohio 44138

By Dong Cossiter Date: 11-4-08

Re: Qualified Data Collector Approval, Surface Water Volunteer Monitoring Program

Dear Ronald:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

3

QDC Specialty:

Stream Habitat Assessment (QHEI)

QDC number:

145

Please use this QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date. You may now submit study plans to the Volunteer Monitoring Program.

A renewal application must be submitted in accordance with OAC 3745-4-03(C). As provided in this rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

OHIO E.P.A.

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

P.O. Box 1049 Columbus, OH 43216-1049

Effective Date: November 4, 2008 Expiration Date: November 3, 2010 I certify this to be a true and accurate copyrighted MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

Francisco Rivera Northeast Ohio Regional Sewer District 951 Center Road Eastlake, Ohio 44095

Re: Qualified Data Collector Approval, Surface Water Volunteer Monitoring Program

Dear Francisco:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

ODC Level:

3

QDC Specialty:

Chemical Water Quality Assessment

ODC number:

262

Please use this QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date. You may now submit study plans to the Volunteer Monitoring Program.

A renewal application must be submitted in accordance with OAC 3745-4-03(C). As provided in this rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski

STREET ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

OHIO E.P. MAILING ADDRESS

15 2000 P.O. Box 1049 olumbันร์ OH 43216-1049

ENTERED DIMEDICA S JOURNAL

Effective Date: August 15, 2008

Expiration Date: August 14, 2010

Tiffany Lynn Moore Northeast Ohio Regional Sewer District

8927 Weaver Road

Ravenna, Ohio 44266-8057

I certify this to be a true and accurate copy of RIFIFIED MAIL official documents as filed in the records of the Ohio Environmental Protection Agency.

Re: Qualified Data Collector Renewal, Surface Water Volunteer Monitoring Program

Dear Tiffany Lynn:

The Division of Surface Water Volunteer Monitoring (Credible Data) Program has reviewed your Qualified Data Collector (QDC) renewal application. Pursuant to Ohio Revised Code (ORC) 6111.53 and Ohio Administrative Code (OAC) 3745-4-03, you are approved as a QDC for the following level and specialty:

QDC Level:

QDC Specialty:

Benthic Macroinvertebrate Biology

QDC number:

Please continue to use your QDC number on all correspondence, study plans, etc. submitted to Ohio EPA.

As noted at the top of this letter, this status is effective as of the date of this letter and expires two years from that date.

At that time, another renewal application must be submitted in accordance with OAC 3745-4-03(C). As rule, renewal of status is contingent upon active participation in the Volunteer Monitoring Program at the designated level and specialty. Lack of such participation will prevent you from renewing your status, but you may re-apply for initial QDC status.

As a reminder, your status is contingent upon the absence of any trespassing violation (within the previous five years) by you or any person sampling under your supervision. Always obtain land owner permission prior to sampling.

Additionally, collection (and retention) of aquatic biological samples (this includes fish, macroinvertebrates, mollusks, and shells) requires a collector's permit from the Ohio Department of Natural Resources/Division of Wildlife. Obtain this permit prior to collection of any biological samples.

Sincerely,

Chris Korleski Director

This Polel



February 25, 2010

John Rhoades, Supervisor of Environmental Assessment Northeast Ohio Regional Sewer District Environmental and Maintenance Services Center 4747 East 49th Street Cuyahoga Heights, Ohio 44125

Subject: Acknowledgement Letter

Dear Mr. Rhoades,

AMT accepts the responsibility of aquatic macroinvertebrate identification for the following NEORSD projects:

2010 Big Creek Environmental Monitoring

2010 West Creek Environmental Monitoring

2010 Cuyahoga River Environmental Monitoring

2010 Mill Creek Environmental Monitoring

2010 Doan Brook Environmental Monitoring

2010 Dugway Brook Environmental Monitoring

2010 Shaw Brook Environmental Monitoring

2010 Nine Mile Creek Environmental Monitoring

2010 Green Creek Environmental Monitoring

2010 Euclid Creek Environmental Monitoring

AMT acknowledges that the following work products will be completed for each project:

- Processing of Hester-Dendy samplers (HD) and Qualitative collections (QUAL), and the sorting, identification and taxoncount of the aquatic macroinvertebrates from the samplers and collections.
- Preparation of a voucher collection, which will consist of at least two organisms in good condition for each taxon found. In the case that only one organism of a certain taxon is found, that organism will be the voucher.
- Calculation of the Invertebrate Community Index (ICI) for locations with both a HD and a QUAL. A Qualitative Community Tolerance Value (QCTV) score will be

calculated for locations with only a QUAL. Included with each location ICI or QCTV score will be copies of the respective bench sheet and taxon list. Data and supporting text for each NEORSD project will be grouped together and will be provided to the NEORSD in both hard copy and electronic formats by the following dates:

- November 19, 2010: Big Creek (RM 0.15), Doan Brook (RM 0.75), Euclid Creek (RM 0.55) and Mill Creek (RM 0.12)
- January 21, 2011: up to a total of 41 HD/47 QUAL, along with all specimens, including voucher collection, and sample

Attached are the Standard Operating Procedures for the aquatic macroinvertebrate processing, identification and calculations, the trespassing statement per Ohio EPA Credible Data Rules and Level 3 Benthic Macroinvertebrate Biology Qualified Data Collector documentation.

Sincerely,

Tiffany Moore

Tillany I. More

Ohio Environmental Protection Agency Level 3 Benthic Macroinvertebrate Biology Qualified Data Collector (Collection, Identification and Evaluation) QDC #017



February 25, 2010

John Rhoades, Supervisor of Environmental Assessment Northeast Ohio Regional Sewer District Environmental and Maintenance Services Center 4747 East 49th Street Cuyahoga Heights, Ohio 44125

Subject: Acknowledgement Letter

Dear Mr. Rhoades,

AMT accepts the responsibility of aquatic macroinvertebrate identification for the following NEORSD projects:

2010 Big Creek Environmental Monitoring

2010 West Creek Environmental Monitoring

2010 Cuyahoga River Environmental Monitoring

2010 Mill Creek Environmental Monitoring

2010 Doan Brook Environmental Monitoring

2010 Dugway Brook Environmental Monitoring

2010 Shaw Brook Environmental Monitoring

2010 Nine Mile Creek Environmental Monitoring

2010 Green Creek Environmental Monitoring

2010 Euclid Creek Environmental Monitoring

AMT acknowledges that the following work products will be completed for each project:

- Processing of Hester-Dendy samplers (HD) and Qualitative collections (QUAL), and the sorting, identification and taxoncount of the aquatic macroinvertebrates from the samplers and collections.
- Preparation of a voucher collection, which will consist of at least two organisms in good condition for each taxon found. In the case that only one organism of a certain taxon is found, that organism will be the voucher.
- Calculation of the Invertebrate Community Index (ICI) for locations with both a HD and a QUAL. A Qualitative Community Tolerance Value (QCTV) score will be

calculated for locations with only a QUAL. Included with each location ICI or QCTV score will be copies of the respective bench sheet and taxon list. Data and supporting text for each NEORSD project will be grouped together and will be provided to the NEORSD in both hard copy and electronic formats by the following dates:

- November 19, 2010: Big Creek (RM 0.15), Doan Brook (RM 0.75), Euclid Creek (RM 0.55) and Mill Creek (RM 0.12)
- January 21, 2011: up to a total of 41 HD/47 QUAL, along with all specimens, including voucher collection, and sample

Attached are the Standard Operating Procedures for the aquatic macroinvertebrate processing, identification and calculations, the trespassing statement per Ohio EPA Credible Data Rules and Level 3 Benthic Macroinvertebrate Biology Qualified Data Collector documentation.

Sincerely,

Tiffany Moore

Tillany L. Moore

Ohio Environmental Protection Agency Level 3 Benthic Macroinvertebrate Biology Qualified Data Collector (Collection, Identification and Evaluation) QDC #017

Appendix H

To be submitted electronically when issued to NEORSD by ODNR.

Appendix I

References

- EPA New England- Region 1. (2005). Standard operating procedure for calibration and field measurement procedures for the YSI Model 6-Series Sondes and Data Logger (Including: temperature, pH, specific conductance, turbidity, dissolved oxygen, chlorophyll, rhodamine WT, ORP, and barometric pressure)(7th Revision). North Chelmsford, MA: The Office of Environmental Measurement and Evaluation, Ecosystem Assessment- Ecology Monitoring Team.
- Ohio Environmental Protection Agency. (1987a). Biological criteria for the protection of aquatic life: Volume II. Users manual for biological field assessment of Ohio surface waters (Updated January 1988; September 1989; November 2006; August 2008). Columbus, OH: Division of Water Quality Monitoring and Assessment.
- Ohio Environmental Protection Agency. (1987b). Biological criteria for the protection of aquatic life: Volume III. Standardized biological field sampling and laboratory methods for assessing fish and macroinvertebrate communities (Updated September 1989; March 2001; November 2006; and August 2008). Columbus, OH: Division of Water Quality Monitoring and Assessment.
- Ohio Environmental Protection Agency (OEPA). (1997). Ohio Environmental Protection Agency Authorization to Discharge under the National Pollutant Discharge Elimination System. Permit No. 3PA00002*FD, Part II Section F, for the Northeast Ohio Regional Sewer District, Cleveland, Ohio.
- Ohio Environmental Protection Agency. (2003). *Total maximum daily loads for the lower Cuyahoga River*. Columbus, OH: Division of Surface Water.
- Ohio Environmental Protection Agency. (2005). *Total maximum daily loads for the Euclid Creek Watershed*. Columbus, OH: Division of Surface Water.
- Ohio Environmental Protection Agency. (2006). *Methods for assessing habitat in flowing waters: using the Qualitative Habitat Evaluation Index (QHEI)*. (Ohio EPA Technical Bulletin EAS/2006-06-1). Columbus, OH: Division of Surface Water; Division of Ecological Assessment Section.
- Ohio Environmental Protection Agency. (2008). State of Ohio Draft Water Quality Standards *Ohio Administrative Code* Chapter 3745-1. Columbus, OH: Division of Surface Water, Standards and Technical Support Section.

- Ohio Environmental Protection Agency. (2009a). *Ohio EPA manual of surveillance methods and quality assurance practices*. Columbus, OH: Divisions of Surface Water and Environmental Services.
- Ohio Environmental Protection Agency. (2009b). State of Ohio Water Quality Standards *Ohio Administrative Code* Chapter 3745-1 (Revision: Adopted July 9, 2009; Effective October 9, 2009). Columbus, OH: Division of Surface Water, Standards and Technical Support Section.