

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:17	Ag	<	0.12	ug/L	EPA-200.7
7/6/2011 9:20	Ag	<	0.12	ug/L	EPA-200.7
7/13/2011 9:20	Ag	<	0.12	ug/L	EPA-200.7
7/20/2011 10:28	Ag	<	0.12	ug/L	EPA-200.7
7/27/2011 11:09	Ag	<	0.12	ug/L	EPA-200.7
6/28/2011 11:17	Al		36.81	ug/L	EPA-200.7
7/6/2011 9:20	Al		31.38	ug/L	EPA-200.7
7/13/2011 9:20	Al		28.79	ug/L	EPA-200.7
7/20/2011 10:28	Al		50.015	ug/L	EPA-200.7
7/27/2011 11:09	Al		45.21	ug/L	EPA-200.7
6/28/2011 11:17	Alkalinity		122.5	mg/LCaCO3	EPA-310.2
7/6/2011 9:20	Alkalinity		114.9	mg/LCaCO3	EPA-310.2
7/13/2011 9:20	Alkalinity		115.4	mg/LCaCO3	EPA-310.2
7/20/2011 10:28	Alkalinity		93.6	mg/LCaCO3	EPA-310.2
7/27/2011 11:09	Alkalinity		111.2	mg/LCaCO3	EPA-310.2
6/28/2011 11:17	As	j	1.23	ug/L	EPA-200.7
7/6/2011 9:20	As	j	0.88	ug/L	EPA-200.7
7/13/2011 9:20	As	j	1.24	ug/L	EPA-200.7
7/20/2011 10:28	As	j	1.16	ug/L	EPA-200.7
7/27/2011 11:09	As	j	1	ug/L	EPA-200.7
6/28/2011 11:17	Ba		27.1	ug/L	EPA-200.7
7/6/2011 9:20	Ba		26.4	ug/L	EPA-200.7
7/13/2011 9:20	Ba		35.8	ug/L	EPA-200.7
7/20/2011 10:28	Ba		20.35	ug/L	EPA-200.7
7/27/2011 11:09	Ba		27.3	ug/L	EPA-200.7
6/28/2011 11:17	Be	<	0.12	ug/L	EPA-200.7
7/6/2011 9:20	Be	<	0.12	ug/L	EPA-200.7
7/13/2011 9:20	Be	<	0.12	ug/L	EPA-200.7
7/20/2011 10:28	Be	<	0.12	ug/L	EPA-200.7
7/27/2011 11:09	Be	<	0.12	ug/L	EPA-200.7
6/28/2011 11:17	BOD	<	2	mg/L	SM 5210
7/6/2011 9:20	BOD	<	2	mg/L	SM 5210
7/13/2011 9:20	BOD		5	mg/L	SM 5210
7/20/2011 10:28	BOD	<	2	mg/L	SM 5210
7/27/2011 11:09	BOD	<	2	mg/L	SM 5210
6/28/2011 11:17	Ca		63250	ug/L	EPA-200.7
7/6/2011 9:20	Ca		60510	ug/L	EPA-200.7
7/13/2011 9:20	Ca		73710	ug/L	EPA-200.7
7/20/2011 10:28	Ca		43180	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 11:09	Ca		58850	ug/L	EPA-200.7
6/28/2011 11:17	CaCO3		221	mg/LCaCO3	EPA-200.7
7/6/2011 9:20	CaCO3		212	mg/LCaCO3	EPA-200.7
7/13/2011 9:20	CaCO3		255	mg/LCaCO3	EPA-200.7
7/20/2011 10:28	CaCO3		151	mg/LCaCO3	EPA-200.7
7/27/2011 11:09	CaCO3		202	mg/LCaCO3	EPA-200.7
6/28/2011 11:17	Cd	<	0.02	ug/L	EPA-200.7
7/6/2011 9:20	Cd	<	0.02	ug/L	EPA-200.7
7/13/2011 9:20	Cd	j	0.68	ug/L	EPA-200.7
7/20/2011 10:28	Cd	j	0.065	ug/L	EPA-200.7
7/27/2011 11:09	Cd	j	0.03	ug/L	EPA-200.7
6/28/2011 11:17	Chloride		183.2	mg/L	EPA 300.0
7/6/2011 9:20	Chloride		179.3	mg/L	EPA 300.0
7/13/2011 9:20	Chloride		278.2	mg/L	EPA 300.0
7/20/2011 10:28	Chloride		126	mg/L	SM 4500-Cl C
7/27/2011 11:09	Chloride		166	mg/L	SM 4500-Cl C
6/28/2011 11:17	Co	j	0.41	ug/L	EPA-200.7
7/6/2011 9:20	Co	j	0.35	ug/L	EPA-200.7
7/13/2011 9:20	Co	j	0.42	ug/L	EPA-200.7
7/20/2011 10:28	Co	j	0.275	ug/L	EPA-200.7
7/27/2011 11:09	Co	j	0.19	ug/L	EPA-200.7
6/28/2011 11:17	COD	j	10	mg/L	EPA 410.4
7/6/2011 9:20	COD	<	3	mg/L	EPA 410.4
7/13/2011 9:20	COD		10	mg/L	EPA 410.4
7/20/2011 10:28	COD		11.5	mg/L	EPA 410.4
7/27/2011 11:09	COD	j	4	mg/L	EPA 410.4
7/13/2011 9:20	Cr	j	0.26	ug/L	EPA-200.7
7/27/2011 11:09	Cr	j	1.47	ug/L	EPA-200.7
7/13/2011 9:20	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/27/2011 11:09	Cr+6	j	1.942	ug/L	SM 3500-Cr-D
6/28/2011 11:17	Cu		3.79	ug/L	EPA-200.7
7/6/2011 9:20	Cu		3.4	ug/L	EPA-200.7
7/13/2011 9:20	Cu		3.78	ug/L	EPA-200.7
7/20/2011 10:28	Cu		3.935	ug/L	EPA-200.7
7/27/2011 11:09	Cu		3.11	ug/L	EPA-200.7
6/28/2011 11:17	E. coli		540	cfu/100mL	EPA 1603
7/6/2011 9:20	E. coli		290	cfu/100mL	EPA 1603

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 9:20	E. coli		300	cfu/100mL	EPA 1603
7/20/2011 10:28	E. coli		1240	cfu/100mL	EPA 1603
7/27/2011 11:09	E. coli		165	cfu/100mL	EPA 1603
6/28/2011 11:17	Fe		115.4	ug/L	EPA-200.7
7/6/2011 9:20	Fe		105	ug/L	EPA-200.7
7/13/2011 9:20	Fe		121.6	ug/L	EPA-200.7
7/20/2011 10:28	Fe		153.2	ug/L	EPA-200.7
7/27/2011 11:09	Fe		116.1	ug/L	EPA-200.7
6/28/2011 11:17	Field Cond		860	uS/cm	SM 2510A
7/6/2011 9:20	Field Cond		883	uS/cm	SM 2510A
7/13/2011 9:20	Field Cond		1128	uS/cm	SM 2510A
7/20/2011 10:28	Field Cond		660	uS/cm	SM 2510A
7/27/2011 11:09	Field Cond		818	uS/cm	SM 2510A
6/28/2011 11:17	Field DO		9.35	mg/L	SM 4500-0 G
7/6/2011 9:20	Field DO		8.33	mg/L	SM 4500-0 G
7/13/2011 9:20	Field DO		7.52	mg/L	SM 4500-0 G
7/20/2011 10:28	Field DO		8.2	mg/L	SM 4500-0 G
7/27/2011 11:09	Field DO		9.05	mg/L	SM 4500-0 G
6/28/2011 11:17	Field Temp		21.6	C	EPA 170.1
7/6/2011 9:20	Field Temp		21.4	C	EPA 170.1
7/13/2011 9:20	Field Temp		22.4	C	EPA 170.1
7/20/2011 10:28	Field Temp		23.8	C	EPA 170.1
7/27/2011 11:09	Field Temp		22.7	C	EPA 170.1
6/28/2011 11:17	Hg	<	0.005	ug/L	EPA 245.1
7/6/2011 9:20	Hg	<	0.005	ug/L	EPA 245.1
7/13/2011 9:20	Hg	j	0.02	ug/L	EPA 245.1
7/20/2011 10:28	Hg	<	0.005	ug/L	EPA 245.1
7/27/2011 11:09	Hg	<	0.005	ug/L	EPA 245.1
6/28/2011 11:17	K		5625	ug/L	EPA-200.7
7/6/2011 9:20	K		5754	ug/L	EPA-200.7
7/13/2011 9:20	K		5175	ug/L	EPA-200.7
7/20/2011 10:28	K		4011.5	ug/L	EPA-200.7
7/27/2011 11:09	K		4557	ug/L	EPA-200.7
6/28/2011 11:17	Mg		15400	ug/L	EPA-200.7
7/6/2011 9:20	Mg		14920	ug/L	EPA-200.7
7/13/2011 9:20	Mg		17140	ug/L	EPA-200.7
7/20/2011 10:28	Mg		10495	ug/L	EPA-200.7
7/27/2011 11:09	Mg		13380	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:17	Mn		22.05	ug/L	EPA-200.7
7/6/2011 9:20	Mn		19.83	ug/L	EPA-200.7
7/13/2011 9:20	Mn		21.63	ug/L	EPA-200.7
7/20/2011 10:28	Mn		16.94	ug/L	EPA-200.7
7/27/2011 11:09	Mn		22.66	ug/L	EPA-200.7
6/28/2011 11:17	Mo		5.43	ug/L	EPA-200.7
7/6/2011 9:20	Mo		4.99	ug/L	EPA-200.7
7/13/2011 9:20	Mo		5.2	ug/L	EPA-200.7
7/20/2011 10:28	Mo		5.135	ug/L	EPA-200.7
7/27/2011 11:09	Mo		5.68	ug/L	EPA-200.7
6/28/2011 11:17	Na		86370	ug/L	EPA-200.7
7/6/2011 9:20	Na		87290	ug/L	EPA-200.7
7/13/2011 9:20	Na		143200	ug/L	EPA-200.7
7/20/2011 10:28	Na		66060	ug/L	EPA-200.7
7/27/2011 11:09	Na		78900	ug/L	EPA-200.7
6/28/2011 11:17	NH3	j	0.002	mg/L	EPA-350.1
7/6/2011 9:20	NH3		0.026	mg/L	EPA-350.1
7/13/2011 9:20	NH3		0.018	mg/L	EPA-350.1
7/27/2011 11:09	NH3		0.07	mg/L	EPA-350.1
6/28/2011 11:17	Ni		2.49	ug/L	EPA-200.7
7/6/2011 9:20	Ni		2.15	ug/L	EPA-200.7
7/13/2011 9:20	Ni		2.42	ug/L	EPA-200.7
7/20/2011 10:28	Ni	j	1.785	ug/L	EPA-200.7
7/27/2011 11:09	Ni		3.6	ug/L	EPA-200.7
6/28/2011 11:17	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2011 9:20	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2011 9:20	NO2	j	0.003	mg/L	SM 4500-NO2-B
7/20/2011 10:28	NO2	j	0.0045	mg/L	SM 4500-NO2-B
7/27/2011 11:09	NO2	j	0.005	mg/L	SM 4500-NO2-B
6/28/2011 11:17	NO3		0.72	mg/L	EPA 353.2
7/6/2011 9:20	NO3		0.602	mg/L	EPA 353.2
7/13/2011 9:20	NO3		0.243	mg/L	EPA 353.2
7/20/2011 10:28	NO3		0.5815	mg/L	EPA 353.2
7/27/2011 11:09	NO3		0.244	mg/L	EPA 353.2
6/28/2011 11:17	NO3+NO2		0.72	mg/L	EPA 353.2
7/6/2011 9:20	NO3+NO2		0.602	mg/L	EPA 353.2
7/13/2011 9:20	NO3+NO2		0.246	mg/L	EPA 353.2
7/20/2011 10:28	NO3+NO2		0.586	mg/L	EPA 353.2
7/27/2011 11:09	NO3+NO2		0.249	mg/L	EPA 353.2

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:17	Pb	<	0.39	ug/L	EPA-200.7
7/6/2011 9:20	Pb	<	0.39	ug/L	EPA-200.7
7/13/2011 9:20	Pb	<	0.39	ug/L	EPA-200.7
7/20/2011 10:28	Pb	<	0.39	ug/L	EPA-200.7
7/27/2011 11:09	Pb	j	1.52	ug/L	EPA-200.7
6/28/2011 11:17	pH		8.11	S.U.	
7/6/2011 9:20	pH		7.99	S.U.	
7/13/2011 9:20	pH		7.97	S.U.	
7/20/2011 10:28	pH		8.02	S.U.	
7/27/2011 11:09	pH		8.19	S.U.	
6/28/2011 11:17	Sb	<	0.61	ug/L	EPA-200.7
7/6/2011 9:20	Sb	<	0.61	ug/L	EPA-200.7
7/13/2011 9:20	Sb	<	0.61	ug/L	EPA-200.7
7/20/2011 10:28	Sb	<	0.61	ug/L	EPA-200.7
7/27/2011 11:09	Sb	<	0.61	ug/L	EPA-200.7
6/28/2011 11:17	Se	j	0.89	ug/L	EPA-200.7
7/6/2011 9:20	Se	j	0.67	ug/L	EPA-200.7
7/13/2011 9:20	Se	j	0.67	ug/L	EPA-200.7
7/20/2011 10:28	Se	j	0.665	ug/L	EPA-200.7
7/27/2011 11:09	Se	j	1.28	ug/L	EPA-200.7
6/28/2011 11:17	Sn	<	18.4	ug/L	EPA-200.7
7/6/2011 9:20	Sn	<	18.4	ug/L	EPA-200.7
7/13/2011 9:20	Sn	<	18.4	ug/L	EPA-200.7
7/20/2011 10:28	Sn	<	18.4	ug/L	EPA-200.7
7/27/2011 11:09	Sn	<	18.4	ug/L	EPA-200.7
6/28/2011 11:17	SO4		67.03	mg/L	EPA 300.0
7/6/2011 9:20	SO4		66.92	mg/L	EPA 300.0
7/13/2011 9:20	SO4		72.78	mg/L	EPA 300.0
6/28/2011 11:17	Soluble-P		0.031	mg/L	EPA 365.1
7/6/2011 9:20	Soluble-P		0.029	mg/L	EPA 365.1
7/13/2011 9:20	Soluble-P		0.018	mg/L	EPA 365.1
7/20/2011 10:28	Soluble-P		0.0365	mg/L	EPA 365.1
7/27/2011 11:09	Soluble-P		0.022	mg/L	EPA 365.1
6/28/2011 11:17	TDS		545	mg/L	SM2540C
7/6/2011 9:20	TDS		550	mg/L	SM2540C
7/13/2011 9:20	TDS		646	mg/L	SM2540C
7/20/2011 10:28	TDS		389.5	mg/L	SM2540C
7/27/2011 11:09	TDS		486	mg/L	SM2540C

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:17	Ti	j	0.37	ug/L	EPA-200.7
7/6/2011 9:20	Ti	j	0.32	ug/L	EPA-200.7
7/13/2011 9:20	Ti	j	0.25	ug/L	EPA-200.7
7/20/2011 10:28	Ti	j	0.42	ug/L	EPA-200.7
7/27/2011 11:09	Ti		2.94	ug/L	EPA-200.7
6/28/2011 11:17	TI	<	1.11	ug/L	EPA-200.7
7/6/2011 9:20	TI	j	3.12	ug/L	EPA-200.7
7/13/2011 9:20	TI	<	1.11	ug/L	EPA-200.7
7/20/2011 10:28	TI	j	1.485	ug/L	EPA-200.7
7/27/2011 11:09	TI	<	1.11	ug/L	EPA-200.7
6/28/2011 11:17	TMET	<	10	ug/L	EPA-200.7
7/6/2011 9:20	TMET	<	10	ug/L	EPA-200.7
7/13/2011 9:20	TMET		21.9	ug/L	EPA-200.7
7/20/2011 10:28	TMET		10.25	ug/L	EPA-200.7
7/27/2011 11:09	TMET		13.2	ug/L	EPA-200.7
6/28/2011 11:17	Total-P		0.04	mg/L	EPA 365.1
7/6/2011 9:20	Total-P		0.036	mg/L	EPA 365.1
7/13/2011 9:20	Total-P		0.029	mg/L	EPA 365.1
7/20/2011 10:28	Total-P		0.0455	mg/L	EPA 365.1
7/27/2011 11:09	Total-P		0.044	mg/L	EPA 365.1
6/28/2011 11:17	TS		590	mg/L	SM2540B
7/6/2011 9:20	TS		588	mg/L	SM2540B
7/13/2011 9:20	TS		704	mg/L	SM2540B
7/20/2011 10:28	TS		433	mg/L	SM2540B
7/27/2011 11:09	TS		516	mg/L	SM2540B
6/28/2011 11:17	TSS		1.2	mg/L	SM2540D
7/6/2011 9:20	TSS		1	mg/L	SM2540D
7/13/2011 9:20	TSS		1	mg/L	SM2540D
7/20/2011 10:28	TSS		2.9	mg/L	SM2540D
7/27/2011 11:09	TSS		1.1	mg/L	SM2540D
6/28/2011 11:17	Turbidity		1.72	NTU	EPA 180.1
7/6/2011 9:20	Turbidity		1.42	NTU	EPA 180.1
7/13/2011 9:20	Turbidity		1.13	NTU	EPA 180.1
7/20/2011 10:28	Turbidity		3.265	NTU	EPA 180.1
7/27/2011 11:09	Turbidity		1.59	NTU	EPA 180.1
6/28/2011 11:17	V	j	0.2	ug/L	EPA-200.7
7/6/2011 9:20	V	j	0.22	ug/L	EPA-200.7
7/13/2011 9:20	V	<	0.15	ug/L	EPA-200.7

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 10:28	V	j	0.15	ug/L	EPA-200.7
7/27/2011 11:09	V		1.18	ug/L	EPA-200.7
6/28/2011 11:17	Zn	j	2.85	ug/L	EPA-200.7
7/6/2011 9:20	Zn	j	3.62	ug/L	EPA-200.7
7/13/2011 9:20	Zn		15.48	ug/L	EPA-200.7
7/20/2011 10:28	Zn	j	4.035	ug/L	EPA-200.7
7/27/2011 11:09	Zn	j	5.01	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 9:04	Ag	<	0.12	ug/L	EPA-200.7
7/6/2011 8:58	Ag	<	0.12	ug/L	EPA-200.7
7/13/2011 9:00	Ag	<	0.12	ug/L	EPA-200.7
7/20/2011 10:48	Ag	<	0.12	ug/L	EPA-200.7
7/27/2011 10:35	Ag	<	0.12	ug/L	EPA-200.7
8/3/2011 10:34	Ag	<	0.12	ug/L	EPA-200.7
6/28/2011 9:04	Al		46.8	ug/L	EPA-200.7
7/6/2011 8:58	Al		139.8	ug/L	EPA-200.7
7/13/2011 9:00	Al		24.56	ug/L	EPA-200.7
7/20/2011 10:48	Al		55.16	ug/L	EPA-200.7
7/27/2011 10:35	Al		41.22	ug/L	EPA-200.7
8/3/2011 10:34	Al		473.4	ug/L	EPA-200.7
6/28/2011 9:04	Alkalinity		124.1	mg/LCaCO3	EPA-310.2
7/6/2011 8:58	Alkalinity		121.4	mg/LCaCO3	EPA-310.2
7/13/2011 9:00	Alkalinity		116.3	mg/LCaCO3	EPA-310.2
7/20/2011 10:48	Alkalinity		94.6	mg/LCaCO3	EPA-310.2
7/27/2011 10:35	Alkalinity		112.5	mg/LCaCO3	EPA-310.2
8/3/2011 10:34	Alkalinity		66	mg/LCaCO3	EPA-310.2
6/28/2011 9:04	As	j	0.71	ug/L	EPA-200.7
7/6/2011 8:58	As	j	1.065	ug/L	EPA-200.7
7/13/2011 9:00	As	j	1.075	ug/L	EPA-200.7
7/20/2011 10:48	As	j	1.32	ug/L	EPA-200.7
7/27/2011 10:35	As	j	0.79	ug/L	EPA-200.7
8/3/2011 10:34	As	j	1.81	ug/L	EPA-200.7
6/28/2011 9:04	Ba		27.7	ug/L	EPA-200.7
7/6/2011 8:58	Ba		28.1	ug/L	EPA-200.7
7/13/2011 9:00	Ba		38.85	ug/L	EPA-200.7
7/20/2011 10:48	Ba		21.2	ug/L	EPA-200.7
7/27/2011 10:35	Ba		27.7	ug/L	EPA-200.7
8/3/2011 10:34	Ba		17.8	ug/L	EPA-200.7
6/28/2011 9:04	Be	<	0.12	ug/L	EPA-200.7
7/6/2011 8:58	Be	<	0.12	ug/L	EPA-200.7
7/13/2011 9:00	Be	<	0.12	ug/L	EPA-200.7
7/20/2011 10:48	Be	<	0.12	ug/L	EPA-200.7
7/27/2011 10:35	Be	<	0.12	ug/L	EPA-200.7
8/3/2011 10:34	Be	<	0.12	ug/L	EPA-200.7
6/28/2011 9:04	BOD	<	2	mg/L	SM 5210
7/6/2011 8:58	BOD	<	2	mg/L	SM 5210
7/13/2011 9:00	BOD		5.1	mg/L	SM 5210
7/20/2011 10:48	BOD	<	2	mg/L	SM 5210

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 10:35	BOD	<	2	mg/L	SM 5210
8/3/2011 10:34	BOD		2.3	mg/L	SM 5210
6/28/2011 9:04	Ca		63650	ug/L	EPA-200.7
7/6/2011 8:58	Ca		61340	ug/L	EPA-200.7
7/20/2011 10:48	Ca		43850	ug/L	EPA-200.7
7/27/2011 10:35	Ca		60020	ug/L	EPA-200.7
8/3/2011 10:34	Ca		32420	ug/L	EPA-200.7
6/28/2011 9:04	CaCO3		223	mg/LCaCO3	EPA-200.7
7/6/2011 8:58	CaCO3		216	mg/LCaCO3	EPA-200.7
7/13/2011 9:00	CaCO3		262	mg/LCaCO3	EPA-200.7
7/20/2011 10:48	CaCO3		154	mg/LCaCO3	EPA-200.7
7/27/2011 10:35	CaCO3		207	mg/LCaCO3	EPA-200.7
8/3/2011 10:34	CaCO3		109	mg/LCaCO3	EPA-200.7
6/28/2011 9:04	Cd	<	0.02	ug/L	EPA-200.7
7/6/2011 8:58	Cd	<	0.02	ug/L	EPA-200.7
7/13/2011 9:00	Cd	j	0.385	ug/L	EPA-200.7
7/20/2011 10:48	Cd	j	0.06	ug/L	EPA-200.7
7/27/2011 10:35	Cd	j	0.02	ug/L	EPA-200.7
8/3/2011 10:34	Cd	j	0.03	ug/L	EPA-200.7
6/28/2011 9:04	Chloride		178.2	mg/L	EPA 300.0
7/6/2011 8:58	Chloride		174.7	mg/L	EPA 300.0
7/13/2011 9:00	Chloride		287.6	mg/L	EPA 300.0
7/20/2011 10:48	Chloride		122	mg/L	SM 4500-Cl C
7/27/2011 10:35	Chloride		162	mg/L	SM 4500-Cl C
8/3/2011 10:34	Chloride		76	mg/L	SM 4500-Cl C
6/28/2011 9:04	Co	j	0.36	ug/L	EPA-200.7
7/6/2011 8:58	Co	j	0.505	ug/L	EPA-200.7
7/13/2011 9:00	Co	j	0.37	ug/L	EPA-200.7
7/20/2011 10:48	Co	j	0.24	ug/L	EPA-200.7
7/27/2011 10:35	Co	j	0.22	ug/L	EPA-200.7
8/3/2011 10:34	Co	j	0.79	ug/L	EPA-200.7
6/28/2011 9:04	COD		11	mg/L	EPA 410.4
7/6/2011 8:58	COD		11	mg/L	EPA 410.4
7/13/2011 9:00	COD	j	8.5	mg/L	EPA 410.4
7/20/2011 10:48	COD	j	8	mg/L	EPA 410.4
7/27/2011 10:35	COD	j	6	mg/L	EPA 410.4
8/3/2011 10:34	COD		16	mg/L	EPA 410.4
7/13/2011 9:00	Cr	<	0.25	ug/L	EPA-200.7
7/27/2011 10:35	Cr	j	0.87	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 9:00	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/27/2011 10:35	Cr+6	j	2.005	ug/L	SM 3500-Cr-D
6/28/2011 9:04	Cu		4.38	ug/L	EPA-200.7
7/6/2011 8:58	Cu		5.65	ug/L	EPA-200.7
7/13/2011 9:00	Cu		3.3	ug/L	EPA-200.7
7/20/2011 10:48	Cu		3.91	ug/L	EPA-200.7
7/27/2011 10:35	Cu		3.62	ug/L	EPA-200.7
8/3/2011 10:34	Cu		6.35	ug/L	EPA-200.7
6/28/2011 9:04	E. coli		660	cfu/100mL	EPA 1603
7/6/2011 8:58	E. coli		744	cfu/100mL	EPA 1603
7/13/2011 9:00	E. coli		630	cfu/100mL	EPA 1603
7/20/2011 10:48	E. coli		1580	cfu/100mL	EPA 1603
7/27/2011 10:35	E. coli		240	cfu/100mL	EPA 1603
8/3/2011 10:34	E. coli		3650	cfu/100mL	EPA 1603
6/28/2011 9:04	Fe		145.8	ug/L	EPA-200.7
7/6/2011 8:58	Fe		403.2	ug/L	EPA-200.7
7/13/2011 9:00	Fe		98.11	ug/L	EPA-200.7
7/20/2011 10:48	Fe		136.2	ug/L	EPA-200.7
7/27/2011 10:35	Fe		107.3	ug/L	EPA-200.7
8/3/2011 10:34	Fe		947.2	ug/L	EPA-200.7
6/28/2011 9:04	Field Cond		847	uS/cm	SM 2510A
7/6/2011 8:58	Field Cond		902	uS/cm	SM 2510A
7/13/2011 9:00	Field Cond		1166	uS/cm	SM 2510A
7/20/2011 10:48	Field Cond		678	uS/cm	SM 2510A
7/27/2011 10:35	Field Cond		828	uS/cm	SM 2510A
8/3/2011 10:34	Field Cond		459	uS/cm	SM 2510A
6/28/2011 9:04	Field DO		8.93	mg/L	SM 4500-O G
7/6/2011 8:58	Field DO		8.47	mg/L	SM 4500-O G
7/13/2011 9:00	Field DO		6.75	mg/L	SM 4500-O G
7/20/2011 10:48	Field DO		8.31	mg/L	SM 4500-O G
7/27/2011 10:35	Field DO		10.05	mg/L	SM 4500-O G
8/3/2011 10:34	Field DO		8.66	mg/L	SM 4500-O G
6/28/2011 9:04	Field Temp		21.1	C	EPA 170.1
7/6/2011 8:58	Field Temp		21.8	C	EPA 170.1
7/13/2011 9:00	Field Temp		22.8	C	EPA 170.1
7/20/2011 10:48	Field Temp		24.9	C	EPA 170.1
7/27/2011 10:35	Field Temp		23.1	C	EPA 170.1
8/3/2011 10:34	Field Temp		22.8	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 9:04	Hg	<	0.005	ug/L	EPA 245.1
7/6/2011 8:58	Hg	<	0.005	ug/L	EPA 245.1
7/13/2011 9:00	Hg	j	0.022	ug/L	EPA 245.1
7/20/2011 10:48	Hg	<	0.005	ug/L	EPA 245.1
7/27/2011 10:35	Hg	<	0.005	ug/L	EPA 245.1
8/3/2011 10:34	Hg	<	0.005	ug/L	EPA 245.1
6/28/2011 9:04	K		5618	ug/L	EPA-200.7
7/6/2011 8:58	K		5601	ug/L	EPA-200.7
7/13/2011 9:00	K		5425.5	ug/L	EPA-200.7
7/20/2011 10:48	K		4123	ug/L	EPA-200.7
7/27/2011 10:35	K		4481	ug/L	EPA-200.7
8/3/2011 10:34	K		3682	ug/L	EPA-200.7
6/28/2011 9:04	Mg		15580	ug/L	EPA-200.7
7/6/2011 8:58	Mg		15350	ug/L	EPA-200.7
7/13/2011 9:00	Mg		17150	ug/L	EPA-200.7
7/20/2011 10:48	Mg		10770	ug/L	EPA-200.7
7/27/2011 10:35	Mg		13820	ug/L	EPA-200.7
8/3/2011 10:34	Mg		6915	ug/L	EPA-200.7
6/28/2011 9:04	Mn		26.15	ug/L	EPA-200.7
7/6/2011 8:58	Mn		44.8	ug/L	EPA-200.7
7/13/2011 9:00	Mn		24.235	ug/L	EPA-200.7
7/20/2011 10:48	Mn		22.13	ug/L	EPA-200.7
7/27/2011 10:35	Mn		21.96	ug/L	EPA-200.7
8/3/2011 10:34	Mn		32.83	ug/L	EPA-200.7
6/28/2011 9:04	Mo		4.21	ug/L	EPA-200.7
7/6/2011 8:58	Mo		4.48	ug/L	EPA-200.7
7/13/2011 9:00	Mo		6.505	ug/L	EPA-200.7
7/20/2011 10:48	Mo		5.45	ug/L	EPA-200.7
7/27/2011 10:35	Mo		5.7	ug/L	EPA-200.7
8/3/2011 10:34	Mo		3.46	ug/L	EPA-200.7
6/28/2011 9:04	Na		85270	ug/L	EPA-200.7
7/6/2011 8:58	Na		84850	ug/L	EPA-200.7
7/13/2011 9:00	Na		146750	ug/L	EPA-200.7
7/20/2011 10:48	Na		68150	ug/L	EPA-200.7
7/27/2011 10:35	Na		79660	ug/L	EPA-200.7
8/3/2011 10:34	Na		49880	ug/L	EPA-200.7
6/28/2011 9:04	NH3	j	0.002	mg/L	EPA-350.1
7/6/2011 8:58	NH3		0.036	mg/L	EPA-350.1
7/13/2011 9:00	NH3		0.027	mg/L	EPA-350.1
7/20/2011 10:48	NH3		0.036	mg/L	EPA-350.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 10:35	NH3		0.146	mg/L	EPA-350.1
8/3/2011 10:34	NH3		0.065	mg/L	EPA-350.1
6/28/2011 9:04	Ni		2.56	ug/L	EPA-200.7
7/6/2011 8:58	Ni		2.49	ug/L	EPA-200.7
7/13/2011 9:00	Ni		2.21	ug/L	EPA-200.7
7/20/2011 10:48	Ni		2.48	ug/L	EPA-200.7
7/27/2011 10:35	Ni		3	ug/L	EPA-200.7
8/3/2011 10:34	Ni		2.66	ug/L	EPA-200.7
6/28/2011 9:04	NO2	j	0.002	mg/L	SM 4500-NO2-B
7/6/2011 8:58	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2011 9:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/20/2011 10:48	NO2	j	0.004	mg/L	SM 4500-NO2-B
7/27/2011 10:35	NO2	j	0.007	mg/L	SM 4500-NO2-B
8/3/2011 10:34	NO2		0.026	mg/L	SM 4500-NO2-B
6/28/2011 9:04	NO3+NO2		0.667	mg/L	EPA 353.2
7/6/2011 8:58	NO3+NO2		0.482	mg/L	EPA 353.2
7/13/2011 9:00	NO3+NO2		0.1505	mg/L	EPA 353.2
7/20/2011 10:48	NO3+NO2		0.537	mg/L	EPA 353.2
7/27/2011 10:35	NO3+NO2		0.219	mg/L	EPA 353.2
8/3/2011 10:34	NO3+NO2		0.876	mg/L	EPA 353.2
6/28/2011 9:04	Pb	<	0.39	ug/L	EPA-200.7
7/6/2011 8:58	Pb	<	0.39	ug/L	EPA-200.7
7/13/2011 9:00	Pb	<	0.39	ug/L	EPA-200.7
7/20/2011 10:48	Pb	<	0.39	ug/L	EPA-200.7
7/27/2011 10:35	Pb	j	0.97	ug/L	EPA-200.7
8/3/2011 10:34	Pb	j	1.86	ug/L	EPA-200.7
6/28/2011 9:04	pH		7.96	S.U.	
7/6/2011 8:58	pH		7.95	S.U.	
7/13/2011 9:00	pH		7.88	S.U.	
7/20/2011 10:48	pH		8.06	S.U.	
7/27/2011 10:35	pH		8.25	S.U.	
8/3/2011 10:34	pH		8	S.U.	
6/28/2011 9:04	Sb	<	0.61	ug/L	EPA-200.7
7/6/2011 8:58	Sb	<	0.61	ug/L	EPA-200.7
7/13/2011 9:00	Sb	<	0.64	ug/L	EPA-200.7
7/20/2011 10:48	Sb	<	0.61	ug/L	EPA-200.7
7/27/2011 10:35	Sb	j	0.64	ug/L	EPA-200.7
8/3/2011 10:34	Sb	j	1.11	ug/L	EPA-200.7
6/28/2011 9:04	Se	<	0.63	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2011 8:58	Se	<	0.63	ug/L	EPA-200.7
7/13/2011 9:00	Se	<	0.63	ug/L	EPA-200.7
7/20/2011 10:48	Se	j	0.91	ug/L	EPA-200.7
7/27/2011 10:35	Se	j	0.88	ug/L	EPA-200.7
8/3/2011 10:34	Se	j	1.18	ug/L	EPA-200.7
6/28/2011 9:04	Sn	<	18.4	ug/L	EPA-200.7
7/6/2011 8:58	Sn	<	18.4	ug/L	EPA-200.7
7/13/2011 9:00	Sn	<	18.4	ug/L	EPA-200.7
7/20/2011 10:48	Sn	<	18.4	ug/L	EPA-200.7
7/27/2011 10:35	Sn	<	18.4	ug/L	EPA-200.7
8/3/2011 10:34	Sn	<	18.4	ug/L	EPA-200.7
6/28/2011 9:04	SO4		68.76	mg/L	EPA 300.0
7/6/2011 8:58	SO4		69.86	mg/L	EPA 300.0
7/13/2011 9:00	SO4		76.48	mg/L	EPA 300.0
6/28/2011 9:04	Soluble-P		0.027	mg/L	EPA 365.1
7/6/2011 8:58	Soluble-P		0.021	mg/L	EPA 365.1
7/13/2011 9:00	Soluble-P		0.012	mg/L	EPA 365.1
7/20/2011 10:48	Soluble-P		0.031	mg/L	EPA 365.1
7/27/2011 10:35	Soluble-P		0.023	mg/L	EPA 365.1
8/3/2011 10:34	Soluble-P		0.056	mg/L	EPA 365.1
6/28/2011 9:04	TDS		532	mg/L	SM2540C
7/6/2011 8:58	TDS		566	mg/L	SM2540C
7/13/2011 9:00	TDS		653	mg/L	SM2540C
7/20/2011 10:48	TDS		388	mg/L	SM2540C
7/27/2011 10:35	TDS		483	mg/L	SM2540C
8/3/2011 10:34	TDS		246	mg/L	SM2540C
6/28/2011 9:04	Ti	j	0.28	ug/L	EPA-200.7
7/6/2011 8:58	Ti	j	1.45	ug/L	EPA-200.7
7/13/2011 9:00	Ti	j	0.305	ug/L	EPA-200.7
7/20/2011 10:48	Ti	j	0.35	ug/L	EPA-200.7
7/27/2011 10:35	Ti		2	ug/L	EPA-200.7
8/3/2011 10:34	Ti		4.83	ug/L	EPA-200.7
6/28/2011 9:04	TI	<	1.11	ug/L	EPA-200.7
7/6/2011 8:58	TI	<	1.11	ug/L	EPA-200.7
7/13/2011 9:00	TI	<	1.19	ug/L	EPA-200.7
7/20/2011 10:48	TI	j	1.43	ug/L	EPA-200.7
7/27/2011 10:35	TI	<	1.11	ug/L	EPA-200.7
8/3/2011 10:34	TI	<	1.11	ug/L	EPA-200.7
6/28/2011 9:04	TMET		10.9	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2011 8:58	TMET		13.7	ug/L	EPA-200.7
7/13/2011 9:00	TMET		15.85	ug/L	EPA-200.7
7/20/2011 10:48	TMET		14	ug/L	EPA-200.7
7/27/2011 10:35	TMET		11.4	ug/L	EPA-200.7
8/3/2011 10:34	TMET		19.4	ug/L	EPA-200.7
6/28/2011 9:04	Total-P		0.036	mg/L	EPA 365.1
7/6/2011 8:58	Total-P		0.048	mg/L	EPA 365.1
7/13/2011 9:00	Total-P		0.024	mg/L	EPA 365.1
7/20/2011 10:48	Total-P		0.044	mg/L	EPA 365.1
7/27/2011 10:35	Total-P		0.03	mg/L	EPA 365.1
8/3/2011 10:34	Total-P		0.09	mg/L	EPA 365.1
6/28/2011 9:04	TS		596	mg/L	SM2540B
7/6/2011 8:58	TS		612	mg/L	SM2540B
7/13/2011 9:00	TS		726	mg/L	SM2540B
7/20/2011 10:48	TS		424	mg/L	SM2540B
7/27/2011 10:35	TS		497	mg/L	SM2540B
8/3/2011 10:34	TS		322	mg/L	SM2540B
6/28/2011 9:04	TSS		4.7	mg/L	SM2540D
7/6/2011 8:58	TSS		3.4	mg/L	SM2540D
7/13/2011 9:00	TSS		0.85	mg/L	SM2540D
7/20/2011 10:48	TSS		1.6	mg/L	SM2540D
7/27/2011 10:35	TSS		1.1	mg/L	SM2540D
8/3/2011 10:34	TSS		28.5	mg/L	SM2540D
6/28/2011 9:04	Turbidity		2.78	NTU	EPA 180.1
7/6/2011 8:58	Turbidity		2.67	NTU	EPA 180.1
7/13/2011 9:00	Turbidity		1.5	NTU	EPA 180.1
7/20/2011 10:48	Turbidity		2.45	NTU	EPA 180.1
7/27/2011 10:35	Turbidity		2.18	NTU	EPA 180.1
8/3/2011 10:34	Turbidity		26.55	NTU	EPA 180.1
6/28/2011 9:04	V	j	0.26	ug/L	EPA-200.7
7/6/2011 8:58	V	j	0.38	ug/L	EPA-200.7
7/13/2011 9:00	V	j	0.17	ug/L	EPA-200.7
7/20/2011 10:48	V	<	0.15	ug/L	EPA-200.7
7/27/2011 10:35	V	j	0.44	ug/L	EPA-200.7
8/3/2011 10:34	V		1.42	ug/L	EPA-200.7
6/28/2011 9:04	Zn	j	3.67	ug/L	EPA-200.7
7/6/2011 8:58	Zn	j	5.19	ug/L	EPA-200.7
7/13/2011 9:00	Zn		10.37	ug/L	EPA-200.7
7/20/2011 10:48	Zn	j	6.97	ug/L	EPA-200.7
7/27/2011 10:35	Zn	j	3.91	ug/L	EPA-200.7

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/3/2011 10:34	Zn	j	9.15	ug/L	EPA-200.7

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)