

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 10:48	Ag	<	0.12	ug/L	EPA-200.7
7/6/2011 9:50	Ag	<	0.12	ug/L	EPA-200.7
7/13/2011 9:50	Ag	<	0.12	ug/L	EPA-200.7
7/20/2011 9:53	Ag	<	0.12	ug/L	EPA-200.7
7/27/2011 12:18	Ag	<	0.12	ug/L	EPA-200.7
8/3/2011 9:56	Ag	j	0.13	ug/L	EPA-200.7
6/28/2011 10:48	Al		78.31	ug/L	EPA-200.7
7/6/2011 9:50	Al		65.91	ug/L	EPA-200.7
7/13/2011 9:50	Al		49.47	ug/L	EPA-200.7
7/20/2011 9:53	Al		59.47	ug/L	EPA-200.7
7/27/2011 12:18	Al		55.89	ug/L	EPA-200.7
8/3/2011 9:56	Al		1239	ug/L	EPA-200.7
6/28/2011 10:48	Alkalinity		85.3	mg/LCaCO3	EPA-310.2
7/6/2011 9:50	Alkalinity		86.8	mg/LCaCO3	EPA-310.2
7/13/2011 9:50	Alkalinity		83.2	mg/LCaCO3	EPA-310.2
7/20/2011 9:53	Alkalinity		108.1	mg/LCaCO3	EPA-310.2
7/27/2011 12:18	Alkalinity		89.9	mg/LCaCO3	EPA-310.2
8/3/2011 9:56	Alkalinity		85	mg/LCaCO3	EPA-310.2
6/28/2011 10:48	As	j	0.98	ug/L	EPA-200.7
7/6/2011 9:50	As	j	1.57	ug/L	EPA-200.7
7/13/2011 9:50	As	j	1.38	ug/L	EPA-200.7
7/20/2011 9:53	As	j	1.74	ug/L	EPA-200.7
7/27/2011 12:18	As	j	1.4	ug/L	EPA-200.7
8/3/2011 9:56	As		2.94	ug/L	EPA-200.7
6/28/2011 10:48	Ba		17.5	ug/L	EPA-200.7
7/6/2011 9:50	Ba		20.7	ug/L	EPA-200.7
7/13/2011 9:50	Ba		18.2	ug/L	EPA-200.7
7/20/2011 9:53	Ba		26.6	ug/L	EPA-200.7
7/27/2011 12:18	Ba		18.7	ug/L	EPA-200.7
8/3/2011 9:56	Ba		40.8	ug/L	EPA-200.7
6/28/2011 10:48	Be	<	0.12	ug/L	EPA-200.7
7/6/2011 9:50	Be	<	0.12	ug/L	EPA-200.7
7/13/2011 9:50	Be	<	0.12	ug/L	EPA-200.7
7/20/2011 9:53	Be	<	0.12	ug/L	EPA-200.7
7/27/2011 12:18	Be	<	0.12	ug/L	EPA-200.7
8/3/2011 9:56	Be	j	0.53	ug/L	EPA-200.7
6/28/2011 10:48	BOD		2.5	mg/L	SM 5210
7/6/2011 9:50	BOD	<	2	mg/L	SM 5210
7/13/2011 9:50	BOD		5	mg/L	SM 5210
7/20/2011 9:53	BOD	<	2	mg/L	SM 5210

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 12:18	BOD		5.1	mg/L	SM 5210
8/3/2011 9:56	BOD		3.3	mg/L	SM 5210
6/28/2011 10:48	Ca		45070	ug/L	EPA-200.7
7/6/2011 9:50	Ca		45600	ug/L	EPA-200.7
7/13/2011 9:50	Ca		45440	ug/L	EPA-200.7
7/20/2011 9:53	Ca		51500	ug/L	EPA-200.7
7/27/2011 12:18	Ca		43100	ug/L	EPA-200.7
8/3/2011 9:56	Ca		47660	ug/L	EPA-200.7
6/28/2011 10:48	CaCO3		166	mg/LCaCO3	EPA-200.7
7/6/2011 9:50	CaCO3		165	mg/LCaCO3	EPA-200.7
7/13/2011 9:50	CaCO3		161	mg/LCaCO3	EPA-200.7
7/20/2011 9:53	CaCO3		185	mg/LCaCO3	EPA-200.7
7/27/2011 12:18	CaCO3		155	mg/LCaCO3	EPA-200.7
8/3/2011 9:56	CaCO3		168	mg/LCaCO3	EPA-200.7
6/28/2011 10:48	Cd		19.29	ug/L	EPA-200.7
7/6/2011 9:50	Cd		20.53	ug/L	EPA-200.7
7/13/2011 9:50	Cd		7.94	ug/L	EPA-200.7
7/20/2011 9:53	Cd		66.88	ug/L	EPA-200.7
7/27/2011 12:18	Cd		15.13	ug/L	EPA-200.7
8/3/2011 9:56	Cd		36.02	ug/L	EPA-200.7
6/28/2011 10:48	Chloride		73.79	mg/L	EPA 300.0
7/6/2011 9:50	Chloride		70.55	mg/L	EPA 300.0
7/13/2011 9:50	Chloride		57.72	mg/L	EPA 300.0
7/20/2011 9:53	Chloride		106	mg/L	SM 4500-Cl C
7/27/2011 12:18	Chloride		67	mg/L	SM 4500-Cl C
8/3/2011 9:56	Chloride		84	mg/L	SM 4500-Cl C
6/28/2011 10:48	Co		1.18	ug/L	EPA-200.7
7/6/2011 9:50	Co		1.095	ug/L	EPA-200.7
7/13/2011 9:50	Co	j	0.9	ug/L	EPA-200.7
7/20/2011 9:53	Co		1.2	ug/L	EPA-200.7
7/27/2011 12:18	Co	j	0.8	ug/L	EPA-200.7
8/3/2011 9:56	Co		1.85	ug/L	EPA-200.7
6/28/2011 10:48	COD	j	7	mg/L	EPA 410.4
7/6/2011 9:50	COD	<	3	mg/L	EPA 410.4
7/13/2011 9:50	COD	j	4	mg/L	EPA 410.4
7/20/2011 9:53	COD	<	3	mg/L	EPA 410.4
7/27/2011 12:18	COD	<	3	mg/L	EPA 410.4
8/3/2011 9:56	COD		44	mg/L	EPA 410.4
7/13/2011 9:50	Cr	j	0.27	ug/L	EPA-200.7

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 9:53	Cr	<	0.25	ug/L	EPA-200.7
8/3/2011 9:56	Cr	j	1.85	ug/L	EPA-200.7
7/13/2011 9:50	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/20/2011 9:53	Cr+6	j	1.15	ug/L	SM 3500-Cr-D
8/3/2011 9:56	Cr+6	j	2.882	ug/L	SM 3500-Cr-D
6/28/2011 10:48	Cu		13.02	ug/L	EPA-200.7
7/6/2011 9:50	Cu		12.42	ug/L	EPA-200.7
7/13/2011 9:50	Cu		6.81	ug/L	EPA-200.7
7/20/2011 9:53	Cu		27.67	ug/L	EPA-200.7
7/27/2011 12:18	Cu		11.48	ug/L	EPA-200.7
8/3/2011 9:56	Cu		79.83	ug/L	EPA-200.7
6/28/2011 10:48	E. coli		360	cfu/100mL	EPA 1603
7/6/2011 9:50	E. coli		400	cfu/100mL	EPA 1603
7/13/2011 9:50	E. coli	EC	552	cfu/100mL	EPA 1603
7/20/2011 9:53	E. coli		1010	cfu/100mL	EPA 1603
7/27/2011 12:18	E. coli		560	cfu/100mL	EPA 1603
8/3/2011 9:56	E. coli		3950	cfu/100mL	EPA 1603
6/28/2011 10:48	Fe		121	ug/L	EPA-200.7
7/6/2011 9:50	Fe		94	ug/L	EPA-200.7
7/13/2011 9:50	Fe		75.86	ug/L	EPA-200.7
7/20/2011 9:53	Fe		124.5	ug/L	EPA-200.7
7/27/2011 12:18	Fe		92.71	ug/L	EPA-200.7
8/3/2011 9:56	Fe		979	ug/L	EPA-200.7
6/28/2011 10:48	Field Cond		447	uS/cm	SM 2510A
7/6/2011 9:50	Field Cond		487	uS/cm	SM 2510A
7/13/2011 9:50	Field Cond		407	uS/cm	SM 2510A
7/20/2011 9:53	Field Cond		588	uS/cm	SM 2510A
7/27/2011 12:18	Field Cond		416	uS/cm	SM 2510A
8/3/2011 9:56	Field Cond		555	uS/cm	SM 2510A
6/28/2011 10:48	Field DO		9.21	mg/L	SM 4500-0 G
7/6/2011 9:50	Field DO		8.46	mg/L	SM 4500-0 G
7/13/2011 9:50	Field DO		8.54	mg/L	SM 4500-0 G
7/20/2011 9:53	Field DO		8.87	mg/L	SM 4500-0 G
7/27/2011 12:18	Field DO		9.2	mg/L	SM 4500-0 G
8/3/2011 9:56	Field DO		8.34	mg/L	SM 4500-0 G
6/28/2011 10:48	Field Temp		18.1	C	EPA 170.1
7/6/2011 9:50	Field Temp		18.8	C	EPA 170.1
7/13/2011 9:50	Field Temp		17.1	C	EPA 170.1
7/20/2011 9:53	Field Temp		17.8	C	EPA 170.1

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 12:18	Field Temp		18.1	C	EPA 170.1
8/3/2011 9:56	Field Temp		20.7	C	EPA 170.1
6/28/2011 10:48	Hg	j	0.04	ug/L	EPA 245.1
7/6/2011 9:50	Hg	j	0.039	ug/L	EPA 245.1
7/13/2011 9:50	Hg		0.051	ug/L	EPA 245.1
7/20/2011 9:53	Hg		0.086	ug/L	EPA 245.1
7/27/2011 12:18	Hg	j	0.033	ug/L	EPA 245.1
8/3/2011 9:56	Hg		0.146	ug/L	EPA 245.1
6/28/2011 10:48	K		3846	ug/L	EPA-200.7
7/6/2011 9:50	K		3306	ug/L	EPA-200.7
7/13/2011 9:50	K		2676	ug/L	EPA-200.7
7/20/2011 9:53	K		3740	ug/L	EPA-200.7
7/27/2011 12:18	K		2842	ug/L	EPA-200.7
8/3/2011 9:56	K		4600	ug/L	EPA-200.7
6/28/2011 10:48	Mg		12910	ug/L	EPA-200.7
7/6/2011 9:50	Mg		12320	ug/L	EPA-200.7
7/13/2011 9:50	Mg		11590	ug/L	EPA-200.7
7/20/2011 9:53	Mg		13630	ug/L	EPA-200.7
7/27/2011 12:18	Mg		11500	ug/L	EPA-200.7
8/3/2011 9:56	Mg		11970	ug/L	EPA-200.7
6/28/2011 10:48	Mn		67.25	ug/L	EPA-200.7
7/6/2011 9:50	Mn		62.82	ug/L	EPA-200.7
7/13/2011 9:50	Mn		55.19	ug/L	EPA-200.7
7/20/2011 9:53	Mn		63.33	ug/L	EPA-200.7
7/27/2011 12:18	Mn		62.68	ug/L	EPA-200.7
8/3/2011 9:56	Mn		289.7	ug/L	EPA-200.7
6/28/2011 10:48	Mo		5.15	ug/L	EPA-200.7
7/6/2011 9:50	Mo		6.465	ug/L	EPA-200.7
7/13/2011 9:50	Mo		3.7	ug/L	EPA-200.7
7/20/2011 9:53	Mo		10.41	ug/L	EPA-200.7
7/27/2011 12:18	Mo		5.5	ug/L	EPA-200.7
8/3/2011 9:56	Mo		8.32	ug/L	EPA-200.7
6/28/2011 10:48	Na		40080	ug/L	EPA-200.7
7/6/2011 9:50	Na		42930	ug/L	EPA-200.7
7/13/2011 9:50	Na		33930	ug/L	EPA-200.7
7/20/2011 9:53	Na		56240	ug/L	EPA-200.7
7/27/2011 12:18	Na		33760	ug/L	EPA-200.7
8/3/2011 9:56	Na		52060	ug/L	EPA-200.7
6/28/2011 10:48	NH3		0.026	mg/L	EPA-350.1

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2011 9:50	NH3		0.15	mg/L	EPA-350.1
7/13/2011 9:50	NH3		0.021	mg/L	EPA-350.1
7/20/2011 9:53	NH3		0.059	mg/L	EPA-350.1
7/27/2011 12:18	NH3		0.043	mg/L	EPA-350.1
8/3/2011 9:56	NH3		0.11	mg/L	EPA-350.1
6/28/2011 10:48	Ni		23.13	ug/L	EPA-200.7
7/6/2011 9:50	Ni		24.02	ug/L	EPA-200.7
7/13/2011 9:50	Ni		12.19	ug/L	EPA-200.7
7/20/2011 9:53	Ni		61.75	ug/L	EPA-200.7
7/27/2011 12:18	Ni		18.86	ug/L	EPA-200.7
8/3/2011 9:56	Ni		40.05	ug/L	EPA-200.7
6/28/2011 10:48	NO2	j	0.002	mg/L	SM 4500-NO2-B
7/6/2011 9:50	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2011 9:50	NO2	j	0.004	mg/L	SM 4500-NO2-B
7/20/2011 9:53	NO2	j	0.002	mg/L	SM 4500-NO2-B
7/27/2011 12:18	NO2		0.013	mg/L	SM 4500-NO2-B
8/3/2011 9:56	NO2		0.04	mg/L	SM 4500-NO2-B
6/28/2011 10:48	NO3		0.984	mg/L	EPA 353.2
7/6/2011 9:50	NO3		0.984	mg/L	EPA 353.2
7/13/2011 9:50	NO3		0.392	mg/L	EPA 353.2
7/20/2011 9:53	NO3		0.71	mg/L	EPA 353.2
7/27/2011 12:18	NO3		0.447	mg/L	EPA 353.2
8/3/2011 9:56	NO3		1.614	mg/L	EPA 353.2
6/28/2011 10:48	NO3+NO2		0.986	mg/L	EPA 353.2
7/6/2011 9:50	NO3+NO2		0.984	mg/L	EPA 353.2
7/13/2011 9:50	NO3+NO2		0.397	mg/L	EPA 353.2
7/20/2011 9:53	NO3+NO2		0.712	mg/L	EPA 353.2
7/27/2011 12:18	NO3+NO2		0.46	mg/L	EPA 353.2
8/3/2011 9:56	NO3+NO2		1.654	mg/L	EPA 353.2
6/28/2011 10:48	Pb	j	0.45	ug/L	EPA-200.7
7/6/2011 9:50	Pb	<	0.39	ug/L	EPA-200.7
7/13/2011 9:50	Pb	<	0.39	ug/L	EPA-200.7
7/20/2011 9:53	Pb	j	0.71	ug/L	EPA-200.7
7/27/2011 12:18	Pb	<	0.39	ug/L	EPA-200.7
8/3/2011 9:56	Pb		13.81	ug/L	EPA-200.7
6/28/2011 10:48	pH		7.94	S.U.	
7/6/2011 9:50	pH		7.87	S.U.	
7/13/2011 9:50	pH		8.02	S.U.	
7/20/2011 9:53	pH		7.72	S.U.	
7/27/2011 12:18	pH		8.08	S.U.	

Nine-Mile Creek

Site 9

Sample Date	Parameter	Code	Result	Units	Method
8/3/2011 9:56	pH		7.78	S.U.	
6/28/2011 10:48	Sb	j	1	ug/L	EPA-200.7
7/6/2011 9:50	Sb	j	1.6	ug/L	EPA-200.7
7/13/2011 9:50	Sb	<	0.61	ug/L	EPA-200.7
7/20/2011 9:53	Sb	j	3.17	ug/L	EPA-200.7
7/27/2011 12:18	Sb	j	1.58	ug/L	EPA-200.7
8/3/2011 9:56	Sb	j	3.34	ug/L	EPA-200.7
6/28/2011 10:48	Se	j	4.7	ug/L	EPA-200.7
7/6/2011 9:50	Se	j	3.41	ug/L	EPA-200.7
7/13/2011 9:50	Se	j	1.45	ug/L	EPA-200.7
7/20/2011 9:53	Se		11.19	ug/L	EPA-200.7
7/27/2011 12:18	Se	j	2.19	ug/L	EPA-200.7
8/3/2011 9:56	Se		5.92	ug/L	EPA-200.7
6/28/2011 10:48	Sn	<	18.4	ug/L	EPA-200.7
7/6/2011 9:50	Sn	<	18.4	ug/L	EPA-200.7
7/13/2011 9:50	Sn	<	18.4	ug/L	EPA-200.7
7/20/2011 9:53	Sn	<	18.4	ug/L	EPA-200.7
7/27/2011 12:18	Sn	<	18.4	ug/L	EPA-200.7
8/3/2011 9:56	Sn	<	18.4	ug/L	EPA-200.7
6/28/2011 10:48	SO4		58.86	mg/L	EPA 300.0
7/6/2011 9:50	SO4		58.74	mg/L	EPA 300.0
7/13/2011 9:50	SO4		49.54	mg/L	EPA 300.0
6/28/2011 10:48	Soluble-P		0.17	mg/L	EPA 365.1
7/6/2011 9:50	Soluble-P		0.196	mg/L	EPA 365.1
7/13/2011 9:50	Soluble-P		0.22	mg/L	EPA 365.1
7/20/2011 9:53	Soluble-P		0.185	mg/L	EPA 365.1
7/27/2011 12:18	Soluble-P		0.226	mg/L	EPA 365.1
8/3/2011 9:56	Soluble-P		0.132	mg/L	EPA 365.1
6/28/2011 10:48	TDS		342	mg/L	SM2540C
7/6/2011 9:50	TDS		320	mg/L	SM2540C
7/13/2011 9:50	TDS		276	mg/L	SM2540C
7/20/2011 9:53	TDS		410	mg/L	SM2540C
7/27/2011 12:18	TDS		306	mg/L	SM2540C
8/3/2011 9:56	TDS		342	mg/L	SM2540C
6/28/2011 10:48	Ti	j	0.42	ug/L	EPA-200.7
7/6/2011 9:50	Ti	j	0.38	ug/L	EPA-200.7
7/13/2011 9:50	Ti	<	0.22	ug/L	EPA-200.7
7/20/2011 9:53	Ti	j	0.22	ug/L	EPA-200.7
7/27/2011 12:18	Ti	<	0.22	ug/L	EPA-200.7

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
8/3/2011 9:56	TI		25.53	ug/L	EPA-200.7
6/28/2011 10:48	TI	<	1.11	ug/L	EPA-200.7
7/6/2011 9:50	TI	j	1.905	ug/L	EPA-200.7
7/13/2011 9:50	TI	<	1.11	ug/L	EPA-200.7
7/20/2011 9:53	TI	j	1.12	ug/L	EPA-200.7
7/27/2011 12:18	TI	j	1.42	ug/L	EPA-200.7
8/3/2011 9:56	TI	j	2.27	ug/L	EPA-200.7
6/28/2011 10:48	TMET		136.6	ug/L	EPA-200.7
7/6/2011 9:50	TMET		149	ug/L	EPA-200.7
7/13/2011 9:50	TMET		63.8	ug/L	EPA-200.7
7/20/2011 9:53	TMET		437.1	ug/L	EPA-200.7
7/27/2011 12:18	TMET		118.1	ug/L	EPA-200.7
8/3/2011 9:56	TMET		447.1	ug/L	EPA-200.7
6/28/2011 10:48	Total-P		0.18	mg/L	EPA 365.1
7/6/2011 9:50	Total-P		0.193	mg/L	EPA 365.1
7/13/2011 9:50	Total-P		0.218	mg/L	EPA 365.1
7/20/2011 9:53	Total-P		0.183	mg/L	EPA 365.1
7/27/2011 12:18	Total-P		0.249	mg/L	EPA 365.1
8/3/2011 9:56	Total-P		0.252	mg/L	EPA 365.1
6/28/2011 10:48	TS		354	mg/L	SM2540B
7/6/2011 9:50	TS		376	mg/L	SM2540B
7/13/2011 9:50	TS		286	mg/L	SM2540B
7/20/2011 9:53	TS		482	mg/L	SM2540B
7/27/2011 12:18	TS		318	mg/L	SM2540B
8/3/2011 9:56	TS		462	mg/L	SM2540B
6/28/2011 10:48	TSS		2.1	mg/L	SM2540D
7/6/2011 9:50	TSS		1.1	mg/L	SM2540D
7/13/2011 9:50	TSS		5.5	mg/L	SM2540D
7/20/2011 9:53	TSS	j	0.8	mg/L	SM2540D
7/27/2011 12:18	TSS		2.6	mg/L	SM2540D
8/3/2011 9:56	TSS		50	mg/L	SM2540D
6/28/2011 10:48	Turbidity		1.84	NTU	EPA 180.1
7/6/2011 9:50	Turbidity		4.15	NTU	EPA 180.1
7/13/2011 9:50	Turbidity		4.92	NTU	EPA 180.1
7/20/2011 9:53	Turbidity		1.76	NTU	EPA 180.1
7/27/2011 12:18	Turbidity		1.5	NTU	EPA 180.1
8/3/2011 9:56	Turbidity		38.1	NTU	EPA 180.1
6/28/2011 10:48	V	j	0.22	ug/L	EPA-200.7
7/6/2011 9:50	V	j	0.245	ug/L	EPA-200.7

Nine-Mile Creek

Site 9

Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 9:50	V	j	0.19	ug/L	EPA-200.7
7/20/2011 9:53	V	<	0.15	ug/L	EPA-200.7
7/27/2011 12:18	V	j	0.22	ug/L	EPA-200.7
8/3/2011 9:56	V		1.8	ug/L	EPA-200.7
6/28/2011 10:48	Zn		100.1	ug/L	EPA-200.7
7/6/2011 9:50	Zn		112	ug/L	EPA-200.7
7/13/2011 9:50	Zn		44.5	ug/L	EPA-200.7
7/20/2011 9:53	Zn		347.7	ug/L	EPA-200.7
7/27/2011 12:18	Zn		87.74	ug/L	EPA-200.7
8/3/2011 9:56	Zn		325.3	ug/L	EPA-200.7

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:03	Ag	<	0.12	ug/L	EPA-200.7
7/6/2011 10:10	Ag	<	0.12	ug/L	EPA-200.7
7/13/2011 10:00	Ag	<	0.12	ug/L	EPA-200.7
7/20/2011 10:05	Ag	<	0.12	ug/L	EPA-200.7
7/27/2011 11:50	Ag	<	0.12	ug/L	EPA-200.7
8/3/2011 10:10	Ag	<	0.12	ug/L	EPA-200.7
6/28/2011 11:03	Al		32.17	ug/L	EPA-200.7
7/6/2011 10:10	Al		25.84	ug/L	EPA-200.7
7/13/2011 10:00	Al		44.16	ug/L	EPA-200.7
7/20/2011 10:05	Al		58.58	ug/L	EPA-200.7
7/27/2011 11:50	Al		21.47	ug/L	EPA-200.7
8/3/2011 10:10	Al		175.9	ug/L	EPA-200.7
6/28/2011 11:03	Alkalinity		124.7	mg/LCaCO3	EPA-310.2
7/6/2011 10:10	Alkalinity		123.6	mg/LCaCO3	EPA-310.2
7/13/2011 10:00	Alkalinity		121.6	mg/LCaCO3	EPA-310.2
7/20/2011 10:05	Alkalinity		97.3	mg/LCaCO3	EPA-310.2
7/27/2011 11:50	Alkalinity		114	mg/LCaCO3	EPA-310.2
8/3/2011 10:10	Alkalinity		67.4	mg/LCaCO3	EPA-310.2
6/28/2011 11:03	As	j	1	ug/L	EPA-200.7
7/6/2011 10:10	As	j	1.76	ug/L	EPA-200.7
7/13/2011 10:00	As	j	1.94	ug/L	EPA-200.7
7/20/2011 10:05	As	j	1.53	ug/L	EPA-200.7
7/27/2011 11:50	As	j	1.25	ug/L	EPA-200.7
8/3/2011 10:10	As	j	1.79	ug/L	EPA-200.7
6/28/2011 11:03	Ba		27.4	ug/L	EPA-200.7
7/6/2011 10:10	Ba		28.1	ug/L	EPA-200.7
7/13/2011 10:00	Ba		26.7	ug/L	EPA-200.7
7/20/2011 10:05	Ba		22.8	ug/L	EPA-200.7
7/27/2011 11:50	Ba		25.6	ug/L	EPA-200.7
8/3/2011 10:10	Ba		15.5	ug/L	EPA-200.7
6/28/2011 11:03	Be	<	0.12	ug/L	EPA-200.7
7/6/2011 10:10	Be	<	0.12	ug/L	EPA-200.7
7/13/2011 10:00	Be	<	0.12	ug/L	EPA-200.7
7/20/2011 10:05	Be	<	0.12	ug/L	EPA-200.7
7/27/2011 11:50	Be	<	0.12	ug/L	EPA-200.7
8/3/2011 10:10	Be	<	0.12	ug/L	EPA-200.7
6/28/2011 11:03	BOD	<	2	mg/L	SM 5210
7/6/2011 10:10	BOD	<	2	mg/L	SM 5210
7/13/2011 10:00	BOD		5.1	mg/L	SM 5210
7/20/2011 10:05	BOD	<	2	mg/L	SM 5210

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 11:50	BOD		6.5	mg/L	SM 5210
8/3/2011 10:10	BOD	<	2	mg/L	SM 5210
6/28/2011 11:03	Ca		60810	ug/L	EPA-200.7
7/6/2011 10:10	Ca		61480	ug/L	EPA-200.7
7/13/2011 10:00	Ca		59370	ug/L	EPA-200.7
7/20/2011 10:05	Ca		48610	ug/L	EPA-200.7
7/27/2011 11:50	Ca		55480	ug/L	EPA-200.7
8/3/2011 10:10	Ca		28670	ug/L	EPA-200.7
6/28/2011 11:03	CaCO3		211	mg/LCaCO3	EPA-200.7
7/6/2011 10:10	CaCO3		209	mg/LCaCO3	EPA-200.7
7/13/2011 10:00	CaCO3		203	mg/LCaCO3	EPA-200.7
7/20/2011 10:05	CaCO3		168	mg/LCaCO3	EPA-200.7
7/27/2011 11:50	CaCO3		192	mg/LCaCO3	EPA-200.7
8/3/2011 10:10	CaCO3		96	mg/LCaCO3	EPA-200.7
6/28/2011 11:03	Cd	<	0.02	ug/L	EPA-200.7
7/6/2011 10:10	Cd	j	0.12	ug/L	EPA-200.7
7/13/2011 10:00	Cd	j	0.11	ug/L	EPA-200.7
7/20/2011 10:05	Cd	j	0.09	ug/L	EPA-200.7
7/27/2011 11:50	Cd	j	0.08	ug/L	EPA-200.7
8/3/2011 10:10	Cd	j	0.13	ug/L	EPA-200.7
6/28/2011 11:03	Chloride		134.8	mg/L	EPA 300.0
7/6/2011 10:10	Chloride		136.7	mg/L	EPA 300.0
7/13/2011 10:00	Chloride		125.3	mg/L	EPA 300.0
7/20/2011 10:05	Chloride		104	mg/L	SM 4500-Cl C
7/27/2011 11:50	Chloride		131	mg/L	SM 4500-Cl C
8/3/2011 10:10	Chloride		65	mg/L	SM 4500-Cl C
6/28/2011 11:03	Co	j	0.21	ug/L	EPA-200.7
7/6/2011 10:10	Co	j	0.22	ug/L	EPA-200.7
7/13/2011 10:00	Co	j	0.24	ug/L	EPA-200.7
7/20/2011 10:05	Co	j	0.25	ug/L	EPA-200.7
7/27/2011 11:50	Co	j	0.16	ug/L	EPA-200.7
8/3/2011 10:10	Co	j	0.16	ug/L	EPA-200.7
6/28/2011 11:03	COD	j	4	mg/L	EPA 410.4
7/6/2011 10:10	COD	<	3	mg/L	EPA 410.4
7/13/2011 10:00	COD	<	3	mg/L	EPA 410.4
7/20/2011 10:05	COD	j	3	mg/L	EPA 410.4
7/27/2011 11:50	COD	<	3	mg/L	EPA 410.4
8/3/2011 10:10	COD		14	mg/L	EPA 410.4
7/13/2011 10:00	Cr	j	0.34	ug/L	EPA-200.7

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 10:05	Cr	<	0.25	ug/L	EPA-200.7
7/13/2011 10:00	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/20/2011 10:05	Cr+6	j	1.229	ug/L	SM 3500-Cr-D
6/28/2011 11:03	Cu		3.63	ug/L	EPA-200.7
7/6/2011 10:10	Cu		2.73	ug/L	EPA-200.7
7/13/2011 10:00	Cu		4.16	ug/L	EPA-200.7
7/20/2011 10:05	Cu		3.07	ug/L	EPA-200.7
7/27/2011 11:50	Cu		2.5	ug/L	EPA-200.7
8/3/2011 10:10	Cu		6.03	ug/L	EPA-200.7
6/28/2011 11:03	E. coli		373	cfu/100mL	EPA 1603
7/6/2011 10:10	E. coli		370	cfu/100mL	EPA 1603
7/13/2011 10:00	E. coli		580	cfu/100mL	EPA 1603
7/20/2011 10:05	E. coli		720	cfu/100mL	EPA 1603
7/27/2011 11:50	E. coli		185	cfu/100mL	EPA 1603
8/3/2011 10:10	E. coli	EC	4773	cfu/100mL	EPA 1603
6/28/2011 11:03	Fe		35.18	ug/L	EPA-200.7
7/6/2011 10:10	Fe		21.69	ug/L	EPA-200.7
7/13/2011 10:00	Fe		76.12	ug/L	EPA-200.7
7/20/2011 10:05	Fe		234.7	ug/L	EPA-200.7
7/27/2011 11:50	Fe		13.25	ug/L	EPA-200.7
8/3/2011 10:10	Fe		358.1	ug/L	EPA-200.7
6/28/2011 11:03	Field Cond		754	uS/cm	SM 2510A
7/6/2011 10:10	Field Cond		763	uS/cm	SM 2510A
7/13/2011 10:00	Field Cond		703	uS/cm	SM 2510A
7/20/2011 10:05	Field Cond		587	uS/cm	SM 2510A
7/27/2011 11:50	Field Cond		688	uS/cm	SM 2510A
8/3/2011 10:10	Field Cond		409	uS/cm	SM 2510A
6/28/2011 11:03	Field DO		8.74	mg/L	SM 4500-0 G
7/6/2011 10:10	Field DO		7.99	mg/L	SM 4500-0 G
7/13/2011 10:00	Field DO		7.71	mg/L	SM 4500-0 G
7/20/2011 10:05	Field DO		7.71	mg/L	SM 4500-0 G
7/27/2011 11:50	Field DO		8.1	mg/L	SM 4500-0 G
8/3/2011 10:10	Field DO		8.33	mg/L	SM 4500-0 G
6/28/2011 11:03	Field Temp		19.6	C	EPA 170.1
7/6/2011 10:10	Field Temp		20.2	C	EPA 170.1
7/13/2011 10:00	Field Temp		20.4	C	EPA 170.1
7/20/2011 10:05	Field Temp		21.9	C	EPA 170.1
7/27/2011 11:50	Field Temp		20.2	C	EPA 170.1
8/3/2011 10:10	Field Temp		22	C	EPA 170.1

Nine-Mile Creek

Site 10

Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:03	Hg	<	0.005	ug/L	EPA 245.1
7/6/2011 10:10	Hg	<	0.005	ug/L	EPA 245.1
7/13/2011 10:00	Hg	j	0.02	ug/L	EPA 245.1
7/20/2011 10:05	Hg	<	0.005	ug/L	EPA 245.1
7/27/2011 11:50	Hg	<	0.005	ug/L	EPA 245.1
8/3/2011 10:10	Hg	<	0.005	ug/L	EPA 245.1
6/28/2011 11:03	K		6104	ug/L	EPA-200.7
7/6/2011 10:10	K		5239	ug/L	EPA-200.7
7/13/2011 10:00	K		4995	ug/L	EPA-200.7
7/20/2011 10:05	K		4598	ug/L	EPA-200.7
7/27/2011 11:50	K		4971	ug/L	EPA-200.7
8/3/2011 10:10	K		3654	ug/L	EPA-200.7
6/28/2011 11:03	Mg		14470	ug/L	EPA-200.7
7/6/2011 10:10	Mg		13500	ug/L	EPA-200.7
7/13/2011 10:00	Mg		13350	ug/L	EPA-200.7
7/20/2011 10:05	Mg		11460	ug/L	EPA-200.7
7/27/2011 11:50	Mg		12890	ug/L	EPA-200.7
8/3/2011 10:10	Mg		5982	ug/L	EPA-200.7
6/28/2011 11:03	Mn		2.17	ug/L	EPA-200.7
7/6/2011 10:10	Mn		1.43	ug/L	EPA-200.7
7/13/2011 10:00	Mn		2.95	ug/L	EPA-200.7
7/20/2011 10:05	Mn		6.37	ug/L	EPA-200.7
7/27/2011 11:50	Mn		2.19	ug/L	EPA-200.7
8/3/2011 10:10	Mn		7.99	ug/L	EPA-200.7
6/28/2011 11:03	Mo		2.52	ug/L	EPA-200.7
7/6/2011 10:10	Mo		3.26	ug/L	EPA-200.7
7/13/2011 10:00	Mo		2.92	ug/L	EPA-200.7
7/20/2011 10:05	Mo		2.77	ug/L	EPA-200.7
7/27/2011 11:50	Mo		3.41	ug/L	EPA-200.7
8/3/2011 10:10	Mo		2.42	ug/L	EPA-200.7
6/28/2011 11:03	Na		71800	ug/L	EPA-200.7
7/6/2011 10:10	Na		79380	ug/L	EPA-200.7
7/13/2011 10:00	Na		70720	ug/L	EPA-200.7
7/20/2011 10:05	Na		55570	ug/L	EPA-200.7
7/27/2011 11:50	Na		68670	ug/L	EPA-200.7
8/3/2011 10:10	Na		39580	ug/L	EPA-200.7
6/28/2011 11:03	NH3	<	0.002	mg/L	EPA-350.1
7/6/2011 10:10	NH3	<	0.002	mg/L	EPA-350.1
7/13/2011 10:00	NH3	j	0.008	mg/L	EPA-350.1

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 10:05	NH3		0.078	mg/L	EPA-350.1
7/27/2011 11:50	NH3		0.091	mg/L	EPA-350.1
8/3/2011 10:10	NH3		0.051	mg/L	EPA-350.1
6/28/2011 11:03	Ni		2.23	ug/L	EPA-200.7
7/6/2011 10:10	Ni	j	1.72	ug/L	EPA-200.7
7/13/2011 10:00	Ni	j	1.71	ug/L	EPA-200.7
7/20/2011 10:05	Ni	j	1.76	ug/L	EPA-200.7
7/27/2011 11:50	Ni	j	1.9	ug/L	EPA-200.7
8/3/2011 10:10	Ni		2.71	ug/L	EPA-200.7
6/28/2011 11:03	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/6/2011 10:10	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/13/2011 10:00	NO2	<	0.002	mg/L	SM 4500-NO2-B
7/20/2011 10:05	NO2	j	0.002	mg/L	SM 4500-NO2-B
7/27/2011 11:50	NO2	j	0.006	mg/L	SM 4500-NO2-B
8/3/2011 10:10	NO2		0.026	mg/L	SM 4500-NO2-B
6/28/2011 11:03	NO3		1.366	mg/L	EPA 353.2
7/6/2011 10:10	NO3		1.24	mg/L	EPA 353.2
7/13/2011 10:00	NO3		0.702	mg/L	EPA 353.2
7/20/2011 10:05	NO3		0.915	mg/L	EPA 353.2
7/27/2011 11:50	NO3		1.043	mg/L	EPA 353.2
8/3/2011 10:10	NO3		1.636	mg/L	EPA 353.2
6/28/2011 11:03	NO3+NO2		1.363	mg/L	EPA 353.2
7/6/2011 10:10	NO3+NO2		1.24	mg/L	EPA 353.2
7/13/2011 10:00	NO3+NO2		0.702	mg/L	EPA 353.2
7/20/2011 10:05	NO3+NO2		0.918	mg/L	EPA 353.2
7/27/2011 11:50	NO3+NO2		1.049	mg/L	EPA 353.2
8/3/2011 10:10	NO3+NO2		1.662	mg/L	EPA 353.2
6/28/2011 11:03	Pb	<	0.39	ug/L	EPA-200.7
7/6/2011 10:10	Pb	<	0.39	ug/L	EPA-200.7
7/13/2011 10:00	Pb	<	0.39	ug/L	EPA-200.7
7/20/2011 10:05	Pb	j	0.42	ug/L	EPA-200.7
7/27/2011 11:50	Pb	<	0.39	ug/L	EPA-200.7
8/3/2011 10:10	Pb	j	0.59	ug/L	EPA-200.7
6/28/2011 11:03	pH		7.93	S.U.	
7/6/2011 10:10	pH		7.92	S.U.	
7/13/2011 10:00	pH		8.01	S.U.	
7/20/2011 10:05	pH		7.83	S.U.	
7/27/2011 11:50	pH		7.97	S.U.	
8/3/2011 10:10	pH		7.89	S.U.	

Nine-Mile Creek Site 10						
Sample Date	Parameter	Code	Result	Units	Method	
6/28/2011 11:03	Sb	<	0.61	ug/L	EPA-200.7	
7/6/2011 10:10	Sb	<	0.61	ug/L	EPA-200.7	
7/13/2011 10:00	Sb	<	0.61	ug/L	EPA-200.7	
7/20/2011 10:05	Sb	<	0.61	ug/L	EPA-200.7	
7/27/2011 11:50	Sb	<	0.61	ug/L	EPA-200.7	
8/3/2011 10:10	Sb	j	1.07	ug/L	EPA-200.7	
6/28/2011 11:03	Se	j	1.37	ug/L	EPA-200.7	
7/6/2011 10:10	Se	j	0.86	ug/L	EPA-200.7	
7/13/2011 10:00	Se	j	0.94	ug/L	EPA-200.7	
7/20/2011 10:05	Se	<	0.63	ug/L	EPA-200.7	
7/27/2011 11:50	Se	j	1.03	ug/L	EPA-200.7	
8/3/2011 10:10	Se	j	1.15	ug/L	EPA-200.7	
6/28/2011 11:03	Sn	<	18.4	ug/L	EPA-200.7	
7/6/2011 10:10	Sn	<	18.4	ug/L	EPA-200.7	
7/13/2011 10:00	Sn	<	18.4	ug/L	EPA-200.7	
7/20/2011 10:05	Sn	<	18.4	ug/L	EPA-200.7	
7/27/2011 11:50	Sn	<	18.4	ug/L	EPA-200.7	
8/3/2011 10:10	Sn	<	18.4	ug/L	EPA-200.7	
6/28/2011 11:03	SO4		64.85	mg/L	EPA 300.0	
7/6/2011 10:10	SO4		65.39	mg/L	EPA 300.0	
7/13/2011 10:00	SO4		55.87	mg/L	EPA 300.0	
6/28/2011 11:03	Soluble-P		0.084	mg/L	EPA 365.1	
7/6/2011 10:10	Soluble-P		0.098	mg/L	EPA 365.1	
7/13/2011 10:00	Soluble-P		0.091	mg/L	EPA 365.1	
7/20/2011 10:05	Soluble-P		0.089	mg/L	EPA 365.1	
7/27/2011 11:50	Soluble-P		0.084	mg/L	EPA 365.1	
8/3/2011 10:10	Soluble-P		0.076	mg/L	EPA 365.1	
6/28/2011 11:03	TDS		482	mg/L	SM2540C	
7/6/2011 10:10	TDS		490	mg/L	SM2540C	
7/13/2011 10:00	TDS		433	mg/L	SM2540C	
7/20/2011 10:05	TDS		364	mg/L	SM2540C	
7/27/2011 11:50	TDS		444	mg/L	SM2540C	
8/3/2011 10:10	TDS		238	mg/L	SM2540C	
6/28/2011 11:03	Ti	j	0.26	ug/L	EPA-200.7	
7/6/2011 10:10	Ti	<	0.22	ug/L	EPA-200.7	
7/13/2011 10:00	Ti	j	0.36	ug/L	EPA-200.7	
7/20/2011 10:05	Ti	j	0.47	ug/L	EPA-200.7	
7/27/2011 11:50	Ti	<	0.22	ug/L	EPA-200.7	
8/3/2011 10:10	Ti		2.23	ug/L	EPA-200.7	

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 11:03	TI	<	1.11	ug/L	EPA-200.7
7/6/2011 10:10	TI	j	3.07	ug/L	EPA-200.7
7/13/2011 10:00	TI	<	1.11	ug/L	EPA-200.7
7/20/2011 10:05	TI	j	1.8	ug/L	EPA-200.7
7/27/2011 11:50	TI	j	1.14	ug/L	EPA-200.7
8/3/2011 10:10	TI	j	1.51	ug/L	EPA-200.7
6/28/2011 11:03	TMET	<	10	ug/L	EPA-200.7
7/6/2011 10:10	TMET	<	10	ug/L	EPA-200.7
7/13/2011 10:00	TMET		10.2	ug/L	EPA-200.7
7/20/2011 10:05	TMET	<	10	ug/L	EPA-200.7
7/27/2011 11:50	TMET	<	10	ug/L	EPA-200.7
8/3/2011 10:10	TMET		16	ug/L	EPA-200.7
6/28/2011 11:03	Total-P		0.09	mg/L	EPA 365.1
7/6/2011 10:10	Total-P		0.09	mg/L	EPA 365.1
7/13/2011 10:00	Total-P		0.094	mg/L	EPA 365.1
7/20/2011 10:05	Total-P		0.08	mg/L	EPA 365.1
7/27/2011 11:50	Total-P		0.1	mg/L	EPA 365.1
8/3/2011 10:10	Total-P		0.108	mg/L	EPA 365.1
6/28/2011 11:03	TS		540	mg/L	SM2540B
7/6/2011 10:10	TS		518	mg/L	SM2540B
7/13/2011 10:00	TS		462	mg/L	SM2540B
7/20/2011 10:05	TS		426	mg/L	SM2540B
7/27/2011 11:50	TS		470	mg/L	SM2540B
8/3/2011 10:10	TS		282	mg/L	SM2540B
6/28/2011 11:03	TSS		3	mg/L	SM2540D
7/6/2011 10:10	TSS		1.1	mg/L	SM2540D
7/13/2011 10:00	TSS		3.2	mg/L	SM2540D
7/20/2011 10:05	TSS	<	0.5	mg/L	SM2540D
7/27/2011 11:50	TSS	<	0.5	mg/L	SM2540D
8/3/2011 10:10	TSS		6	mg/L	SM2540D
6/28/2011 11:03	Turbidity		0.77	NTU	EPA 180.1
7/6/2011 10:10	Turbidity		1.52	NTU	EPA 180.1
7/13/2011 10:00	Turbidity		2.21	NTU	EPA 180.1
7/20/2011 10:05	Turbidity		0.98	NTU	EPA 180.1
7/27/2011 11:50	Turbidity		0.95	NTU	EPA 180.1
8/3/2011 10:10	Turbidity		10.15	NTU	EPA 180.1
6/28/2011 11:03	V	j	0.23	ug/L	EPA-200.7
7/6/2011 10:10	V	j	0.23	ug/L	EPA-200.7
7/13/2011 10:00	V	j	0.25	ug/L	EPA-200.7
7/20/2011 10:05	V	j	0.16	ug/L	EPA-200.7

Nine-Mile Creek

Site 10

Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 11:50	V	j	0.17	ug/L	EPA-200.7
8/3/2011 10:10	V	j	0.79	ug/L	EPA-200.7
6/28/2011 11:03	Zn	j	3.02	ug/L	EPA-200.7
7/6/2011 10:10	Zn	j	3.14	ug/L	EPA-200.7
7/13/2011 10:00	Zn	j	3.97	ug/L	EPA-200.7
7/20/2011 10:05	Zn	j	4.45	ug/L	EPA-200.7
7/27/2011 11:50	Zn	j	2.63	ug/L	EPA-200.7
8/3/2011 10:10	Zn	j	5.9	ug/L	EPA-200.7

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 10:25	Ag	<	0.12	ug/L	EPA-200.7
7/6/2011 10:42	Ag	<	0.12	ug/L	EPA-200.7
7/13/2011 10:35	Ag	<	0.12	ug/L	EPA-200.7
7/20/2011 9:28	Ag	<	0.12	ug/L	EPA-200.7
7/27/2011 10:00	Ag	<	0.12	ug/L	EPA-200.7
8/3/2011 11:09	Ag	<	0.12	ug/L	EPA-200.7
6/28/2011 10:25	Al		96.91	ug/L	EPA-200.7
7/6/2011 10:42	Al		139.4	ug/L	EPA-200.7
7/13/2011 10:35	Al		45.325	ug/L	EPA-200.7
7/20/2011 9:28	Al		181.5	ug/L	EPA-200.7
7/27/2011 10:00	Al		53.71	ug/L	EPA-200.7
8/3/2011 11:09	Al		444.35	ug/L	EPA-200.7
6/28/2011 10:25	Alkalinity		130.7	mg/LCaCO3	EPA-310.2
7/6/2011 10:42	Alkalinity		131.8	mg/LCaCO3	EPA-310.2
7/13/2011 10:35	Alkalinity		122.4	mg/LCaCO3	EPA-310.2
7/20/2011 9:28	Alkalinity		98.4	mg/LCaCO3	EPA-310.2
7/27/2011 10:00	Alkalinity		119.7	mg/LCaCO3	EPA-310.2
8/3/2011 11:09	Alkalinity		73	mg/LCaCO3	EPA-310.2
6/28/2011 10:25	As	j	1.31	ug/L	EPA-200.7
7/6/2011 10:42	As	j	1.53	ug/L	EPA-200.7
7/13/2011 10:35	As		2.405	ug/L	EPA-200.7
7/20/2011 9:28	As	j	1.7	ug/L	EPA-200.7
7/27/2011 10:00	As	j	1.915	ug/L	EPA-200.7
8/3/2011 11:09	As		2.57	ug/L	EPA-200.7
6/28/2011 10:25	Ba		28.5	ug/L	EPA-200.7
7/6/2011 10:42	Ba		27.1	ug/L	EPA-200.7
7/13/2011 10:35	Ba		27.45	ug/L	EPA-200.7
7/20/2011 9:28	Ba		23.9	ug/L	EPA-200.7
7/27/2011 10:00	Ba		28.5	ug/L	EPA-200.7
8/3/2011 11:09	Ba		22.2	ug/L	EPA-200.7
6/28/2011 10:25	Be	<	0.12	ug/L	EPA-200.7
7/6/2011 10:42	Be	<	0.12	ug/L	EPA-200.7
7/13/2011 10:35	Be	<	0.12	ug/L	EPA-200.7
7/20/2011 9:28	Be	<	0.12	ug/L	EPA-200.7
7/27/2011 10:00	Be	<	0.12	ug/L	EPA-200.7
8/3/2011 11:09	Be	<	0.12	ug/L	EPA-200.7
6/28/2011 10:25	BOD	<	2	mg/L	SM 5210
7/6/2011 10:42	BOD	<	2	mg/L	SM 5210
7/13/2011 10:35	BOD		6.75	mg/L	SM 5210
7/20/2011 9:28	BOD	<	2	mg/L	SM 5210

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2011 10:00	BOD	<	2	mg/L	SM 5210
8/3/2011 11:09	BOD		2.85	mg/L	SM 5210
6/28/2011 10:25	Ca		65950	ug/L	EPA-200.7
7/6/2011 10:42	Ca		66550	ug/L	EPA-200.7
7/13/2011 10:35	Ca		62925	ug/L	EPA-200.7
7/20/2011 9:28	Ca		45790	ug/L	EPA-200.7
7/27/2011 10:00	Ca		59850	ug/L	EPA-200.7
8/3/2011 11:09	Ca		37580	ug/L	EPA-200.7
6/28/2011 10:25	CaCO3		231	mg/LCaCO3	EPA-200.7
7/6/2011 10:42	CaCO3		235	mg/LCaCO3	EPA-200.7
7/13/2011 10:35	CaCO3		215	mg/LCaCO3	EPA-200.7
7/20/2011 9:28	CaCO3		160	mg/LCaCO3	EPA-200.7
7/27/2011 10:00	CaCO3		208	mg/LCaCO3	EPA-200.7
8/3/2011 11:09	CaCO3		125.5	mg/LCaCO3	EPA-200.7
6/28/2011 10:25	Cd		1.31	ug/L	EPA-200.7
7/6/2011 10:42	Cd		1.07	ug/L	EPA-200.7
7/13/2011 10:35	Cd	j	0.77	ug/L	EPA-200.7
7/20/2011 9:28	Cd	j	0.74	ug/L	EPA-200.7
7/27/2011 10:00	Cd		1.095	ug/L	EPA-200.7
8/3/2011 11:09	Cd	j	0.505	ug/L	EPA-200.7
6/28/2011 10:25	Chloride		121.4	mg/L	EPA 300.0
7/6/2011 10:42	Chloride		116.8	mg/L	EPA 300.0
7/13/2011 10:35	Chloride		111.7	mg/L	EPA 300.0
7/20/2011 9:28	Chloride		95	mg/L	SM 4500-Cl C
7/27/2011 10:00	Chloride		121	mg/L	SM 4500-Cl C
8/3/2011 11:09	Chloride		60	mg/L	SM 4500-Cl C
6/28/2011 10:25	Co	j	0.72	ug/L	EPA-200.7
7/6/2011 10:42	Co	j	0.42	ug/L	EPA-200.7
7/13/2011 10:35	Co	j	0.38	ug/L	EPA-200.7
7/20/2011 9:28	Co	j	0.46	ug/L	EPA-200.7
7/27/2011 10:00	Co	j	0.19	ug/L	EPA-200.7
8/3/2011 11:09	Co	j	0.6	ug/L	EPA-200.7
6/28/2011 10:25	COD		12	mg/L	EPA 410.4
7/6/2011 10:42	COD	<	3	mg/L	EPA 410.4
7/13/2011 10:35	COD	j	5.5	mg/L	EPA 410.4
7/20/2011 9:28	COD	j	10	mg/L	EPA 410.4
7/27/2011 10:00	COD	j	4	mg/L	EPA 410.4
8/3/2011 11:09	COD		16.5	mg/L	EPA 410.4
6/28/2011 10:25	Cr	j	1.5	ug/L	EPA-200.7

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 10:35	Cr	j	0.44	ug/L	EPA-200.7
7/20/2011 9:28	Cr	j	0.9	ug/L	EPA-200.7
8/3/2011 11:09	Cr	j	1.9	ug/L	EPA-200.7
6/28/2011 10:25	Cr+6	j	3.052	ug/L	SM 3500-Cr-D
7/13/2011 10:35	Cr+6	<	1.03	ug/L	SM 3500-Cr-D
7/20/2011 9:28	Cr+6	j	1.67	ug/L	SM 3500-Cr-D
8/3/2011 11:09	Cr+6	j	3.278	ug/L	SM 3500-Cr-D
6/28/2011 10:25	Cu		5.28	ug/L	EPA-200.7
7/6/2011 10:42	Cu		3.39	ug/L	EPA-200.7
7/13/2011 10:35	Cu		3.485	ug/L	EPA-200.7
7/20/2011 9:28	Cu		5.09	ug/L	EPA-200.7
7/27/2011 10:00	Cu		3.205	ug/L	EPA-200.7
8/3/2011 11:09	Cu		7.725	ug/L	EPA-200.7
6/28/2011 10:25	E. coli		1600	cfu/100mL	EPA 1603
7/6/2011 10:42	E. coli		3600	cfu/100mL	EPA 1603
7/13/2011 10:35	E. coli		1370	cfu/100mL	EPA 1603
7/20/2011 9:28	E. coli	EC	8300	cfu/100mL	EPA 1603
7/27/2011 10:00	E. coli		1520	cfu/100mL	EPA 1603
8/3/2011 11:09	E. coli		11750	cfu/100mL	EPA 1603
6/28/2011 10:25	Fe		347.8	ug/L	EPA-200.7
7/6/2011 10:42	Fe		359.3	ug/L	EPA-200.7
7/13/2011 10:35	Fe		178.9	ug/L	EPA-200.7
7/20/2011 9:28	Fe		517.5	ug/L	EPA-200.7
7/27/2011 10:00	Fe		200.6	ug/L	EPA-200.7
8/3/2011 11:09	Fe		920.1	ug/L	EPA-200.7
6/28/2011 10:25	Field Cond		730	uS/cm	SM 2510A
7/6/2011 10:42	Field Cond		737	uS/cm	SM 2510A
7/13/2011 10:35	Field Cond		675	uS/cm	SM 2510A
7/20/2011 9:28	Field Cond		543	uS/cm	SM 2510A
7/27/2011 10:00	Field Cond		681	uS/cm	SM 2510A
8/3/2011 11:09	Field Cond		440	uS/cm	SM 2510A
6/28/2011 10:25	Field DO		7.88	mg/L	SM 4500-O G
7/6/2011 10:42	Field DO		7.27	mg/L	SM 4500-O G
7/13/2011 10:35	Field DO		6.65	mg/L	SM 4500-O G
7/20/2011 9:28	Field DO		6.6	mg/L	SM 4500-O G
7/27/2011 10:00	Field DO		6.77	mg/L	SM 4500-O G
8/3/2011 11:09	Field DO		7.55	mg/L	SM 4500-O G
6/28/2011 10:25	Field Temp		17.9	C	EPA 170.1
7/6/2011 10:42	Field Temp		18.7	C	EPA 170.1

Nine-Mile Creek

River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 10:35	Field Temp		19.1	C	EPA 170.1
7/20/2011 9:28	Field Temp		20.4	C	EPA 170.1
7/27/2011 10:00	Field Temp		19.6	C	EPA 170.1
8/3/2011 11:09	Field Temp		21.8	C	EPA 170.1
6/28/2011 10:25	Hg	j	0.008	ug/L	EPA 245.1
7/6/2011 10:42	Hg	<	0.005	ug/L	EPA 245.1
7/13/2011 10:35	Hg	j	0.0255	ug/L	EPA 245.1
7/20/2011 9:28	Hg	<	0.005	ug/L	EPA 245.1
7/27/2011 10:00	Hg	<	0.005	ug/L	EPA 245.1
8/3/2011 11:09	Hg	<	0.005	ug/L	EPA 245.1
6/28/2011 10:25	K		6282	ug/L	EPA-200.7
7/6/2011 10:42	K		6124	ug/L	EPA-200.7
7/13/2011 10:35	K		5181	ug/L	EPA-200.7
7/20/2011 9:28	K		4354	ug/L	EPA-200.7
7/27/2011 10:00	K		5300	ug/L	EPA-200.7
8/3/2011 11:09	K		4427.5	ug/L	EPA-200.7
6/28/2011 10:25	Mg		16100	ug/L	EPA-200.7
7/6/2011 10:42	Mg		16680	ug/L	EPA-200.7
7/13/2011 10:35	Mg		14055	ug/L	EPA-200.7
7/20/2011 9:28	Mg		11060	ug/L	EPA-200.7
7/27/2011 10:00	Mg		14240	ug/L	EPA-200.7
8/3/2011 11:09	Mg		7655.5	ug/L	EPA-200.7
6/28/2011 10:25	Mn		50.94	ug/L	EPA-200.7
7/6/2011 10:42	Mn		46.4	ug/L	EPA-200.7
7/13/2011 10:35	Mn		34.09	ug/L	EPA-200.7
7/20/2011 9:28	Mn		62.08	ug/L	EPA-200.7
7/27/2011 10:00	Mn		37.48	ug/L	EPA-200.7
8/3/2011 11:09	Mn		42.63	ug/L	EPA-200.7
6/28/2011 10:25	Mo		4.23	ug/L	EPA-200.7
7/6/2011 10:42	Mo		4.36	ug/L	EPA-200.7
7/13/2011 10:35	Mo		4.05	ug/L	EPA-200.7
7/20/2011 9:28	Mo		4.33	ug/L	EPA-200.7
7/27/2011 10:00	Mo		5.12	ug/L	EPA-200.7
8/3/2011 11:09	Mo		4.435	ug/L	EPA-200.7
6/28/2011 10:25	Na		68220	ug/L	EPA-200.7
7/6/2011 10:42	Na		60500	ug/L	EPA-200.7
7/13/2011 10:35	Na		64540	ug/L	EPA-200.7
7/20/2011 9:28	Na		48240	ug/L	EPA-200.7
7/27/2011 10:00	Na		64790	ug/L	EPA-200.7
8/3/2011 11:09	Na		41015	ug/L	EPA-200.7

Nine-Mile Creek

River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
6/28/2011 10:25	NH3		0.072	mg/L	EPA-350.1
7/6/2011 10:42	NH3		0.051	mg/L	EPA-350.1
7/13/2011 10:35	NH3		0.0385	mg/L	EPA-350.1
7/20/2011 9:28	NH3		0.125	mg/L	EPA-350.1
7/27/2011 10:00	NH3		0.102	mg/L	EPA-350.1
8/3/2011 11:09	NH3		0.126	mg/L	EPA-350.1
6/28/2011 10:25	Ni		5.89	ug/L	EPA-200.7
7/6/2011 10:42	Ni		4.5	ug/L	EPA-200.7
7/13/2011 10:35	Ni		4.17	ug/L	EPA-200.7
7/20/2011 9:28	Ni		3.68	ug/L	EPA-200.7
7/27/2011 10:00	Ni		3.715	ug/L	EPA-200.7
8/3/2011 11:09	Ni		4.08	ug/L	EPA-200.7
6/28/2011 10:25	NO2		0.028	mg/L	SM 4500-NO2-B
7/6/2011 10:42	NO2		0.022	mg/L	SM 4500-NO2-B
7/13/2011 10:35	NO2		0.0195	mg/L	SM 4500-NO2-B
7/20/2011 9:28	NO2		0.019	mg/L	SM 4500-NO2-B
7/27/2011 10:00	NO2		0.021	mg/L	SM 4500-NO2-B
8/3/2011 11:09	NO2		0.054	mg/L	SM 4500-NO2-B
6/28/2011 10:25	NO3		1.24	mg/L	EPA 353.2
7/6/2011 10:42	NO3		1.221	mg/L	EPA 353.2
7/13/2011 10:35	NO3		0.7805	mg/L	EPA 353.2
7/20/2011 9:28	NO3		0.968	mg/L	EPA 353.2
7/27/2011 10:00	NO3		0.927	mg/L	EPA 353.2
8/3/2011 11:09	NO3		1.4565	mg/L	EPA 353.2
6/28/2011 10:25	NO3+NO2		1.268	mg/L	EPA 353.2
7/6/2011 10:42	NO3+NO2		1.243	mg/L	EPA 353.2
7/13/2011 10:35	NO3+NO2		0.8005	mg/L	EPA 353.2
7/20/2011 9:28	NO3+NO2		0.986	mg/L	EPA 353.2
7/27/2011 10:00	NO3+NO2		0.948	mg/L	EPA 353.2
8/3/2011 11:09	NO3+NO2		1.5105	mg/L	EPA 353.2
6/28/2011 10:25	Pb	<	0.39	ug/L	EPA-200.7
7/6/2011 10:42	Pb	<	0.39	ug/L	EPA-200.7
7/13/2011 10:35	Pb	j	0.43	ug/L	EPA-200.7
7/20/2011 9:28	Pb	j	1.96	ug/L	EPA-200.7
7/27/2011 10:00	Pb	<	0.39	ug/L	EPA-200.7
8/3/2011 11:09	Pb		3.84	ug/L	EPA-200.7
6/28/2011 10:25	pH		7.81	S.U.	
7/6/2011 10:42	pH		7.76	S.U.	
7/13/2011 10:35	pH		7.83	S.U.	

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 9:28	pH		7.61	S.U.	
7/27/2011 10:00	pH		7.6	S.U.	
8/3/2011 11:09	pH		7.65	S.U.	
6/28/2011 10:25	Sb	<	0.61	ug/L	EPA-200.7
7/6/2011 10:42	Sb	<	0.61	ug/L	EPA-200.7
7/13/2011 10:35	Sb	<	0.61	ug/L	EPA-200.7
7/20/2011 9:28	Sb	<	0.61	ug/L	EPA-200.7
7/27/2011 10:00	Sb	j	1.25	ug/L	EPA-200.7
8/3/2011 11:09	Sb	j	1.245	ug/L	EPA-200.7
6/28/2011 10:25	Se	j	2.96	ug/L	EPA-200.7
7/6/2011 10:42	Se	j	1.14	ug/L	EPA-200.7
7/13/2011 10:35	Se	j	0.74	ug/L	EPA-200.7
7/20/2011 9:28	Se	j	1.65	ug/L	EPA-200.7
7/27/2011 10:00	Se	j	1.73	ug/L	EPA-200.7
8/3/2011 11:09	Se	j	1.73	ug/L	EPA-200.7
6/28/2011 10:25	Sn	<	18.4	ug/L	EPA-200.7
7/6/2011 10:42	Sn	<	18.4	ug/L	EPA-200.7
7/13/2011 10:35	Sn	<	18.4	ug/L	EPA-200.7
7/20/2011 9:28	Sn	<	18.4	ug/L	EPA-200.7
7/27/2011 10:00	Sn	<	18.4	ug/L	EPA-200.7
8/3/2011 11:09	Sn	<	18.4	ug/L	EPA-200.7
6/28/2011 10:25	SO4		86.95	mg/L	EPA 300.0
7/6/2011 10:42	SO4		89.78	mg/L	EPA 300.0
7/13/2011 10:35	SO4		72.8	mg/L	EPA 300.0
6/28/2011 10:25	Soluble-P		0.109	mg/L	EPA 365.1
7/6/2011 10:42	Soluble-P		0.13	mg/L	EPA 365.1
7/13/2011 10:35	Soluble-P		0.1155	mg/L	EPA 365.1
7/20/2011 9:28	Soluble-P		0.109	mg/L	EPA 365.1
7/27/2011 10:00	Soluble-P		0.11	mg/L	EPA 365.1
8/3/2011 11:09	Soluble-P		0.095	mg/L	EPA 365.1
6/28/2011 10:25	TDS		524	mg/L	SM2540C
7/6/2011 10:42	TDS		516	mg/L	SM2540C
7/13/2011 10:35	TDS		434.5	mg/L	SM2540C
7/20/2011 9:28	TDS		350	mg/L	SM2540C
7/27/2011 10:00	TDS		478	mg/L	SM2540C
8/3/2011 11:09	TDS		258.5	mg/L	SM2540C
6/28/2011 10:25	Ti		5.65	ug/L	EPA-200.7
7/6/2011 10:42	Ti	j	1.38	ug/L	EPA-200.7
7/13/2011 10:35	Ti	j	0.51	ug/L	EPA-200.7

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 9:28	Ti		2.23	ug/L	EPA-200.7
7/27/2011 10:00	Ti	j	0.45	ug/L	EPA-200.7
8/3/2011 11:09	Ti		5.68	ug/L	EPA-200.7
6/28/2011 10:25	TI	j	1.27	ug/L	EPA-200.7
7/6/2011 10:42	TI	<	1.11	ug/L	EPA-200.7
7/13/2011 10:35	TI	<	1.41	ug/L	EPA-200.7
7/20/2011 9:28	TI	j	2.12	ug/L	EPA-200.7
7/27/2011 10:00	TI	<	1.11	ug/L	EPA-200.7
8/3/2011 11:09	TI	j	1.445	ug/L	EPA-200.7
6/28/2011 10:25	TMET		24.2	ug/L	EPA-200.7
7/6/2011 10:42	TMET		16.9	ug/L	EPA-200.7
7/13/2011 10:35	TMET		15.95	ug/L	EPA-200.7
7/20/2011 9:28	TMET		20.8	ug/L	EPA-200.7
7/27/2011 10:00	TMET		15.2	ug/L	EPA-200.7
8/3/2011 11:09	TMET		29.9	ug/L	EPA-200.7
6/28/2011 10:25	Total-P		0.134	mg/L	EPA 365.1
7/6/2011 10:42	Total-P		0.129	mg/L	EPA 365.1
7/13/2011 10:35	Total-P		0.131	mg/L	EPA 365.1
7/20/2011 9:28	Total-P		0.139	mg/L	EPA 365.1
7/27/2011 10:00	Total-P		0.142	mg/L	EPA 365.1
8/3/2011 11:09	Total-P		0.136	mg/L	EPA 365.1
6/28/2011 10:25	TS		544	mg/L	SM2540B
7/6/2011 10:42	TS		550	mg/L	SM2540B
7/13/2011 10:35	TS		462.5	mg/L	SM2540B
7/20/2011 9:28	TS		598	mg/L	SM2540B
7/27/2011 10:00	TS		522	mg/L	SM2540B
8/3/2011 11:09	TS		333	mg/L	SM2540B
6/28/2011 10:25	TSS		3.3	mg/L	SM2540D
7/6/2011 10:42	TSS		9.5	mg/L	SM2540D
7/13/2011 10:35	TSS		2.4	mg/L	SM2540D
7/20/2011 9:28	TSS		5.1	mg/L	SM2540D
7/27/2011 10:00	TSS		2.9	mg/L	SM2540D
8/3/2011 11:09	TSS		21.15	mg/L	SM2540D
6/28/2011 10:25	Turbidity		4.45	NTU	EPA 180.1
7/6/2011 10:42	Turbidity		7.84	NTU	EPA 180.1
7/13/2011 10:35	Turbidity		2.5	NTU	EPA 180.1
7/20/2011 9:28	Turbidity		5.41	NTU	EPA 180.1
7/27/2011 10:00	Turbidity		3.7	NTU	EPA 180.1
8/3/2011 11:09	Turbidity		27.95	NTU	EPA 180.1

Nine-Mile Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	Method	
6/28/2011 10:25	V	j	0.6	ug/L	EPA-200.7	
7/6/2011 10:42	V	j	0.48	ug/L	EPA-200.7	
7/13/2011 10:35	V	j	0.29	ug/L	EPA-200.7	
7/20/2011 9:28	V	j	0.4	ug/L	EPA-200.7	
7/27/2011 10:00	V	j	0.2	ug/L	EPA-200.7	
8/3/2011 11:09	V		1.4	ug/L	EPA-200.7	
6/28/2011 10:25	Zn		11.48	ug/L	EPA-200.7	
7/6/2011 10:42	Zn	j	8.29	ug/L	EPA-200.7	
7/13/2011 10:35	Zn	j	7.835	ug/L	EPA-200.7	
7/20/2011 9:28	Zn		11.09	ug/L	EPA-200.7	
7/27/2011 10:00	Zn	j	7.83	ug/L	EPA-200.7	
8/3/2011 11:09	Zn		16.145	ug/L	EPA-200.7	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count