

Rocky River River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 10:55	Ag	<	0.12	ug/L	EPA-200.7
8/18/2011 10:14	Ag	<	0.12	ug/L	EPA-200.7
8/25/2011 8:45	Ag	<	0.12	ug/L	EPA-200.7
9/1/2011 11:15	Ag	<	0.12	ug/L	EPA-200.7
9/8/2011 9:00	Ag	<	0.12	ug/L	EPA-200.7
8/11/2011 10:55	Al		74.49	ug/L	EPA-200.7
8/18/2011 10:14	Al		439.3	ug/L	EPA-200.7
8/25/2011 8:45	Al		1431	ug/L	EPA-200.7
9/1/2011 11:15	Al		52.92	ug/L	EPA-200.7
9/8/2011 9:00	Al		239.2	ug/L	EPA-200.7
8/11/2011 10:55	Alkalinity		130	mg/LCaCO3	EPA-310.2
8/18/2011 10:14	Alkalinity		112.6	mg/LCaCO3	EPA-310.2
8/25/2011 8:45	Alkalinity		101.5	mg/LCaCO3	EPA-310.2
9/1/2011 11:15	Alkalinity		110.2	mg/LCaCO3	EPA-310.2
9/8/2011 9:00	Alkalinity		117.8	mg/LCaCO3	EPA-310.2
8/11/2011 10:55	As	j	0.61	ug/L	EPA-200.7
8/18/2011 10:14	As		2.17	ug/L	EPA-200.7
8/25/2011 8:45	As		3.29	ug/L	EPA-200.7
9/1/2011 11:15	As	j	0.69	ug/L	EPA-200.7
9/8/2011 9:00	As	j	1.33	ug/L	EPA-200.7
8/11/2011 10:55	Ba		36.8	ug/L	EPA-200.7
8/18/2011 10:14	Ba		32.7	ug/L	EPA-200.7
8/25/2011 8:45	Ba		42.5	ug/L	EPA-200.7
9/1/2011 11:15	Ba		31.5	ug/L	EPA-200.7
9/8/2011 9:00	Ba		27.6	ug/L	EPA-200.7
8/11/2011 10:55	Be	<	0.12	ug/L	EPA-200.7
8/18/2011 10:14	Be	<	0.12	ug/L	EPA-200.7
8/25/2011 8:45	Be	<	0.12	ug/L	EPA-200.7
9/1/2011 11:15	Be	<	0.12	ug/L	EPA-200.7
9/8/2011 9:00	Be	<	0.12	ug/L	EPA-200.7
8/11/2011 10:55	BOD	<	2	mg/L	SM 5210
8/18/2011 10:14	BOD	<	2	mg/L	SM 5210
8/25/2011 8:45	BOD		2.7	mg/L	SM 5210
9/1/2011 11:15	BOD	<	2	mg/L	SM 5210
9/8/2011 9:00	BOD	<	2	mg/L	SM 5210
8/11/2011 10:55	Ca		63230	ug/L	EPA-200.7
8/18/2011 10:14	Ca		46550	ug/L	EPA-200.7
8/25/2011 8:45	Ca		52740	ug/L	EPA-200.7
9/1/2011 11:15	Ca		55500	ug/L	EPA-200.7

Rocky River					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 9:00	Ca		52350	ug/L	EPA-200.7
8/11/2011 10:55	CaCO3		226	mg/LCaCO3	EPA-200.7
8/18/2011 10:14	CaCO3		162	mg/LCaCO3	EPA-200.7
8/25/2011 8:45	CaCO3		186	mg/LCaCO3	EPA-200.7
9/1/2011 11:15	CaCO3		200	mg/LCaCO3	EPA-200.7
9/8/2011 9:00	CaCO3		178	mg/LCaCO3	EPA-200.7
8/11/2011 10:55	Cd	j	0.09	ug/L	EPA-200.7
8/18/2011 10:14	Cd	j	0.11	ug/L	EPA-200.7
8/25/2011 8:45	Cd	j	0.2	ug/L	EPA-200.7
9/1/2011 11:15	Cd	j	0.11	ug/L	EPA-200.7
9/8/2011 9:00	Cd	j	0.1	ug/L	EPA-200.7
8/11/2011 10:55	Chloride		118	mg/L	SM 4500-Cl C
8/25/2011 8:45	Chloride		97	mg/L	SM 4500-Cl C
9/1/2011 11:15	Chloride		136	mg/L	SM 4500-Cl C
9/8/2011 9:00	Chloride		114	mg/L	SM 4500-Cl C
8/11/2011 10:55	Co	j	0.54	ug/L	EPA-200.7
8/18/2011 10:14	Co	j	0.67	ug/L	EPA-200.7
8/25/2011 8:45	Co		2.44	ug/L	EPA-200.7
9/1/2011 11:15	Co	j	0.48	ug/L	EPA-200.7
9/8/2011 9:00	Co	j	0.46	ug/L	EPA-200.7
8/11/2011 10:55	COD		20	mg/L	EPA 410.4
8/18/2011 10:14	COD		18	mg/L	EPA 410.4
8/25/2011 8:45	COD		18	mg/L	EPA 410.4
9/1/2011 11:15	COD		15	mg/L	EPA 410.4
9/8/2011 9:00	COD		20	mg/L	EPA 410.4
8/11/2011 10:55	Cr	j	0.27	ug/L	EPA-200.7
8/25/2011 8:45	Cr		2.44	ug/L	EPA-200.7
9/1/2011 11:15	Cr	j	0.52	ug/L	EPA-200.7
8/11/2011 10:55	Cr+6	j	1.02	ug/L	SM 3500-Cr-D
8/25/2011 8:45	Cr+6	j	2.135	ug/L	SM 3500-Cr-D
9/1/2011 11:15	Cr+6	j	1.322	ug/L	SM 3500-Cr-D
8/11/2011 10:55	Cu		4.35	ug/L	EPA-200.7
8/18/2011 10:14	Cu		4.67	ug/L	EPA-200.7
8/25/2011 8:45	Cu		8.42	ug/L	EPA-200.7
9/1/2011 11:15	Cu		5.05	ug/L	EPA-200.7
9/8/2011 9:00	Cu		3.5	ug/L	EPA-200.7
8/11/2011 10:55	E. coli		205	cfu/100mL	EPA 1603

Rocky River River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/18/2011 10:14	E. coli		395	cfu/100mL	EPA 1603
8/25/2011 8:45	E. coli		5800	cfu/100mL	EPA 1603
9/1/2011 11:15	E. coli		2700	cfu/100mL	EPA 1603
9/8/2011 9:00	E. coli		1200	cfu/100mL	EPA 1603
8/11/2011 10:55	Fe		197.2	ug/L	EPA-200.7
8/18/2011 10:14	Fe		1080	ug/L	EPA-200.7
8/25/2011 8:45	Fe		3804	ug/L	EPA-200.7
9/1/2011 11:15	Fe		197	ug/L	EPA-200.7
9/8/2011 9:00	Fe		670.6	ug/L	EPA-200.7
8/11/2011 10:55	Field Cond		692	uS/cm	SM 2510A
8/18/2011 10:14	Field Cond		551	uS/cm	SM 2510A
8/25/2011 8:45	Field Cond		565	uS/cm	SM 2510A
9/1/2011 11:15	Field Cond		801	uS/cm	SM 2510A
9/8/2011 9:00	Field Cond		617	uS/cm	SM 2510A
8/11/2011 10:55	Field DO		12.52	mg/L	SM 4500-0 G
8/18/2011 10:14	Field DO		10.82	mg/L	SM 4500-0 G
8/25/2011 8:45	Field DO		11.09	mg/L	SM 4500-0 G
9/1/2011 11:15	Field DO		8.8	mg/L	SM 4500-0 G
9/8/2011 9:00	Field DO		9.59	mg/L	SM 4500-0 G
8/11/2011 10:55	Field Temp		20.8	C	EPA 170.1
8/18/2011 10:14	Field Temp		20.6	C	EPA 170.1
8/25/2011 8:45	Field Temp		22.1	C	EPA 170.1
9/1/2011 11:15	Field Temp		22.1	C	EPA 170.1
9/8/2011 9:00	Field Temp		18.6	C	EPA 170.1
8/11/2011 10:55	Hg	j	0.009	ug/L	EPA 245.1
8/18/2011 10:14	Hg	<	0.005	ug/L	EPA 245.1
8/25/2011 8:45	Hg	<	0.005	ug/L	EPA 245.1
9/1/2011 11:15	Hg	<	0.005	ug/L	EPA 245.1
9/8/2011 9:00	Hg	<	0.005	ug/L	EPA 245.1
8/11/2011 10:55	K		7196	ug/L	EPA-200.7
8/18/2011 10:14	K		5870	ug/L	EPA-200.7
8/25/2011 8:45	K		6344	ug/L	EPA-200.7
9/1/2011 11:15	K		7522	ug/L	EPA-200.7
9/8/2011 9:00	K		5704	ug/L	EPA-200.7
8/11/2011 10:55	Mg		16570	ug/L	EPA-200.7
8/18/2011 10:14	Mg		11020	ug/L	EPA-200.7
8/25/2011 8:45	Mg		13160	ug/L	EPA-200.7
9/1/2011 11:15	Mg		14990	ug/L	EPA-200.7
9/8/2011 9:00	Mg		11600	ug/L	EPA-200.7

Rocky River River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 10:55	Mn		21.68	ug/L	EPA-200.7
8/18/2011 10:14	Mn		47.48	ug/L	EPA-200.7
8/25/2011 8:45	Mn		164.6	ug/L	EPA-200.7
9/1/2011 11:15	Mn		13.41	ug/L	EPA-200.7
9/8/2011 9:00	Mn		33.7	ug/L	EPA-200.7
8/11/2011 10:55	Mo		5.74	ug/L	EPA-200.7
8/18/2011 10:14	Mo		4.29	ug/L	EPA-200.7
8/25/2011 8:45	Mo		4.2	ug/L	EPA-200.7
9/1/2011 11:15	Mo		5.85	ug/L	EPA-200.7
9/8/2011 9:00	Mo		4.27	ug/L	EPA-200.7
8/11/2011 10:55	Na		83200	ug/L	EPA-200.7
8/18/2011 10:14	Na		50200	ug/L	EPA-200.7
8/25/2011 8:45	Na		59800	ug/L	EPA-200.7
9/1/2011 11:15	Na		78120	ug/L	EPA-200.7
9/8/2011 9:00	Na		58500	ug/L	EPA-200.7
8/11/2011 10:55	NH3		0.027	mg/L	EPA-350.1
8/18/2011 10:14	NH3		0.03	mg/L	EPA-350.1
8/25/2011 8:45	NH3		0.036	mg/L	EPA-350.1
9/1/2011 11:15	NH3		0.047	mg/L	EPA-350.1
9/8/2011 9:00	NH3		0.041	mg/L	EPA-350.1
8/11/2011 10:55	Ni		3.03	ug/L	EPA-200.7
8/18/2011 10:14	Ni		3.79	ug/L	EPA-200.7
8/25/2011 8:45	Ni		6.72	ug/L	EPA-200.7
9/1/2011 11:15	Ni		3.89	ug/L	EPA-200.7
9/8/2011 9:00	Ni		3.35	ug/L	EPA-200.7
8/11/2011 10:55	NO2		0.012	mg/L	SM 4500-NO2-B
8/18/2011 10:14	NO2		0.014	mg/L	SM 4500-NO2-B
8/25/2011 8:45	NO2		0.02	mg/L	SM 4500-NO2-B
9/1/2011 11:15	NO2		0.019	mg/L	SM 4500-NO2-B
9/8/2011 9:00	NO2		0.01	mg/L	SM 4500-NO2-B
8/11/2011 10:55	NO3		1.774	mg/L	EPA 353.2
8/18/2011 10:14	NO3		1.347	mg/L	EPA 353.2
8/25/2011 8:45	NO3		2.288	mg/L	EPA 353.2
9/1/2011 11:15	NO3		2.594	mg/L	EPA 353.2
9/8/2011 9:00	NO3		1.806	mg/L	EPA 353.2
8/11/2011 10:55	NO3+NO2		1.786	mg/L	EPA 353.2
8/18/2011 10:14	NO3+NO2		1.361	mg/L	EPA 353.2
8/25/2011 8:45	NO3+NO2		2.308	mg/L	EPA 353.2

Rocky River					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
9/1/2011 11:15	NO3+NO2		2.613	mg/L	EPA 353.2
9/8/2011 9:00	NO3+NO2		1.816	mg/L	EPA 353.2
8/11/2011 10:55	Pb	<	0.39	ug/L	EPA-200.7
8/18/2011 10:14	Pb	j	0.87	ug/L	EPA-200.7
8/25/2011 8:45	Pb		3.95	ug/L	EPA-200.7
9/1/2011 11:15	Pb	<	0.39	ug/L	EPA-200.7
9/8/2011 9:00	Pb	<	0.39	ug/L	EPA-200.7
8/11/2011 10:55	pH		8.31	S.U.	
8/18/2011 10:14	pH		7.99	S.U.	
8/25/2011 8:45	pH		7.91	S.U.	
9/1/2011 11:15	pH		8.07	S.U.	
9/8/2011 9:00	pH		8.11	S.U.	
8/11/2011 10:55	Sb	<	0.61	ug/L	EPA-200.7
8/18/2011 10:14	Sb	<	0.61	ug/L	EPA-200.7
8/25/2011 8:45	Sb	<	0.61	ug/L	EPA-200.7
9/1/2011 11:15	Sb	<	0.61	ug/L	EPA-200.7
9/8/2011 9:00	Sb	<	0.61	ug/L	EPA-200.7
8/11/2011 10:55	Se	<	0.63	ug/L	EPA-200.7
8/18/2011 10:14	Se	j	0.97	ug/L	EPA-200.7
8/25/2011 8:45	Se	<	0.63	ug/L	EPA-200.7
9/1/2011 11:15	Se	<	0.63	ug/L	EPA-200.7
9/8/2011 9:00	Se	j	0.69	ug/L	EPA-200.7
8/11/2011 10:55	Sn	<	18.4	ug/L	EPA-200.7
8/18/2011 10:14	Sn	<	18.4	ug/L	EPA-200.7
8/25/2011 8:45	Sn	<	18.4	ug/L	EPA-200.7
9/1/2011 11:15	Sn	<	18.4	ug/L	EPA-200.7
9/8/2011 9:00	Sn	<	18.4	ug/L	EPA-200.7
8/11/2011 10:55	Soluble-P		0.014	mg/L	EPA 365.1
8/18/2011 10:14	Soluble-P		0.043	mg/L	EPA 365.1
8/25/2011 8:45	Soluble-P		0.041	mg/L	EPA 365.1
9/1/2011 11:15	Soluble-P		0.012	mg/L	EPA 365.1
9/8/2011 9:00	Soluble-P		0.039	mg/L	EPA 365.1
8/11/2011 10:55	TDS		541	mg/L	SM2540C
8/18/2011 10:14	TDS		328	mg/L	SM2540C
8/25/2011 8:45	TDS		362	mg/L	SM2540C
9/1/2011 11:15	TDS		496	mg/L	SM2540C
9/8/2011 9:00	TDS		386	mg/L	SM2540C
8/11/2011 10:55	Ti	j	0.59	ug/L	EPA-200.7

Rocky River River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/18/2011 10:14	Ti		7.04	ug/L	EPA-200.7
8/25/2011 8:45	Ti		16.75	ug/L	EPA-200.7
9/1/2011 11:15	Ti	j	0.47	ug/L	EPA-200.7
9/8/2011 9:00	Ti		2.56	ug/L	EPA-200.7
8/11/2011 10:55	TI	<	1.11	ug/L	EPA-200.7
8/18/2011 10:14	TI	<	1.11	ug/L	EPA-200.7
8/25/2011 8:45	TI	j	2.13	ug/L	EPA-200.7
9/1/2011 11:15	TI	j	1.55	ug/L	EPA-200.7
9/8/2011 9:00	TI	j	1.9	ug/L	EPA-200.7
8/11/2011 10:55	TMET		14.4	ug/L	EPA-200.7
8/18/2011 10:14	TMET		23.6	ug/L	EPA-200.7
8/25/2011 8:45	TMET		46.7	ug/L	EPA-200.7
9/1/2011 11:15	TMET		15.2	ug/L	EPA-200.7
9/8/2011 9:00	TMET		14.5	ug/L	EPA-200.7
8/11/2011 10:55	Total-P		0.046	mg/L	EPA 365.1
8/18/2011 10:14	Total-P		0.082	mg/L	EPA 365.1
8/25/2011 8:45	Total-P		0.163	mg/L	EPA 365.1
9/1/2011 11:15	Total-P		0.035	mg/L	EPA 365.1
9/8/2011 9:00	Total-P		0.078	mg/L	EPA 365.1
8/11/2011 10:55	TS		581	mg/L	SM2540B
8/18/2011 10:14	TS		392	mg/L	SM2540B
8/25/2011 8:45	TS		522	mg/L	SM2540B
9/1/2011 11:15	TS		584	mg/L	SM2540B
9/8/2011 9:00	TS		458	mg/L	SM2540B
8/11/2011 10:55	TSS		6.2	mg/L	SM2540D
8/18/2011 10:14	TSS		19.6	mg/L	SM2540D
8/25/2011 8:45	TSS		65.4	mg/L	SM2540D
9/1/2011 11:15	TSS		3.4	mg/L	SM2540D
9/8/2011 9:00	TSS		17.9	mg/L	SM2540D
8/11/2011 10:55	Turbidity		4.39	NTU	EPA 180.1
8/25/2011 8:45	Turbidity		46.5	NTU	EPA 180.1
9/1/2011 11:15	Turbidity		3.72	NTU	EPA 180.1
9/8/2011 9:00	Turbidity		15.35	NTU	EPA 180.1
8/11/2011 10:55	V	<	0.15	ug/L	EPA-200.7
8/18/2011 10:14	V		1.11	ug/L	EPA-200.7
8/25/2011 8:45	V		3.49	ug/L	EPA-200.7
9/1/2011 11:15	V	<	0.15	ug/L	EPA-200.7
9/8/2011 9:00	V	j	0.6	ug/L	EPA-200.7

Rocky River  
River Mile 8.30

Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 10:55	Zn	j	6.73	ug/L	EPA-200.7
8/18/2011 10:14	Zn		14.4	ug/L	EPA-200.7
8/25/2011 8:45	Zn		29.13	ug/L	EPA-200.7
9/1/2011 11:15	Zn	j	5.75	ug/L	EPA-200.7
9/8/2011 9:00	Zn	j	7.03	ug/L	EPA-200.7

Rocky River River Mile 4.80					
Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 10:20	Ag	<	0.12	ug/L	EPA-200.7
8/18/2011 9:40	Ag	<	0.12	ug/L	EPA-200.7
8/25/2011 8:54	Ag	<	0.12	ug/L	EPA-200.7
9/1/2011 9:45	Ag	<	0.12	ug/L	EPA-200.7
9/8/2011 9:25	Ag	<	0.12	ug/L	EPA-200.7
8/11/2011 10:20	Al		89.3	ug/L	EPA-200.7
8/18/2011 9:40	Al		445.9	ug/L	EPA-200.7
8/25/2011 8:54	Al		1295	ug/L	EPA-200.7
9/1/2011 9:45	Al		86.88	ug/L	EPA-200.7
9/8/2011 9:25	Al		251.2	ug/L	EPA-200.7
8/11/2011 10:20	Alkalinity		118.8	mg/LCaCO3	EPA-310.2
8/18/2011 9:40	Alkalinity		111.4	mg/LCaCO3	EPA-310.2
8/25/2011 8:54	Alkalinity		90.7	mg/LCaCO3	EPA-310.2
9/1/2011 9:45	Alkalinity		103.8	mg/LCaCO3	EPA-310.2
9/8/2011 9:25	Alkalinity		114.8	mg/LCaCO3	EPA-310.2
8/11/2011 10:20	As	j	0.55	ug/L	EPA-200.7
8/18/2011 9:40	As	j	1.94	ug/L	EPA-200.7
8/25/2011 8:54	As		3.41	ug/L	EPA-200.7
9/1/2011 9:45	As	j	0.43	ug/L	EPA-200.7
9/8/2011 9:25	As	j	1.47	ug/L	EPA-200.7
8/11/2011 10:20	Ba		36.1	ug/L	EPA-200.7
8/18/2011 9:40	Ba		32.8	ug/L	EPA-200.7
8/25/2011 8:54	Ba		37	ug/L	EPA-200.7
9/1/2011 9:45	Ba		31.65	ug/L	EPA-200.7
9/8/2011 9:25	Ba		28.9	ug/L	EPA-200.7
8/11/2011 10:20	Be	<	0.12	ug/L	EPA-200.7
8/18/2011 9:40	Be	<	0.12	ug/L	EPA-200.7
8/25/2011 8:54	Be	<	0.12	ug/L	EPA-200.7
9/1/2011 9:45	Be	<	0.12	ug/L	EPA-200.7
9/8/2011 9:25	Be	<	0.12	ug/L	EPA-200.7
8/11/2011 10:20	BOD	<	2	mg/L	SM 5210
8/18/2011 9:40	BOD	<	2	mg/L	SM 5210
8/25/2011 8:54	BOD		2.4	mg/L	SM 5210
9/1/2011 9:45	BOD	<	2	mg/L	SM 5210
9/8/2011 9:25	BOD	<	2	mg/L	SM 5210
8/11/2011 10:20	Ca		61000	ug/L	EPA-200.7
8/18/2011 9:40	Ca		47690	ug/L	EPA-200.7
8/25/2011 8:54	Ca		48320	ug/L	EPA-200.7
9/1/2011 9:45	Ca		55280	ug/L	EPA-200.7



Rocky River River Mile 4.80					
Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 9:25	Ca		52950	ug/L	EPA-200.7
8/11/2011 10:20	CaCO3		218	mg/LCaCO3	EPA-200.7
8/18/2011 9:40	CaCO3		164	mg/LCaCO3	EPA-200.7
8/25/2011 8:54	CaCO3		167	mg/LCaCO3	EPA-200.7
9/1/2011 9:45	CaCO3		198	mg/LCaCO3	EPA-200.7
9/8/2011 9:25	CaCO3		181	mg/LCaCO3	EPA-200.7
8/11/2011 10:20	Cd	j	0.1	ug/L	EPA-200.7
8/18/2011 9:40	Cd	j	0.12	ug/L	EPA-200.7
8/25/2011 8:54	Cd	j	0.2	ug/L	EPA-200.7
9/1/2011 9:45	Cd	j	0.12	ug/L	EPA-200.7
9/8/2011 9:25	Cd	j	0.12	ug/L	EPA-200.7
8/11/2011 10:20	Chloride		126	mg/L	SM 4500-Cl C
8/18/2011 9:40	Chloride		71	mg/L	SM 4500-Cl C
8/25/2011 8:54	Chloride		105	mg/L	SM 4500-Cl C
9/1/2011 9:45	Chloride		133	mg/L	SM 4500-Cl C
9/8/2011 9:25	Chloride		117	mg/L	SM 4500-Cl C
8/11/2011 10:20	Co	j	0.61	ug/L	EPA-200.7
8/18/2011 9:40	Co	j	0.77	ug/L	EPA-200.7
8/25/2011 8:54	Co		1.88	ug/L	EPA-200.7
9/1/2011 9:45	Co	j	0.495	ug/L	EPA-200.7
9/8/2011 9:25	Co	j	0.47	ug/L	EPA-200.7
8/11/2011 10:20	COD		16	mg/L	EPA 410.4
8/18/2011 9:40	COD		18	mg/L	EPA 410.4
8/25/2011 8:54	COD		19	mg/L	EPA 410.4
9/1/2011 9:45	COD		9	mg/L	EPA 410.4
9/8/2011 9:25	COD		18	mg/L	EPA 410.4
8/11/2011 10:20	Cr	<	0.25	ug/L	EPA-200.7
8/25/2011 8:54	Cr		2.44	ug/L	EPA-200.7
8/11/2011 10:20	Cr+6	j	1.082	ug/L	SM 3500-Cr-D
8/25/2011 8:54	Cr+6	j	2.367	ug/L	SM 3500-Cr-D
8/11/2011 10:20	Cu		3.54	ug/L	EPA-200.7
8/18/2011 9:40	Cu		4.52	ug/L	EPA-200.7
8/25/2011 8:54	Cu		7.96	ug/L	EPA-200.7
9/1/2011 9:45	Cu		3.795	ug/L	EPA-200.7
9/8/2011 9:25	Cu		4.04	ug/L	EPA-200.7
8/11/2011 10:20	E. coli		320	cfu/100mL	EPA 1603
8/18/2011 9:40	E. coli		390	cfu/100mL	EPA 1603

Rocky River  
River Mile 4.80

Sample Date	Parameter	Code	Result	Units	Method
8/25/2011 8:54	E. coli		3100	cfu/100mL	EPA 1603
9/1/2011 9:45	E. coli		340	cfu/100mL	EPA 1603
9/8/2011 9:25	E. coli		1800	cfu/100mL	EPA 1603
8/11/2011 10:20	Fe		206.6	ug/L	EPA-200.7
8/18/2011 9:40	Fe		1160	ug/L	EPA-200.7
8/25/2011 8:54	Fe		3043	ug/L	EPA-200.7
9/1/2011 9:45	Fe		242	ug/L	EPA-200.7
9/8/2011 9:25	Fe		652	ug/L	EPA-200.7
8/11/2011 10:20	Field Cond		708	uS/cm	SM 2510A
8/18/2011 9:40	Field Cond		538	uS/cm	SM 2510A
8/25/2011 8:54	Field Cond		608	uS/cm	SM 2510A
9/1/2011 9:45	Field Cond		809	uS/cm	SM 2510A
9/8/2011 9:25	Field Cond		650	uS/cm	SM 2510A
8/11/2011 10:20	Field DO		10.36	mg/L	SM 4500-0 G
8/18/2011 9:40	Field DO		10.46	mg/L	SM 4500-0 G
8/25/2011 8:54	Field DO		11.74	mg/L	SM 4500-0 G
9/1/2011 9:45	Field DO		8.23	mg/L	SM 4500-0 G
9/8/2011 9:25	Field DO		9.49	mg/L	SM 4500-0 G
8/11/2011 10:20	Field Temp		21.5	C	EPA 170.1
8/18/2011 9:40	Field Temp		20.4	C	EPA 170.1
8/25/2011 8:54	Field Temp		22.1	C	EPA 170.1
9/1/2011 9:45	Field Temp		23.1	C	EPA 170.1
9/8/2011 9:25	Field Temp		18.6	C	EPA 170.1
8/11/2011 10:20	Hg	<	0.005	ug/L	EPA 245.1
8/18/2011 9:40	Hg	<	0.005	ug/L	EPA 245.1
8/25/2011 8:54	Hg	<	0.005	ug/L	EPA 245.1
9/1/2011 9:45	Hg	<	0.005	ug/L	EPA 245.1
9/8/2011 9:25	Hg	<	0.005	ug/L	EPA 245.1
8/11/2011 10:20	K		7179	ug/L	EPA-200.7
8/18/2011 9:40	K		5743	ug/L	EPA-200.7
8/25/2011 8:54	K		6612	ug/L	EPA-200.7
9/1/2011 9:45	K		7769.5	ug/L	EPA-200.7
9/8/2011 9:25	K		6459	ug/L	EPA-200.7
8/11/2011 10:20	Mg		16000	ug/L	EPA-200.7
8/18/2011 9:40	Mg		10840	ug/L	EPA-200.7
8/25/2011 8:54	Mg		11230	ug/L	EPA-200.7
9/1/2011 9:45	Mg		14655	ug/L	EPA-200.7
9/8/2011 9:25	Mg		11760	ug/L	EPA-200.7

Rocky River River Mile 4.80					
Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 10:20	Mn		25.56	ug/L	EPA-200.7
8/18/2011 9:40	Mn		40.73	ug/L	EPA-200.7
8/25/2011 8:54	Mn		93.98	ug/L	EPA-200.7
9/1/2011 9:45	Mn		18.14	ug/L	EPA-200.7
9/8/2011 9:25	Mn		27.51	ug/L	EPA-200.7
8/11/2011 10:20	Mo		5.89	ug/L	EPA-200.7
8/18/2011 9:40	Mo		4.73	ug/L	EPA-200.7
8/25/2011 8:54	Mo		5.45	ug/L	EPA-200.7
9/1/2011 9:45	Mo		6.415	ug/L	EPA-200.7
9/8/2011 9:25	Mo		5.25	ug/L	EPA-200.7
8/11/2011 10:20	Na		88770	ug/L	EPA-200.7
8/18/2011 9:40	Na		49840	ug/L	EPA-200.7
8/25/2011 8:54	Na		69280	ug/L	EPA-200.7
9/1/2011 9:45	Na		81015	ug/L	EPA-200.7
9/8/2011 9:25	Na		68810	ug/L	EPA-200.7
8/11/2011 10:20	NH3		0.043	mg/L	EPA-350.1
8/18/2011 9:40	NH3		0.033	mg/L	EPA-350.1
8/25/2011 8:54	NH3		0.036	mg/L	EPA-350.1
9/1/2011 9:45	NH3		0.048	mg/L	EPA-350.1
9/8/2011 9:25	NH3		0.049	mg/L	EPA-350.1
8/11/2011 10:20	Ni		2.98	ug/L	EPA-200.7
8/18/2011 9:40	Ni		3.78	ug/L	EPA-200.7
8/25/2011 8:54	Ni		5.97	ug/L	EPA-200.7
9/1/2011 9:45	Ni		3.665	ug/L	EPA-200.7
9/8/2011 9:25	Ni		3.55	ug/L	EPA-200.7
8/11/2011 10:20	NO2		0.015	mg/L	SM 4500-NO2-B
8/18/2011 9:40	NO2		0.012	mg/L	SM 4500-NO2-B
8/25/2011 8:54	NO2		0.021	mg/L	SM 4500-NO2-B
9/1/2011 9:45	NO2		0.0115	mg/L	SM 4500-NO2-B
9/8/2011 9:25	NO2	j	0.01	mg/L	SM 4500-NO2-B
8/11/2011 10:20	NO3		1.848	mg/L	EPA 353.2
8/18/2011 9:40	NO3		1.281	mg/L	EPA 353.2
8/25/2011 8:54	NO3		1.437	mg/L	EPA 353.2
9/1/2011 9:45	NO3		2.413	mg/L	EPA 353.2
9/8/2011 9:25	NO3		1.721	mg/L	EPA 353.2
8/11/2011 10:20	NO3+NO2		1.863	mg/L	EPA 353.2
8/18/2011 9:40	NO3+NO2		1.293	mg/L	EPA 353.2
8/25/2011 8:54	NO3+NO2		1.458	mg/L	EPA 353.2
9/1/2011 9:45	NO3+NO2		2.425	mg/L	EPA 353.2

Rocky River River Mile 4.80					
Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 9:25	NO3+NO2		1.731	mg/L	EPA 353.2
8/11/2011 10:20	Pb	<	0.39	ug/L	EPA-200.7
8/18/2011 9:40	Pb	j	0.67	ug/L	EPA-200.7
8/25/2011 8:54	Pb		3.38	ug/L	EPA-200.7
9/1/2011 9:45	Pb	<	0.39	ug/L	EPA-200.7
9/8/2011 9:25	Pb	<	0.39	ug/L	EPA-200.7
8/11/2011 10:20	pH		8.12	S.U.	
8/18/2011 9:40	pH		7.99	S.U.	
8/25/2011 8:54	pH		7.89	S.U.	
9/1/2011 9:45	pH		8.27	S.U.	
9/8/2011 9:25	pH		8.07	S.U.	
8/11/2011 10:20	Sb	<	0.61	ug/L	EPA-200.7
8/18/2011 9:40	Sb	<	0.61	ug/L	EPA-200.7
8/25/2011 8:54	Sb	<	0.61	ug/L	EPA-200.7
9/1/2011 9:45	Sb	<	0.61	ug/L	EPA-200.7
9/8/2011 9:25	Sb	<	0.61	ug/L	EPA-200.7
8/11/2011 10:20	Se	<	0.63	ug/L	EPA-200.7
8/18/2011 9:40	Se	j	0.83	ug/L	EPA-200.7
8/25/2011 8:54	Se	<	0.63	ug/L	EPA-200.7
9/1/2011 9:45	Se	<	0.63	ug/L	EPA-200.7
9/8/2011 9:25	Se	j	0.91	ug/L	EPA-200.7
8/11/2011 10:20	Sn	<	18.4	ug/L	EPA-200.7
8/18/2011 9:40	Sn	<	18.4	ug/L	EPA-200.7
8/25/2011 8:54	Sn	<	18.4	ug/L	EPA-200.7
9/1/2011 9:45	Sn	j	19.005	ug/L	EPA-200.7
9/8/2011 9:25	Sn	<	18.4	ug/L	EPA-200.7
8/11/2011 10:20	Soluble-P		0.01	mg/L	EPA 365.1
8/18/2011 9:40	Soluble-P		0.043	mg/L	EPA 365.1
8/25/2011 8:54	Soluble-P		0.024	mg/L	EPA 365.1
9/1/2011 9:45	Soluble-P		0.013	mg/L	EPA 365.1
9/8/2011 9:25	Soluble-P		0.032	mg/L	EPA 365.1
8/11/2011 10:20	TDS		542	mg/L	SM2540C
8/18/2011 9:40	TDS		302	mg/L	SM2540C
8/25/2011 8:54	TDS		366	mg/L	SM2540C
9/1/2011 9:45	TDS		499	mg/L	SM2540C
9/8/2011 9:25	TDS		392	mg/L	SM2540C
8/11/2011 10:20	Ti	j	0.93	ug/L	EPA-200.7
8/18/2011 9:40	Ti		6.46	ug/L	EPA-200.7

Rocky River River Mile 4.80					
Sample Date	Parameter	Code	Result	Units	Method
8/25/2011 8:54	Ti		15.76	ug/L	EPA-200.7
9/1/2011 9:45	Ti	j	0.91	ug/L	EPA-200.7
9/8/2011 9:25	Ti		2.98	ug/L	EPA-200.7
8/11/2011 10:20	TI	<	1.11	ug/L	EPA-200.7
8/18/2011 9:40	TI	<	1.11	ug/L	EPA-200.7
8/25/2011 8:54	TI	j	1.77	ug/L	EPA-200.7
9/1/2011 9:45	TI	j	1.915	ug/L	EPA-200.7
9/8/2011 9:25	TI	j	1.83	ug/L	EPA-200.7
8/11/2011 10:20	TMET		12.9	ug/L	EPA-200.7
8/18/2011 9:40	TMET		16.6	ug/L	EPA-200.7
8/25/2011 8:54	TMET		42.4	ug/L	EPA-200.7
9/1/2011 9:45	TMET		13.95	ug/L	EPA-200.7
9/8/2011 9:25	TMET		15.8	ug/L	EPA-200.7
8/11/2011 10:20	Total-P		0.038	mg/L	EPA 365.1
8/18/2011 9:40	Total-P		0.084	mg/L	EPA 365.1
8/25/2011 8:54	Total-P		0.113	mg/L	EPA 365.1
9/1/2011 9:45	Total-P		0.039	mg/L	EPA 365.1
9/8/2011 9:25	Total-P		0.066	mg/L	EPA 365.1
8/11/2011 10:20	TS		580	mg/L	SM2540B
8/18/2011 9:40	TS		402	mg/L	SM2540B
8/25/2011 8:54	TS		478	mg/L	SM2540B
9/1/2011 9:45	TS		539	mg/L	SM2540B
9/8/2011 9:25	TS		488	mg/L	SM2540B
8/11/2011 10:20	TSS		5.5	mg/L	SM2540D
8/18/2011 9:40	TSS		22.4	mg/L	SM2540D
8/25/2011 8:54	TSS		79.8	mg/L	SM2540D
9/1/2011 9:45	TSS		5.25	mg/L	SM2540D
9/8/2011 9:25	TSS		15.9	mg/L	SM2540D
8/11/2011 10:20	Turbidity		5.73	NTU	EPA 180.1
8/25/2011 8:54	Turbidity		97.05	NTU	EPA 180.1
9/1/2011 9:45	Turbidity		6.47	NTU	EPA 180.1
9/8/2011 9:25	Turbidity		13.95	NTU	EPA 180.1
8/11/2011 10:20	V	<	0.15	ug/L	EPA-200.7
8/18/2011 9:40	V		1.2	ug/L	EPA-200.7
8/25/2011 8:54	V		3.4	ug/L	EPA-200.7
9/1/2011 9:45	V	j	0.195	ug/L	EPA-200.7
9/8/2011 9:25	V	j	0.7	ug/L	EPA-200.7
8/11/2011 10:20	Zn	j	6.39	ug/L	EPA-200.7

Rocky River  
River Mile 4.80

Sample Date	Parameter	Code	Result	Units	Method
8/18/2011 9:40	Zn	j	7.63	ug/L	EPA-200.7
8/25/2011 8:54	Zn		26.05	ug/L	EPA-200.7
9/1/2011 9:45	Zn	j	6.46	ug/L	EPA-200.7
9/8/2011 9:25	Zn	j	7.56	ug/L	EPA-200.7

Rocky River River Mile 2.50					
Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 9:40	Ag	<	0.12	ug/L	EPA-200.7
8/18/2011 9:07	Ag	<	0.12	ug/L	EPA-200.7
8/25/2011 9:35	Ag	<	0.12	ug/L	EPA-200.7
9/1/2011 9:20	Ag	<	0.12	ug/L	EPA-200.7
9/8/2011 9:45	Ag	<	0.12	ug/L	EPA-200.7
8/11/2011 9:40	Al		92.02	ug/L	EPA-200.7
8/18/2011 9:07	Al		420.7	ug/L	EPA-200.7
8/25/2011 9:35	Al		705.1	ug/L	EPA-200.7
9/1/2011 9:20	Al		76.74	ug/L	EPA-200.7
9/8/2011 9:45	Al		286.2	ug/L	EPA-200.7
8/11/2011 9:40	Alkalinity		108.3	mg/LCaCO3	EPA-310.2
8/18/2011 9:07	Alkalinity		108.05	mg/LCaCO3	EPA-310.2
8/25/2011 9:35	Alkalinity		97.4	mg/LCaCO3	EPA-310.2
9/1/2011 9:20	Alkalinity		111	mg/LCaCO3	EPA-310.2
9/8/2011 9:45	Alkalinity		115.7	mg/LCaCO3	EPA-310.2
8/11/2011 9:40	As	j	0.42	ug/L	EPA-200.7
8/18/2011 9:07	As	j	1.835	ug/L	EPA-200.7
8/25/2011 9:35	As	j	1.39	ug/L	EPA-200.7
9/1/2011 9:20	As	<	0.31	ug/L	EPA-200.7
9/8/2011 9:45	As	j	1.43	ug/L	EPA-200.7
8/11/2011 9:40	Ba		32.8	ug/L	EPA-200.7
8/18/2011 9:07	Ba		32.85	ug/L	EPA-200.7
8/25/2011 9:35	Ba		31.9	ug/L	EPA-200.7
9/1/2011 9:20	Ba		33.5	ug/L	EPA-200.7
9/8/2011 9:45	Ba		28.6	ug/L	EPA-200.7
8/11/2011 9:40	Be	<	0.12	ug/L	EPA-200.7
8/18/2011 9:07	Be	<	0.12	ug/L	EPA-200.7
8/25/2011 9:35	Be	<	0.12	ug/L	EPA-200.7
9/1/2011 9:20	Be	<	0.12	ug/L	EPA-200.7
9/8/2011 9:45	Be	<	0.12	ug/L	EPA-200.7
8/11/2011 9:40	BOD	<	2	mg/L	SM 5210
8/18/2011 9:07	BOD	<	2	mg/L	SM 5210
8/25/2011 9:35	BOD	<	2	mg/L	SM 5210
9/1/2011 9:20	BOD	<	2	mg/L	SM 5210
9/8/2011 9:45	BOD	<	2	mg/L	SM 5210
8/11/2011 9:40	Ca		55300	ug/L	EPA-200.7
8/18/2011 9:07	Ca		46110	ug/L	EPA-200.7
8/25/2011 9:35	Ca		45930	ug/L	EPA-200.7
9/1/2011 9:20	Ca		55970	ug/L	EPA-200.7

Rocky River River Mile 2.50					
Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 9:45	Ca		52640	ug/L	EPA-200.7
8/11/2011 9:40	CaCO3		200	mg/LCaCO3	EPA-200.7
8/18/2011 9:07	CaCO3		159.5	mg/LCaCO3	EPA-200.7
8/25/2011 9:35	CaCO3		160	mg/LCaCO3	EPA-200.7
9/1/2011 9:20	CaCO3		200	mg/LCaCO3	EPA-200.7
9/8/2011 9:45	CaCO3		180	mg/LCaCO3	EPA-200.7
8/11/2011 9:40	Cd	j	0.09	ug/L	EPA-200.7
8/18/2011 9:07	Cd	j	0.115	ug/L	EPA-200.7
8/25/2011 9:35	Cd	j	0.12	ug/L	EPA-200.7
9/1/2011 9:20	Cd	j	0.11	ug/L	EPA-200.7
9/8/2011 9:45	Cd	j	0.1	ug/L	EPA-200.7
8/11/2011 9:40	Chloride		123	mg/L	SM 4500-Cl C
8/18/2011 9:07	Chloride		77	mg/L	SM 4500-Cl C
8/25/2011 9:35	Chloride		108	mg/L	SM 4500-Cl C
9/1/2011 9:20	Chloride		134	mg/L	SM 4500-Cl C
9/8/2011 9:45	Chloride		116	mg/L	SM 4500-Cl C
8/11/2011 9:40	Co	j	0.6	ug/L	EPA-200.7
8/18/2011 9:07	Co	j	0.785	ug/L	EPA-200.7
8/25/2011 9:35	Co		1.03	ug/L	EPA-200.7
9/1/2011 9:20	Co	j	0.46	ug/L	EPA-200.7
9/8/2011 9:45	Co	j	0.5	ug/L	EPA-200.7
8/11/2011 9:40	COD		13	mg/L	EPA 410.4
8/18/2011 9:07	COD		18	mg/L	EPA 410.4
8/25/2011 9:35	COD		18	mg/L	EPA 410.4
9/1/2011 9:20	COD		17	mg/L	EPA 410.4
9/8/2011 9:45	COD		18	mg/L	EPA 410.4
8/11/2011 9:40	Cr	j	0.3	ug/L	EPA-200.7
8/25/2011 9:35	Cr	j	1.53	ug/L	EPA-200.7
8/11/2011 9:40	Cr+6	j	1.023	ug/L	SM 3500-Cr-D
8/25/2011 9:35	Cr+6	j	3.007	ug/L	SM 3500-Cr-D
8/11/2011 9:40	Cu		4.45	ug/L	EPA-200.7
8/18/2011 9:07	Cu		5.085	ug/L	EPA-200.7
8/25/2011 9:35	Cu		5.495	ug/L	EPA-200.7
9/1/2011 9:20	Cu		3.51	ug/L	EPA-200.7
9/8/2011 9:45	Cu		3.605	ug/L	EPA-200.7
8/11/2011 9:40	E. coli		265	cfu/100mL	EPA 1603
8/18/2011 9:07	E. coli	EC	392	cfu/100mL	EPA 1603



Rocky River  
River Mile 2.50

Sample Date	Parameter	Code	Result	Units	Method
8/25/2011 9:35	E. coli	EC	1582	cfu/100mL	EPA 1603
9/1/2011 9:20	E. coli		158	cfu/100mL	EPA 1603
9/8/2011 9:45	E. coli		700	cfu/100mL	EPA 1603
8/11/2011 9:40	Fe		202.7	ug/L	EPA-200.7
8/25/2011 9:35	Fe		1583	ug/L	EPA-200.7
9/1/2011 9:20	Fe		238.6	ug/L	EPA-200.7
9/8/2011 9:45	Fe		730.7	ug/L	EPA-200.7
8/11/2011 9:40	Field Cond		695	uS/cm	SM 2510A
8/18/2011 9:07	Field Cond		541	uS/cm	SM 2510A
8/25/2011 9:35	Field Cond		640	uS/cm	SM 2510A
9/1/2011 9:20	Field Cond		790	uS/cm	SM 2510A
9/8/2011 9:45	Field Cond		652	uS/cm	SM 2510A
8/11/2011 9:40	Field DO		9.73	mg/L	SM 4500-0 G
8/18/2011 9:07	Field DO		11.9	mg/L	SM 4500-0 G
8/25/2011 9:35	Field DO		10.48	mg/L	SM 4500-0 G
9/1/2011 9:20	Field DO		7.67	mg/L	SM 4500-0 G
9/8/2011 9:45	Field DO		9.48	mg/L	SM 4500-0 G
8/11/2011 9:40	Field Temp		22.3	C	EPA 170.1
8/18/2011 9:07	Field Temp		21	C	EPA 170.1
8/25/2011 9:35	Field Temp		22.5	C	EPA 170.1
9/1/2011 9:20	Field Temp		22.4	C	EPA 170.1
9/8/2011 9:45	Field Temp		18.5	C	EPA 170.1
8/11/2011 9:40	Hg	j	0.01	ug/L	EPA 245.1
8/18/2011 9:07	Hg	<	0.005	ug/L	EPA 245.1
8/25/2011 9:35	Hg	<	0.005	ug/L	EPA 245.1
9/1/2011 9:20	Hg	<	0.005	ug/L	EPA 245.1
9/8/2011 9:45	Hg	<	0.005	ug/L	EPA 245.1
8/11/2011 9:40	K		7039	ug/L	EPA-200.7
8/18/2011 9:07	K		5696	ug/L	EPA-200.7
8/25/2011 9:35	K		6642	ug/L	EPA-200.7
9/1/2011 9:20	K		7297	ug/L	EPA-200.7
9/8/2011 9:45	K		6010	ug/L	EPA-200.7
8/11/2011 9:40	Mg		14980	ug/L	EPA-200.7
8/18/2011 9:07	Mg		10830	ug/L	EPA-200.7
8/25/2011 9:35	Mg		11020	ug/L	EPA-200.7
9/1/2011 9:20	Mg		14640	ug/L	EPA-200.7
9/8/2011 9:45	Mg		11800	ug/L	EPA-200.7
8/11/2011 9:40	Mn		23.87	ug/L	EPA-200.7

Rocky River River Mile 2.50					
Sample Date	Parameter	Code	Result	Units	Method
8/18/2011 9:07	Mn		43.735	ug/L	EPA-200.7
8/25/2011 9:35	Mn		45.29	ug/L	EPA-200.7
9/1/2011 9:20	Mn		17.35	ug/L	EPA-200.7
9/8/2011 9:45	Mn		26.3	ug/L	EPA-200.7
8/11/2011 9:40	Mo		6.03	ug/L	EPA-200.7
8/18/2011 9:07	Mo		4.775	ug/L	EPA-200.7
8/25/2011 9:35	Mo		5.17	ug/L	EPA-200.7
9/1/2011 9:20	Mo		6.65	ug/L	EPA-200.7
9/8/2011 9:45	Mo		5.125	ug/L	EPA-200.7
8/11/2011 9:40	Na		82570	ug/L	EPA-200.7
8/18/2011 9:07	Na		49060	ug/L	EPA-200.7
8/25/2011 9:35	Na		69800	ug/L	EPA-200.7
9/1/2011 9:20	Na		77170	ug/L	EPA-200.7
9/8/2011 9:45	Na		65390	ug/L	EPA-200.7
8/11/2011 9:40	NH3		0.046	mg/L	EPA-350.1
8/18/2011 9:07	NH3		0.031	mg/L	EPA-350.1
8/25/2011 9:35	NH3		0.042	mg/L	EPA-350.1
9/1/2011 9:20	NH3		0.049	mg/L	EPA-350.1
9/8/2011 9:45	NH3		0.036	mg/L	EPA-350.1
8/11/2011 9:40	Ni		3.12	ug/L	EPA-200.7
8/18/2011 9:07	Ni		3.785	ug/L	EPA-200.7
8/25/2011 9:35	Ni		4.41	ug/L	EPA-200.7
9/1/2011 9:20	Ni		3.77	ug/L	EPA-200.7
9/8/2011 9:45	Ni		3.455	ug/L	EPA-200.7
8/11/2011 9:40	NO2		0.012	mg/L	SM 4500-NO2-B
8/18/2011 9:07	NO2		0.011	mg/L	SM 4500-NO2-B
8/25/2011 9:35	NO2		0.02	mg/L	SM 4500-NO2-B
9/1/2011 9:20	NO2	j	0.009	mg/L	SM 4500-NO2-B
9/8/2011 9:45	NO2	j	0.006	mg/L	SM 4500-NO2-B
8/11/2011 9:40	NO3		1.782	mg/L	EPA 353.2
8/18/2011 9:07	NO3		1.287	mg/L	EPA 353.2
8/25/2011 9:35	NO3		1.568	mg/L	EPA 353.2
9/1/2011 9:20	NO3		2.008	mg/L	EPA 353.2
9/8/2011 9:45	NO3		1.916	mg/L	EPA 353.2
8/11/2011 9:40	NO3+NO2		1.794	mg/L	EPA 353.2
8/18/2011 9:07	NO3+NO2		1.298	mg/L	EPA 353.2
8/25/2011 9:35	NO3+NO2		1.588	mg/L	EPA 353.2
9/1/2011 9:20	NO3+NO2		2.017	mg/L	EPA 353.2
9/8/2011 9:45	NO3+NO2		1.923	mg/L	EPA 353.2

Rocky River  
River Mile 2.50

Sample Date	Parameter	Code	Result	Units	Method
8/11/2011 9:40	Pb	<	0.39	ug/L	EPA-200.7
8/18/2011 9:07	Pb	j	0.675	ug/L	EPA-200.7
8/25/2011 9:35	Pb	j	1.5	ug/L	EPA-200.7
9/1/2011 9:20	Pb	<	0.39	ug/L	EPA-200.7
9/8/2011 9:45	Pb	<	0.39	ug/L	EPA-200.7
8/11/2011 9:40	pH		8.13	S.U.	
8/18/2011 9:07	pH		7.85	S.U.	
8/25/2011 9:35	pH		7.96	S.U.	
9/1/2011 9:20	pH		8.3	S.U.	
9/8/2011 9:45	pH		8.08	S.U.	
8/11/2011 9:40	Sb	<	0.61	ug/L	EPA-200.7
8/18/2011 9:07	Sb	<	0.62	ug/L	EPA-200.7
8/25/2011 9:35	Sb	<	0.61	ug/L	EPA-200.7
9/1/2011 9:20	Sb	<	0.61	ug/L	EPA-200.7
9/8/2011 9:45	Sb	<	0.61	ug/L	EPA-200.7
8/11/2011 9:40	Se	<	0.63	ug/L	EPA-200.7
8/18/2011 9:07	Se	j	0.945	ug/L	EPA-200.7
8/25/2011 9:35	Se	<	0.63	ug/L	EPA-200.7
9/1/2011 9:20	Se	<	0.63	ug/L	EPA-200.7
9/8/2011 9:45	Se	<	0.63	ug/L	EPA-200.7
8/11/2011 9:40	Sn	<	18.4	ug/L	EPA-200.7
8/18/2011 9:07	Sn	<	18.4	ug/L	EPA-200.7
8/25/2011 9:35	Sn	<	18.4	ug/L	EPA-200.7
9/1/2011 9:20	Sn	<	18.4	ug/L	EPA-200.7
9/8/2011 9:45	Sn	<	18.4	ug/L	EPA-200.7
8/11/2011 9:40	Soluble-P		0.012	mg/L	EPA 365.1
8/18/2011 9:07	Soluble-P		0.041	mg/L	EPA 365.1
8/25/2011 9:35	Soluble-P		0.025	mg/L	EPA 365.1
9/1/2011 9:20	Soluble-P		0.011	mg/L	EPA 365.1
9/8/2011 9:45	Soluble-P		0.033	mg/L	EPA 365.1
8/11/2011 9:40	TDS		516	mg/L	SM2540C
8/18/2011 9:07	TDS		313.5	mg/L	SM2540C
8/25/2011 9:35	TDS		384	mg/L	SM2540C
9/1/2011 9:20	TDS		497	mg/L	SM2540C
9/8/2011 9:45	TDS		406	mg/L	SM2540C
8/11/2011 9:40	Ti	j	0.83	ug/L	EPA-200.7
8/18/2011 9:07	Ti		5.945	ug/L	EPA-200.7
8/25/2011 9:35	Ti		10.09	ug/L	EPA-200.7

Rocky River						
River Mile 2.50						
Sample Date	Parameter	Code	Result	Units	Method	
9/1/2011 9:20	Ti	j	0.81	ug/L	EPA-200.7	
9/8/2011 9:45	Ti		3.53	ug/L	EPA-200.7	
8/11/2011 9:40	TI	<	1.11	ug/L	EPA-200.7	
8/18/2011 9:07	TI	<	1.11	ug/L	EPA-200.7	
8/25/2011 9:35	TI	<	1.11	ug/L	EPA-200.7	
9/1/2011 9:20	TI	j	1.38	ug/L	EPA-200.7	
9/8/2011 9:45	TI	j	1.36	ug/L	EPA-200.7	
8/11/2011 9:40	TMET		14	ug/L	EPA-200.7	
8/18/2011 9:07	TMET		17.05	ug/L	EPA-200.7	
8/25/2011 9:35	TMET		24.8	ug/L	EPA-200.7	
9/1/2011 9:20	TMET		11.5	ug/L	EPA-200.7	
9/8/2011 9:45	TMET		13.9	ug/L	EPA-200.7	
8/11/2011 9:40	Total-P		0.034	mg/L	EPA 365.1	
8/18/2011 9:07	Total-P		0.085	mg/L	EPA 365.1	
8/25/2011 9:35	Total-P		0.074	mg/L	EPA 365.1	
9/1/2011 9:20	Total-P		0.03	mg/L	EPA 365.1	
9/8/2011 9:45	Total-P		0.066	mg/L	EPA 365.1	
8/11/2011 9:40	TS		534	mg/L	SM2540B	
8/18/2011 9:07	TS		402	mg/L	SM2540B	
8/25/2011 9:35	TS		475	mg/L	SM2540B	
9/1/2011 9:20	TS		541	mg/L	SM2540B	
9/8/2011 9:45	TS		474	mg/L	SM2540B	
8/11/2011 9:40	TSS		6.3	mg/L	SM2540D	
8/18/2011 9:07	TSS		25.05	mg/L	SM2540D	
8/25/2011 9:35	TSS		48.2	mg/L	SM2540D	
9/1/2011 9:20	TSS		4.6	mg/L	SM2540D	
9/8/2011 9:45	TSS		15.9	mg/L	SM2540D	
8/11/2011 9:40	Turbidity		6.37	NTU	EPA 180.1	
8/25/2011 9:35	Turbidity		39.4	NTU	EPA 180.1	
9/1/2011 9:20	Turbidity		6.18	NTU	EPA 180.1	
9/8/2011 9:45	Turbidity		12.3	NTU	EPA 180.1	
8/11/2011 9:40	V	j	0.21	ug/L	EPA-200.7	
8/18/2011 9:07	V		1.27	ug/L	EPA-200.7	
8/25/2011 9:35	V		1.88	ug/L	EPA-200.7	
9/1/2011 9:20	V	<	0.15	ug/L	EPA-200.7	
9/8/2011 9:45	V	j	0.66	ug/L	EPA-200.7	
8/11/2011 9:40	Zn	j	6.12	ug/L	EPA-200.7	
8/18/2011 9:07	Zn	j	7.485	ug/L	EPA-200.7	

Rocky River  
River Mile 2.50

Sample Date	Parameter	Code	Result	Units	Method
8/25/2011 9:35	Zn		13.18	ug/L	EPA-200.7
9/1/2011 9:20	Zn	j	4.18	ug/L	EPA-200.7
9/8/2011 9:45	Zn	j	6.065	ug/L	EPA-200.7