

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:40	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 11:11	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 10:54	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 10:53	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 11:00	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 10:40	Al		32.67	ug/L	EPA-200.7
6/26/2012 11:11	Al		49.39	ug/L	EPA-200.7
7/2/2012 10:54	Al		26.65	ug/L	EPA-200.7
7/10/2012 10:53	Al		48.74	ug/L	EPA-200.7
7/17/2012 11:00	Al		55.08	ug/L	EPA-200.7
6/19/2012 10:40	Alkalinity		109.5	mg/LCaCO3	EPA-310.2
6/26/2012 11:11	Alkalinity		142.05	mg/LCaCO3	EPA-310.2
7/2/2012 10:54	Alkalinity		132.6	mg/LCaCO3	EPA-310.2
7/10/2012 10:53	Alkalinity		142.1	mg/LCaCO3	EPA-310.2
7/17/2012 11:00	Alkalinity		109.5	mg/LCaCO3	EPA-310.2
6/19/2012 10:40	As	j	1.23	ug/L	EPA-200.7
6/26/2012 11:11	As	j	0.6425	ug/L	EPA-200.7
7/2/2012 10:54	As	<	0.31	ug/L	EPA-200.7
7/10/2012 10:53	As	j	1.27	ug/L	EPA-200.7
7/17/2012 11:00	As	j	1.99	ug/L	EPA-200.7
6/19/2012 10:40	Ba		40.8	ug/L	EPA-200.7
6/26/2012 11:11	Ba		46.85	ug/L	EPA-200.7
7/2/2012 10:54	Ba		50.8	ug/L	EPA-200.7
7/10/2012 10:53	Ba		46.1	ug/L	EPA-200.7
7/17/2012 11:00	Ba		35.7	ug/L	EPA-200.7
6/19/2012 10:40	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 11:11	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 10:54	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 10:53	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 11:00	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 10:40	BOD	<	2	mg/L	SM 5210
6/26/2012 11:11	BOD	<	2	mg/L	SM 5210
7/2/2012 10:54	BOD		2.5	mg/L	SM 5210
7/17/2012 11:00	BOD	<	2	mg/L	SM 5210
6/19/2012 10:40	Ca		60170	ug/L	EPA-200.7
6/26/2012 11:11	Ca		71620	ug/L	EPA-200.7
7/2/2012 10:54	Ca		71560	ug/L	EPA-200.7
7/10/2012 10:53	Ca		64450	ug/L	EPA-200.7
7/17/2012 11:00	Ca		50610	ug/L	EPA-200.7

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:40	CaCO3		196	mg/LCaCO3	EPA-200.7
6/26/2012 11:11	CaCO3		251.5	mg/LCaCO3	EPA-200.7
7/2/2012 10:54	CaCO3		251	mg/LCaCO3	EPA-200.7
7/10/2012 10:53	CaCO3		224	mg/LCaCO3	EPA-200.7
7/17/2012 11:00	CaCO3		166	mg/LCaCO3	EPA-200.7
6/19/2012 10:40	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 11:11	Cd	j	0.0325	ug/L	EPA-200.7
7/2/2012 10:54	Cd	j	0.03	ug/L	EPA-200.7
7/10/2012 10:53	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 11:00	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 10:40	Chloride		345.3	mg/L	EPA 300.0
6/26/2012 11:11	Chloride		452.65	mg/L	EPA 300.0
7/2/2012 10:54	Chloride		457.2	mg/L	EPA 300.0
7/10/2012 10:53	Chloride		419.7	mg/L	EPA 300.0
7/17/2012 11:00	Chloride		225.2	mg/L	EPA 300.0
6/19/2012 10:40	Co	j	0.21	ug/L	EPA-200.7
6/26/2012 11:11	Co	j	0.2575	ug/L	EPA-200.7
7/2/2012 10:54	Co	j	0.25	ug/L	EPA-200.7
7/10/2012 10:53	Co	j	0.34	ug/L	EPA-200.7
7/17/2012 11:00	Co	j	0.2	ug/L	EPA-200.7
6/19/2012 10:40	COD		23.2	mg/L	EPA 410.4
6/26/2012 11:11	COD	j	8.5	mg/L	EPA 410.4
7/2/2012 10:54	COD	j	8.9	mg/L	EPA 410.4
7/10/2012 10:53	COD		12.9	mg/L	EPA 410.4
7/17/2012 11:00	COD		17.6	mg/L	EPA 410.4
7/2/2012 10:54	Cr	<	0.25	ug/L	EPA-200.7
7/10/2012 10:53	Cr	<	0.25	ug/L	EPA-200.7
7/2/2012 10:54	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/10/2012 10:53	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 10:40	Cu		3.83	ug/L	EPA-200.7
6/26/2012 11:11	Cu		2.07	ug/L	EPA-200.7
7/2/2012 10:54	Cu		1.75	ug/L	EPA-200.7
7/10/2012 10:53	Cu		2.17	ug/L	EPA-200.7
7/17/2012 11:00	Cu		2.49	ug/L	EPA-200.7
6/19/2012 10:40	DRPhos		0.032	mg/L	EPA 365.1
6/26/2012 11:11	DRPhos		0.015	mg/L	EPA 365.1
7/2/2012 10:54	DRPhos		0.011	mg/L	EPA 365.1

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 10:53	DRPhos		0.028	mg/L	EPA 365.1
7/17/2012 11:00	DRPhos		0.031	mg/L	EPA 365.1
6/19/2012 10:40	E. coli		767	cfu/100mL	EPA 1603
6/26/2012 11:11	E. coli		122.5	cfu/100mL	EPA 1603
7/2/2012 10:54	E. coli		920	cfu/100mL	EPA 1603
7/10/2012 10:53	E. coli		780	cfu/100mL	EPA 1603
7/17/2012 11:00	E. coli		700	cfu/100mL	EPA 1603
6/19/2012 10:40	Fe		142.4	ug/L	EPA-200.7
7/2/2012 10:54	Fe		151.2	ug/L	EPA-200.7
7/10/2012 10:53	Fe		241.6	ug/L	EPA-200.7
7/17/2012 11:00	Fe		178	ug/L	EPA-200.7
6/19/2012 10:40	Field Cond		1320	uS/cm	SM 2510A
6/26/2012 11:11	Field Cond		1420	uS/cm	SM 2510A
7/2/2012 10:54	Field Cond		1491	uS/cm	SM 2510A
7/10/2012 10:53	Field Cond		1738	uS/cm	SM 2510A
7/17/2012 11:00	Field Cond		1016	uS/cm	SM 2510A
6/19/2012 10:40	Field DO		6.66	mg/L	SM 4500-0 G
7/2/2012 10:54	Field DO		7.82	mg/L	SM 4500-0 G
7/10/2012 10:53	Field DO		8.74	mg/L	SM 4500-0 G
7/17/2012 11:00	Field DO		6.61	mg/L	SM 4500-0 G
6/19/2012 10:40	Field Temp		20.9	C	EPA 170.1
6/26/2012 11:11	Field Temp		17.7	C	EPA 170.1
7/2/2012 10:54	Field Temp		21.4	C	EPA 170.1
7/10/2012 10:53	Field Temp		21.2	C	EPA 170.1
7/17/2012 11:00	Field Temp		23.9	C	EPA 170.1
6/19/2012 10:40	Hg	<	0.005	ug/L	EPA 245.1
6/26/2012 11:11	Hg	j	0.0085	ug/L	EPA 245.1
7/2/2012 10:54	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 10:53	Hg	j	0.015	ug/L	EPA 245.1
7/17/2012 11:00	Hg	j	0.01	ug/L	EPA 245.1
6/19/2012 10:40	K		4502	ug/L	EPA-200.7
6/26/2012 11:11	K		5032.5	ug/L	EPA-200.7
7/2/2012 10:54	K		5929	ug/L	EPA-200.7
7/10/2012 10:53	K		6109	ug/L	EPA-200.7
7/17/2012 11:00	K		3286	ug/L	EPA-200.7
6/19/2012 10:40	Mg		11180	ug/L	EPA-200.7
6/26/2012 11:11	Mg		17720	ug/L	EPA-200.7
7/2/2012 10:54	Mg		17670	ug/L	EPA-200.7

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 10:53	Mg		15320	ug/L	EPA-200.7
7/17/2012 11:00	Mg		9590	ug/L	EPA-200.7
6/19/2012 10:40	Mn		41.6	ug/L	EPA-200.7
7/2/2012 10:54	Mn		60.77	ug/L	EPA-200.7
7/10/2012 10:53	Mn		112.2	ug/L	EPA-200.7
7/17/2012 11:00	Mn		52.9	ug/L	EPA-200.7
6/19/2012 10:40	Mo		4.03	ug/L	EPA-200.7
6/26/2012 11:11	Mo		5.1025	ug/L	EPA-200.7
7/2/2012 10:54	Mo		5.75	ug/L	EPA-200.7
7/10/2012 10:53	Mo		5.66	ug/L	EPA-200.7
7/17/2012 11:00	Mo		4.66	ug/L	EPA-200.7
6/19/2012 10:40	Na		203200	ug/L	EPA-200.7
6/26/2012 11:11	Na		256200	ug/L	EPA-200.7
7/2/2012 10:54	Na		246800	ug/L	EPA-200.7
7/10/2012 10:53	Na		253300	ug/L	EPA-200.7
7/17/2012 11:00	Na		124000	ug/L	EPA-200.7
6/19/2012 10:40	NH3		0.042	mg/L	EPA-350.1
6/26/2012 11:11	NH3		0.0365	mg/L	EPA-350.1
7/2/2012 10:54	NH3		0.074	mg/L	EPA-350.1
7/10/2012 10:53	NH3		0.036	mg/L	EPA-350.1
7/17/2012 11:00	NH3		0.047	mg/L	EPA-350.1
6/19/2012 10:40	Ni	j	1.05	ug/L	EPA-200.7
6/26/2012 11:11	Ni	j	1.1675	ug/L	EPA-200.7
7/2/2012 10:54	Ni	j	1.04	ug/L	EPA-200.7
7/10/2012 10:53	Ni	j	1.06	ug/L	EPA-200.7
7/17/2012 11:00	Ni	j	1.04	ug/L	EPA-200.7
6/19/2012 10:40	NO2	j	0.016	mg/L	SM 4500-NO2-B
6/26/2012 11:11	NO2	<	0.0045	mg/L	SM 4500-NO2-B
7/2/2012 10:54	NO2	j	0.008	mg/L	SM 4500-NO2-B
7/10/2012 10:53	NO2	j	0.007	mg/L	SM 4500-NO2-B
7/17/2012 11:00	NO2	j	0.01	mg/L	SM 4500-NO2-B
6/19/2012 10:40	NO3		0.354	mg/L	EPA 353.2
6/26/2012 11:11	NO3		0.0275	mg/L	EPA 353.2
7/2/2012 10:54	NO3		0.04	mg/L	EPA 353.2
7/10/2012 10:53	NO3		0.074	mg/L	EPA 353.2
7/17/2012 11:00	NO3		0.374	mg/L	EPA 353.2
6/19/2012 10:40	NO3+NO2		0.37	mg/L	EPA 353.2
6/26/2012 11:11	NO3+NO2		0.0315	mg/L	EPA 353.2

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 10:54	NO3+NO2		0.048	mg/L	EPA 353.2
7/10/2012 10:53	NO3+NO2		0.081	mg/L	EPA 353.2
7/17/2012 11:00	NO3+NO2		0.385	mg/L	EPA 353.2
6/19/2012 10:40	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 11:11	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 10:54	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 10:53	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 11:00	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 10:40	pH		7.72	S.U.	
6/26/2012 11:11	pH		8.13	S.U.	
7/2/2012 10:54	pH		7.95	S.U.	
7/10/2012 10:53	pH		8.01	S.U.	
7/17/2012 11:00	pH		7.89	S.U.	
6/19/2012 10:40	Sb	j	1.115	ug/L	EPA-200.7
6/26/2012 11:11	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 10:54	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 10:53	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 11:00	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 10:40	Se	j	1.68	ug/L	EPA-200.7
6/26/2012 11:11	Se	<	0.63	ug/L	EPA-200.7
7/2/2012 10:54	Se	<	0.63	ug/L	EPA-200.7
7/10/2012 10:53	Se	<	0.63	ug/L	EPA-200.7
7/17/2012 11:00	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 10:40	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 11:11	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 10:54	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 10:53	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 11:00	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 10:40	SO4		91.84	mg/L	EPA 300.0
6/26/2012 11:11	SO4		74.525	mg/L	EPA 300.0
7/2/2012 10:54	SO4		67.68	mg/L	EPA 300.0
7/10/2012 10:53	SO4		77.05	mg/L	EPA 300.0
7/17/2012 11:00	SO4		60.9	mg/L	EPA 300.0
6/19/2012 10:40	TDS		804	mg/L	SM2540C
6/26/2012 11:11	TDS		957	mg/L	SM2540C
7/2/2012 10:54	TDS		954	mg/L	SM2540C
7/10/2012 10:53	TDS		958	mg/L	SM2540C
7/17/2012 11:00	TDS		586	mg/L	SM2540C

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:40	Ti	j	0.395	ug/L	EPA-200.7
6/26/2012 11:11	Ti	j	1.03	ug/L	EPA-200.7
7/2/2012 10:54	Ti	j	0.46	ug/L	EPA-200.7
7/10/2012 10:53	Ti	j	0.62	ug/L	EPA-200.7
7/17/2012 11:00	Ti	j	0.5	ug/L	EPA-200.7
6/19/2012 10:40	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 11:11	TI	j	1.735	ug/L	EPA-200.7
7/2/2012 10:54	TI	j	1.8	ug/L	EPA-200.7
7/10/2012 10:53	TI	j	1.18	ug/L	EPA-200.7
7/17/2012 11:00	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 10:40	TMET	<	10	ug/L	EPA-200.7
6/26/2012 11:11	TMET	<	10.05	ug/L	EPA-200.7
7/2/2012 10:54	TMET	<	10	ug/L	EPA-200.7
7/10/2012 10:53	TMET	<	10	ug/L	EPA-200.7
7/17/2012 11:00	TMET		10.8	ug/L	EPA-200.7
6/19/2012 10:40	Total-P		0.055	mg/L	EPA 365.1
6/26/2012 11:11	Total-P		0.0315	mg/L	EPA 365.1
7/2/2012 10:54	Total-P		0.045	mg/L	EPA 365.1
7/10/2012 10:53	Total-P		0.049	mg/L	EPA 365.1
7/17/2012 11:00	Total-P		0.053	mg/L	EPA 365.1
6/19/2012 10:40	TS		840	mg/L	SM2540B
6/26/2012 11:11	TS		1068	mg/L	SM2540B
7/2/2012 10:54	TS		1076	mg/L	SM2540B
7/10/2012 10:53	TS		1012	mg/L	SM2540B
7/17/2012 11:00	TS		606	mg/L	SM2540B
6/19/2012 10:40	TSS		1.6	mg/L	SM2540D
7/2/2012 10:54	TSS		3.1	mg/L	SM2540D
7/10/2012 10:53	TSS		2	mg/L	SM2540D
7/17/2012 11:00	TSS		2.6	mg/L	SM2540D
6/19/2012 10:40	Turbidity		2.19	NTU	EPA 180.1
7/2/2012 10:54	Turbidity		2.92	NTU	EPA 180.1
7/10/2012 10:53	Turbidity		3.6	NTU	EPA 180.1
7/17/2012 11:00	Turbidity		2.73	NTU	EPA 180.1
6/19/2012 10:40	V	j	0.51	ug/L	EPA-200.7
6/26/2012 11:11	V	<	0.15	ug/L	EPA-200.7
7/2/2012 10:54	V	j	0.24	ug/L	EPA-200.7
7/10/2012 10:53	V	j	0.4	ug/L	EPA-200.7
7/17/2012 11:00	V	j	0.41	ug/L	EPA-200.7

Mill Creek					
River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:40	Zn	j	1.635	ug/L	EPA-200.7
6/26/2012 11:11	Zn	j	6.0825	ug/L	EPA-200.7
7/2/2012 10:54	Zn	j	3.48	ug/L	EPA-200.7
7/10/2012 10:53	Zn	j	5.56	ug/L	EPA-200.7
7/17/2012 11:00	Zn	j	7.04	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:15	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 10:45	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 10:32	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 10:35	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 10:35	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 10:15	Al		47.93	ug/L	EPA-200.7
6/26/2012 10:45	Al		24.5	ug/L	EPA-200.7
7/2/2012 10:32	Al		53.26	ug/L	EPA-200.7
7/10/2012 10:35	Al		62.97	ug/L	EPA-200.7
7/17/2012 10:35	Al		145.25	ug/L	EPA-200.7
6/19/2012 10:15	Alkalinity		111	mg/LCaCO3	EPA-310.2
6/26/2012 10:45	Alkalinity		148.5	mg/LCaCO3	EPA-310.2
7/2/2012 10:32	Alkalinity		145.9	mg/LCaCO3	EPA-310.2
7/10/2012 10:35	Alkalinity		143.1	mg/LCaCO3	EPA-310.2
7/17/2012 10:35	Alkalinity		119.3	mg/LCaCO3	EPA-310.2
6/19/2012 10:15	As	j	1.14	ug/L	EPA-200.7
6/26/2012 10:45	As	j	1.01	ug/L	EPA-200.7
7/2/2012 10:32	As	j	1.3	ug/L	EPA-200.7
7/10/2012 10:35	As	j	1.21	ug/L	EPA-200.7
7/17/2012 10:35	As		2.43	ug/L	EPA-200.7
6/19/2012 10:15	Ba		30.7	ug/L	EPA-200.7
6/26/2012 10:45	Ba		48.1	ug/L	EPA-200.7
7/2/2012 10:32	Ba		46	ug/L	EPA-200.7
7/10/2012 10:35	Ba		45.3	ug/L	EPA-200.7
7/17/2012 10:35	Ba		36.55	ug/L	EPA-200.7
6/19/2012 10:15	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 10:45	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 10:32	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 10:35	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 10:35	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 10:15	BOD	<	2	mg/L	SM 5210
6/26/2012 10:45	BOD	<	2	mg/L	SM 5210
7/2/2012 10:32	BOD	<	2	mg/L	SM 5210
7/10/2012 10:35	BOD	<	2	mg/L	SM 5210
7/17/2012 10:35	BOD	<	2	mg/L	SM 5210
6/19/2012 10:15	Ca		49470	ug/L	EPA-200.7
6/26/2012 10:45	Ca		72470	ug/L	EPA-200.7
7/2/2012 10:32	Ca		70490	ug/L	EPA-200.7
7/10/2012 10:35	Ca		66490	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:35	Ca		53060	ug/L	EPA-200.7
6/19/2012 10:15	CaCO3		161	mg/LCaCO3	EPA-200.7
6/26/2012 10:45	CaCO3		256	mg/LCaCO3	EPA-200.7
7/2/2012 10:32	CaCO3		244	mg/LCaCO3	EPA-200.7
7/10/2012 10:35	CaCO3		225	mg/LCaCO3	EPA-200.7
7/17/2012 10:35	CaCO3		174	mg/LCaCO3	EPA-200.7
6/19/2012 10:15	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 10:45	Cd	j	0.02	ug/L	EPA-200.7
7/2/2012 10:32	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 10:35	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 10:35	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 10:15	Chloride		207.1	mg/L	EPA 300.0
6/26/2012 10:45	Chloride		359.1	mg/L	EPA 300.0
7/2/2012 10:32	Chloride		349	mg/L	EPA 300.0
7/10/2012 10:35	Chloride		320.2	mg/L	EPA 300.0
7/17/2012 10:35	Chloride		179.15	mg/L	EPA 300.0
6/19/2012 10:15	Co	j	0.19	ug/L	EPA-200.7
6/26/2012 10:45	Co	j	0.19	ug/L	EPA-200.7
7/2/2012 10:32	Co	j	0.92	ug/L	EPA-200.7
7/10/2012 10:35	Co	j	0.34	ug/L	EPA-200.7
7/17/2012 10:35	Co	j	0.41	ug/L	EPA-200.7
6/19/2012 10:15	COD		20.4	mg/L	EPA 410.4
6/26/2012 10:45	COD		11.6	mg/L	EPA 410.4
7/2/2012 10:32	COD		15.1	mg/L	EPA 410.4
7/10/2012 10:35	COD	j	8.1	mg/L	EPA 410.4
7/17/2012 10:35	COD		14.65	mg/L	EPA 410.4
7/2/2012 10:32	Cr	j	0.26	ug/L	EPA-200.7
7/10/2012 10:35	Cr	j	0.45	ug/L	EPA-200.7
7/2/2012 10:32	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/10/2012 10:35	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 10:15	Cu		5.29	ug/L	EPA-200.7
6/26/2012 10:45	Cu		6.16	ug/L	EPA-200.7
7/2/2012 10:32	Cu		5.66	ug/L	EPA-200.7
7/10/2012 10:35	Cu		4.25	ug/L	EPA-200.7
7/17/2012 10:35	Cu		5.0075	ug/L	EPA-200.7
6/19/2012 10:15	DRPhos		0.041	mg/L	EPA 365.1
6/26/2012 10:45	DRPhos		0.048	mg/L	EPA 365.1

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 10:32	DRPhos		0.055	mg/L	EPA 365.1
7/10/2012 10:35	DRPhos		0.048	mg/L	EPA 365.1
7/17/2012 10:35	DRPhos		0.062	mg/L	EPA 365.1
6/19/2012 10:15	E. coli		1533	cfu/100mL	EPA 1603
6/26/2012 10:45	E. coli		265	cfu/100mL	EPA 1603
7/2/2012 10:32	E. coli		860	cfu/100mL	EPA 1603
7/10/2012 10:35	E. coli		210	cfu/100mL	EPA 1603
7/17/2012 10:35	E. coli		382.5	cfu/100mL	EPA 1603
6/19/2012 10:15	Fe		157.3	ug/L	EPA-200.7
6/26/2012 10:45	Fe		181.6	ug/L	EPA-200.7
7/2/2012 10:32	Fe		191.1	ug/L	EPA-200.7
7/10/2012 10:35	Fe		202.2	ug/L	EPA-200.7
7/17/2012 10:35	Fe		203.85	ug/L	EPA-200.7
6/19/2012 10:15	Field Cond		871	uS/cm	SM 2510A
6/26/2012 10:45	Field Cond		1221	uS/cm	SM 2510A
7/2/2012 10:32	Field Cond		1240	uS/cm	SM 2510A
7/10/2012 10:35	Field Cond		1360	uS/cm	SM 2510A
7/17/2012 10:35	Field Cond		885	uS/cm	SM 2510A
6/19/2012 10:15	Field DO		8.87	mg/L	SM 4500-0 G
6/26/2012 10:45	Field DO		9.74	mg/L	SM 4500-0 G
7/2/2012 10:32	Field DO		10.05	mg/L	SM 4500-0 G
7/10/2012 10:35	Field DO		11.5	mg/L	SM 4500-0 G
7/17/2012 10:35	Field DO		8.46	mg/L	SM 4500-0 G
6/19/2012 10:15	Field Temp		20.2	C	EPA 170.1
6/26/2012 10:45	Field Temp		17.8	C	EPA 170.1
7/2/2012 10:32	Field Temp		20.9	C	EPA 170.1
7/10/2012 10:35	Field Temp		20.6	C	EPA 170.1
7/17/2012 10:35	Field Temp		22.9	C	EPA 170.1
6/19/2012 10:15	Hg	j	0.017	ug/L	EPA 245.1
6/26/2012 10:45	Hg	j	0.008	ug/L	EPA 245.1
7/2/2012 10:32	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 10:35	Hg	j	0.013	ug/L	EPA 245.1
7/17/2012 10:35	Hg	j	0.0095	ug/L	EPA 245.1
6/19/2012 10:15	K		3635	ug/L	EPA-200.7
6/26/2012 10:45	K		4498	ug/L	EPA-200.7
7/2/2012 10:32	K		5361	ug/L	EPA-200.7
7/10/2012 10:35	K		5630	ug/L	EPA-200.7
7/17/2012 10:35	K		3335	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:15	Mg		9040	ug/L	EPA-200.7
6/26/2012 10:45	Mg		18340	ug/L	EPA-200.7
7/2/2012 10:32	Mg		16420	ug/L	EPA-200.7
7/10/2012 10:35	Mg		14310	ug/L	EPA-200.7
7/17/2012 10:35	Mg		10093.5	ug/L	EPA-200.7
6/19/2012 10:15	Mn		27.41	ug/L	EPA-200.7
6/26/2012 10:45	Mn		26.8	ug/L	EPA-200.7
7/2/2012 10:32	Mn		26.91	ug/L	EPA-200.7
7/10/2012 10:35	Mn		38.94	ug/L	EPA-200.7
7/17/2012 10:35	Mn		31.25	ug/L	EPA-200.7
6/19/2012 10:15	Mo		4.5	ug/L	EPA-200.7
6/26/2012 10:45	Mo		18.66	ug/L	EPA-200.7
7/2/2012 10:32	Mo		7.16	ug/L	EPA-200.7
7/10/2012 10:35	Mo		6.76	ug/L	EPA-200.7
7/17/2012 10:35	Mo		5.26	ug/L	EPA-200.7
6/19/2012 10:15	Na		112300	ug/L	EPA-200.7
6/26/2012 10:45	Na		202500	ug/L	EPA-200.7
7/2/2012 10:32	Na		191200	ug/L	EPA-200.7
7/10/2012 10:35	Na		178600	ug/L	EPA-200.7
7/17/2012 10:35	Na		107800	ug/L	EPA-200.7
6/19/2012 10:15	NH3		0.05	mg/L	EPA-350.1
6/26/2012 10:45	NH3		0.031	mg/L	EPA-350.1
7/2/2012 10:32	NH3		0.088	mg/L	EPA-350.1
7/10/2012 10:35	NH3	j	0.014	mg/L	EPA-350.1
6/19/2012 10:15	Ni	j	1.04	ug/L	EPA-200.7
6/26/2012 10:45	Ni	j	1.06	ug/L	EPA-200.7
7/2/2012 10:32	Ni	j	1.06	ug/L	EPA-200.7
7/10/2012 10:35	Ni	j	1.04	ug/L	EPA-200.7
7/17/2012 10:35	Ni	j	0.9625	ug/L	EPA-200.7
6/19/2012 10:15	NO2	j	0.017	mg/L	SM 4500-NO2-B
6/26/2012 10:45	NO2	j	0.018	mg/L	SM 4500-NO2-B
7/2/2012 10:32	NO2	j	0.016	mg/L	SM 4500-NO2-B
7/10/2012 10:35	NO2	j	0.017	mg/L	SM 4500-NO2-B
7/17/2012 10:35	NO2	j	0.015	mg/L	SM 4500-NO2-B
6/19/2012 10:15	NO3		0.343	mg/L	EPA 353.2
6/26/2012 10:45	NO3		0.157	mg/L	EPA 353.2
7/2/2012 10:32	NO3		0.122	mg/L	EPA 353.2
7/10/2012 10:35	NO3		0.196	mg/L	EPA 353.2
7/17/2012 10:35	NO3		0.377	mg/L	EPA 353.2

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:15	NO3+NO2		0.36	mg/L	EPA 353.2
6/26/2012 10:45	NO3+NO2		0.175	mg/L	EPA 353.2
7/2/2012 10:32	NO3+NO2		0.138	mg/L	EPA 353.2
7/10/2012 10:35	NO3+NO2		0.213	mg/L	EPA 353.2
7/17/2012 10:35	NO3+NO2		0.392	mg/L	EPA 353.2
6/19/2012 10:15	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 10:45	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 10:32	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 10:35	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 10:35	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 10:15	pH		8.27	S.U.	
6/26/2012 10:45	pH		8.43	S.U.	
7/2/2012 10:32	pH		8.35	S.U.	
7/10/2012 10:35	pH		8.42	S.U.	
7/17/2012 10:35	pH		8.28	S.U.	
6/19/2012 10:15	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 10:45	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 10:32	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 10:35	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 10:35	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 10:15	Se	j	1.69	ug/L	EPA-200.7
6/26/2012 10:45	Se	j	0.73	ug/L	EPA-200.7
7/2/2012 10:32	Se	<	0.63	ug/L	EPA-200.7
7/10/2012 10:35	Se	<	0.63	ug/L	EPA-200.7
7/17/2012 10:35	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 10:15	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 10:45	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 10:32	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 10:35	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 10:35	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 10:15	SO4		54.74	mg/L	EPA 300.0
6/26/2012 10:45	SO4		75.8	mg/L	EPA 300.0
7/2/2012 10:32	SO4		68.58	mg/L	EPA 300.0
7/10/2012 10:35	SO4		72.69	mg/L	EPA 300.0
7/17/2012 10:35	SO4		50.175	mg/L	EPA 300.0
6/19/2012 10:15	TDS		538	mg/L	SM2540C
6/26/2012 10:45	TDS		816	mg/L	SM2540C
7/2/2012 10:32	TDS		798	mg/L	SM2540C

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 10:35	TDS		762	mg/L	SM2540C
7/17/2012 10:35	TDS		509	mg/L	SM2540C
6/19/2012 10:15	Ti	j	0.52	ug/L	EPA-200.7
6/26/2012 10:45	Ti	j	0.71	ug/L	EPA-200.7
7/2/2012 10:32	Ti	j	0.72	ug/L	EPA-200.7
7/10/2012 10:35	Ti	j	0.65	ug/L	EPA-200.7
7/17/2012 10:35	Ti	j	0.8725	ug/L	EPA-200.7
6/19/2012 10:15	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 10:45	TI	j	1.8	ug/L	EPA-200.7
7/2/2012 10:32	TI	j	2.17	ug/L	EPA-200.7
7/10/2012 10:35	TI	j	1.72	ug/L	EPA-200.7
7/17/2012 10:35	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 10:15	TMET	<	10	ug/L	EPA-200.7
6/26/2012 10:45	TMET		17.7	ug/L	EPA-200.7
7/2/2012 10:32	TMET		10.7	ug/L	EPA-200.7
7/10/2012 10:35	TMET		11.8	ug/L	EPA-200.7
7/17/2012 10:35	TMET	<	10	ug/L	EPA-200.7
6/19/2012 10:15	Total-P		0.065	mg/L	EPA 365.1
6/26/2012 10:45	Total-P		0.079	mg/L	EPA 365.1
7/2/2012 10:32	Total-P		0.092	mg/L	EPA 365.1
7/10/2012 10:35	Total-P		0.069	mg/L	EPA 365.1
7/17/2012 10:35	Total-P		0.0895	mg/L	EPA 365.1
6/19/2012 10:15	TS		618	mg/L	SM2540B
6/26/2012 10:45	TS		886	mg/L	SM2540B
7/2/2012 10:32	TS		884	mg/L	SM2540B
7/10/2012 10:35	TS		826	mg/L	SM2540B
7/17/2012 10:35	TS		542	mg/L	SM2540B
6/19/2012 10:15	TSS		1.5	mg/L	SM2540D
6/26/2012 10:45	TSS		3.1	mg/L	SM2540D
7/2/2012 10:32	TSS		5.8	mg/L	SM2540D
7/10/2012 10:35	TSS		2.4	mg/L	SM2540D
6/19/2012 10:15	Turbidity		3.07	NTU	EPA 180.1
6/26/2012 10:45	Turbidity		1.9	NTU	EPA 180.1
7/2/2012 10:32	Turbidity		4.73	NTU	EPA 180.1
7/10/2012 10:35	Turbidity		6.58	NTU	EPA 180.1
6/19/2012 10:15	V	j	0.72	ug/L	EPA-200.7
6/26/2012 10:45	V	j	0.49	ug/L	EPA-200.7
7/2/2012 10:32	V	j	0.49	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 10:35	V	j	0.73	ug/L	EPA-200.7
7/17/2012 10:35	V	j	0.49	ug/L	EPA-200.7
6/19/2012 10:15	Zn	j	1.83	ug/L	EPA-200.7
6/26/2012 10:45	Zn		10.1	ug/L	EPA-200.7
7/2/2012 10:32	Zn	j	3.76	ug/L	EPA-200.7
7/10/2012 10:35	Zn	j	6.09	ug/L	EPA-200.7
7/17/2012 10:35	Zn	j	2.2425	ug/L	EPA-200.7

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:00	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 10:26	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 10:08	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 10:10	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 10:10	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 10:00	Al		60.68	ug/L	EPA-200.7
6/26/2012 10:26	Al		52.98	ug/L	EPA-200.7
7/2/2012 10:08	Al		57.31	ug/L	EPA-200.7
7/10/2012 10:10	Al		70.79	ug/L	EPA-200.7
7/17/2012 10:10	Al		149.7	ug/L	EPA-200.7
6/19/2012 10:00	Alkalinity		113.6	mg/LCaCO3	EPA-310.2
6/26/2012 10:26	Alkalinity		130.9	mg/LCaCO3	EPA-310.2
7/2/2012 10:08	Alkalinity		128	mg/LCaCO3	EPA-310.2
7/10/2012 10:10	Alkalinity		135.4	mg/LCaCO3	EPA-310.2
7/17/2012 10:10	Alkalinity		117.5	mg/LCaCO3	EPA-310.2
6/19/2012 10:00	As	j	1.32	ug/L	EPA-200.7
6/26/2012 10:26	As	j	0.86	ug/L	EPA-200.7
7/2/2012 10:08	As	j	1.25	ug/L	EPA-200.7
7/10/2012 10:10	As	j	1.39	ug/L	EPA-200.7
7/17/2012 10:10	As		2.75	ug/L	EPA-200.7
6/19/2012 10:00	Ba		31.7	ug/L	EPA-200.7
6/26/2012 10:26	Ba		34.5	ug/L	EPA-200.7
7/2/2012 10:08	Ba		37.7	ug/L	EPA-200.7
7/10/2012 10:10	Ba		37.6	ug/L	EPA-200.7
7/17/2012 10:10	Ba		37.4	ug/L	EPA-200.7
6/19/2012 10:00	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 10:26	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 10:08	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 10:10	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 10:10	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 10:00	BOD		2.3	mg/L	SM 5210
6/26/2012 10:26	BOD	<	2	mg/L	SM 5210
7/2/2012 10:08	BOD		3.2	mg/L	SM 5210
7/10/2012 10:10	BOD		3.4	mg/L	SM 5210
7/17/2012 10:10	BOD	<	2	mg/L	SM 5210
6/19/2012 10:00	Ca		50480	ug/L	EPA-200.7
6/26/2012 10:26	Ca		59400	ug/L	EPA-200.7
7/2/2012 10:08	Ca		62990	ug/L	EPA-200.7
7/10/2012 10:10	Ca		59660	ug/L	EPA-200.7

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:10	Ca		53320	ug/L	EPA-200.7
6/19/2012 10:00	CaCO3		165	mg/LCaCO3	EPA-200.7
6/26/2012 10:26	CaCO3		210	mg/LCaCO3	EPA-200.7
7/2/2012 10:08	CaCO3		220	mg/LCaCO3	EPA-200.7
7/10/2012 10:10	CaCO3		205	mg/LCaCO3	EPA-200.7
7/17/2012 10:10	CaCO3		178	mg/LCaCO3	EPA-200.7
6/19/2012 10:00	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 10:26	Cd	j	0.04	ug/L	EPA-200.7
7/2/2012 10:08	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 10:10	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 10:10	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 10:00	Chloride		187.6	mg/L	EPA 300.0
6/26/2012 10:26	Chloride		223.7	mg/L	EPA 300.0
7/2/2012 10:08	Chloride		246.9	mg/L	EPA 300.0
7/10/2012 10:10	Chloride		209.1	mg/L	EPA 300.0
7/17/2012 10:10	Chloride		132.6	mg/L	EPA 300.0
6/19/2012 10:00	Co	j	0.2	ug/L	EPA-200.7
6/26/2012 10:26	Co	j	0.18	ug/L	EPA-200.7
7/2/2012 10:08	Co	j	0.25	ug/L	EPA-200.7
7/10/2012 10:10	Co	j	0.34	ug/L	EPA-200.7
7/17/2012 10:10	Co	j	0.3	ug/L	EPA-200.7
6/19/2012 10:00	COD		17.1	mg/L	EPA 410.4
6/26/2012 10:26	COD		12.1	mg/L	EPA 410.4
7/2/2012 10:08	COD		14.4	mg/L	EPA 410.4
7/10/2012 10:10	COD		11.6	mg/L	EPA 410.4
7/17/2012 10:10	COD		18.4	mg/L	EPA 410.4
7/2/2012 10:08	Cr	<	0.25	ug/L	EPA-200.7
7/2/2012 10:08	Cr+6	j	1.254	ug/L	SM 3500-Cr-D
6/19/2012 10:00	Cu		4.5	ug/L	EPA-200.7
6/26/2012 10:26	Cu		2.28	ug/L	EPA-200.7
7/2/2012 10:08	Cu		2.45	ug/L	EPA-200.7
7/10/2012 10:10	Cu		2.67	ug/L	EPA-200.7
7/17/2012 10:10	Cu		5.43	ug/L	EPA-200.7
6/19/2012 10:00	DRPhos		0.108	mg/L	EPA 365.1
6/26/2012 10:26	DRPhos		0.249	mg/L	EPA 365.1
7/2/2012 10:08	DRPhos		0.184	mg/L	EPA 365.1
7/10/2012 10:10	DRPhos		0.214	mg/L	EPA 365.1

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:10	DRPhos		0.162	mg/L	EPA 365.1
6/19/2012 10:00	E. coli		10000	cfu/100mL	EPA 1603
6/26/2012 10:26	E. coli		10000	cfu/100mL	EPA 1603
7/2/2012 10:08	E. coli		5500	cfu/100mL	EPA 1603
7/10/2012 10:10	E. coli		1033	cfu/100mL	EPA 1603
7/17/2012 10:10	E. coli		31400	cfu/100mL	EPA 1603
6/19/2012 10:00	Fe		196.3	ug/L	EPA-200.7
6/26/2012 10:26	Fe		200.6	ug/L	EPA-200.7
7/2/2012 10:08	Fe		236	ug/L	EPA-200.7
7/10/2012 10:10	Fe		309.8	ug/L	EPA-200.7
7/17/2012 10:10	Fe		637.5	ug/L	EPA-200.7
6/19/2012 10:00	Field Cond		829	uS/cm	SM 2510A
6/26/2012 10:26	Field Cond		1221	uS/cm	SM 2510A
7/2/2012 10:08	Field Cond		949	uS/cm	SM 2510A
7/10/2012 10:10	Field Cond		1011	uS/cm	SM 2510A
7/17/2012 10:10	Field Cond		778	uS/cm	SM 2510A
6/19/2012 10:00	Field DO		7.23	mg/L	SM 4500-0 G
6/26/2012 10:26	Field DO		9.12	mg/L	SM 4500-0 G
7/2/2012 10:08	Field DO		7.14	mg/L	SM 4500-0 G
7/10/2012 10:10	Field DO		7.86	mg/L	SM 4500-0 G
7/17/2012 10:10	Field DO		6.75	mg/L	SM 4500-0 G
6/19/2012 10:00	Field Temp		20.1	C	EPA 170.1
6/26/2012 10:26	Field Temp		17.8	C	EPA 170.1
7/2/2012 10:08	Field Temp		20.8	C	EPA 170.1
7/10/2012 10:10	Field Temp		20.7	C	EPA 170.1
7/17/2012 10:10	Field Temp		23.1	C	EPA 170.1
6/19/2012 10:00	Hg	j	0.015	ug/L	EPA 245.1
6/26/2012 10:26	Hg	j	0.009	ug/L	EPA 245.1
7/2/2012 10:08	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 10:10	Hg	j	0.014	ug/L	EPA 245.1
7/17/2012 10:10	Hg	j	0.011	ug/L	EPA 245.1
6/19/2012 10:00	K		3760	ug/L	EPA-200.7
6/26/2012 10:26	K		4010	ug/L	EPA-200.7
7/2/2012 10:08	K		5027	ug/L	EPA-200.7
7/10/2012 10:10	K		5071	ug/L	EPA-200.7
7/17/2012 10:10	K		3434	ug/L	EPA-200.7
6/19/2012 10:00	Mg		9487	ug/L	EPA-200.7
6/26/2012 10:26	Mg		14970	ug/L	EPA-200.7

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 10:08	Mg		15180	ug/L	EPA-200.7
7/10/2012 10:10	Mg		13560	ug/L	EPA-200.7
7/17/2012 10:10	Mg		10920	ug/L	EPA-200.7
6/19/2012 10:00	Mn		40.81	ug/L	EPA-200.7
6/26/2012 10:26	Mn		44.6	ug/L	EPA-200.7
7/2/2012 10:08	Mn		84.32	ug/L	EPA-200.7
7/10/2012 10:10	Mn		67.23	ug/L	EPA-200.7
7/17/2012 10:10	Mn		65.04	ug/L	EPA-200.7
6/19/2012 10:00	Mo		5.11	ug/L	EPA-200.7
6/26/2012 10:26	Mo		6.25	ug/L	EPA-200.7
7/2/2012 10:08	Mo		6.38	ug/L	EPA-200.7
7/10/2012 10:10	Mo		5.87	ug/L	EPA-200.7
7/17/2012 10:10	Mo		25.81	ug/L	EPA-200.7
6/19/2012 10:00	Na		104300	ug/L	EPA-200.7
6/26/2012 10:26	Na		126400	ug/L	EPA-200.7
7/2/2012 10:08	Na		139100	ug/L	EPA-200.7
7/10/2012 10:10	Na		107800	ug/L	EPA-200.7
7/17/2012 10:10	Na		83480	ug/L	EPA-200.7
6/19/2012 10:00	NH3		0.195	mg/L	EPA-350.1
6/26/2012 10:26	NH3		0.205	mg/L	EPA-350.1
7/2/2012 10:08	NH3		0.168	mg/L	EPA-350.1
7/10/2012 10:10	NH3		0.261	mg/L	EPA-350.1
7/17/2012 10:10	NH3		0.159	mg/L	EPA-350.1
6/19/2012 10:00	Ni	j	1.29	ug/L	EPA-200.7
6/26/2012 10:26	Ni	j	0.89	ug/L	EPA-200.7
7/2/2012 10:08	Ni	j	1	ug/L	EPA-200.7
7/10/2012 10:10	Ni	j	1.11	ug/L	EPA-200.7
7/17/2012 10:10	Ni	j	1.29	ug/L	EPA-200.7
6/19/2012 10:00	NO2		0.088	mg/L	SM 4500-NO2-B
6/26/2012 10:26	NO2		0.206	mg/L	SM 4500-NO2-B
7/2/2012 10:08	NO2		0.121	mg/L	SM 4500-NO2-B
7/10/2012 10:10	NO2		0.226	mg/L	SM 4500-NO2-B
7/17/2012 10:10	NO2		0.112	mg/L	SM 4500-NO2-B
6/19/2012 10:00	NO3		0.564	mg/L	EPA 353.2
6/26/2012 10:26	NO3		0.665	mg/L	EPA 353.2
7/2/2012 10:08	NO3		0.532	mg/L	EPA 353.2
7/10/2012 10:10	NO3		0.721	mg/L	EPA 353.2
7/17/2012 10:10	NO3		0.655	mg/L	EPA 353.2

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 10:00	NO3+NO2		0.652	mg/L	EPA 353.2
6/26/2012 10:26	NO3+NO2		0.871	mg/L	EPA 353.2
7/2/2012 10:08	NO3+NO2		0.653	mg/L	EPA 353.2
7/10/2012 10:10	NO3+NO2		0.947	mg/L	EPA 353.2
7/17/2012 10:10	NO3+NO2		0.766	mg/L	EPA 353.2
6/19/2012 10:00	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 10:26	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 10:08	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 10:10	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 10:10	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 10:00	pH		7.74	S.U.	
6/26/2012 10:26	pH		8.43	S.U.	
7/2/2012 10:08	pH		7.77	S.U.	
7/10/2012 10:10	pH		7.76	S.U.	
7/17/2012 10:10	pH		7.77	S.U.	
6/19/2012 10:00	Sb	j	0.72	ug/L	EPA-200.7
6/26/2012 10:26	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 10:08	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 10:10	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 10:10	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 10:00	Se	j	1.77	ug/L	EPA-200.7
6/26/2012 10:26	Se	j	0.89	ug/L	EPA-200.7
7/2/2012 10:08	Se	j	1.48	ug/L	EPA-200.7
7/10/2012 10:10	Se	j	1.2	ug/L	EPA-200.7
7/17/2012 10:10	Se	j	0.87	ug/L	EPA-200.7
6/19/2012 10:00	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 10:26	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 10:08	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 10:10	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 10:10	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 10:00	SO4		57.9	mg/L	EPA 300.0
6/26/2012 10:26	SO4		64.3	mg/L	EPA 300.0
7/2/2012 10:08	SO4		63.53	mg/L	EPA 300.0
7/10/2012 10:10	SO4		64.88	mg/L	EPA 300.0
7/17/2012 10:10	SO4		55.64	mg/L	EPA 300.0
6/19/2012 10:00	TDS		506	mg/L	SM2540C
6/26/2012 10:26	TDS		598	mg/L	SM2540C
7/2/2012 10:08	TDS		616	mg/L	SM2540C
7/10/2012 10:10	TDS		576	mg/L	SM2540C

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:10	TDS		442	mg/L	SM2540C
6/19/2012 10:00	Ti	j	0.55	ug/L	EPA-200.7
6/26/2012 10:26	Ti	j	0.96	ug/L	EPA-200.7
7/2/2012 10:08	Ti	j	0.77	ug/L	EPA-200.7
7/10/2012 10:10	Ti	j	0.97	ug/L	EPA-200.7
7/17/2012 10:10	Ti	j	1.44	ug/L	EPA-200.7
6/19/2012 10:00	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 10:26	TI	j	1.42	ug/L	EPA-200.7
7/2/2012 10:08	TI	j	2.44	ug/L	EPA-200.7
7/10/2012 10:10	TI	j	2.11	ug/L	EPA-200.7
7/17/2012 10:10	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 10:00	TMET		10	ug/L	EPA-200.7
6/26/2012 10:26	TMET	<	10	ug/L	EPA-200.7
7/2/2012 10:08	TMET	<	10	ug/L	EPA-200.7
7/10/2012 10:10	TMET	<	10	ug/L	EPA-200.7
7/17/2012 10:10	TMET		16.5	ug/L	EPA-200.7
6/19/2012 10:00	Total-P		0.146	mg/L	EPA 365.1
6/26/2012 10:26	Total-P		0.289	mg/L	EPA 365.1
7/2/2012 10:08	Total-P		0.241	mg/L	EPA 365.1
7/10/2012 10:10	Total-P		0.257	mg/L	EPA 365.1
7/17/2012 10:10	Total-P		0.206	mg/L	EPA 365.1
6/19/2012 10:00	TS		534	mg/L	SM2540B
6/26/2012 10:26	TS		632	mg/L	SM2540B
7/2/2012 10:08	TS		668	mg/L	SM2540B
7/10/2012 10:10	TS		624	mg/L	SM2540B
7/17/2012 10:10	TS		488	mg/L	SM2540B
6/19/2012 10:00	TSS		3.4	mg/L	SM2540D
6/26/2012 10:26	TSS		3.2	mg/L	SM2540D
7/2/2012 10:08	TSS		3.1	mg/L	SM2540D
7/10/2012 10:10	TSS		4.7	mg/L	SM2540D
7/17/2012 10:10	TSS		2.9	mg/L	SM2540D
6/19/2012 10:00	Turbidity		4.32	NTU	EPA 180.1
6/26/2012 10:26	Turbidity		1.9	NTU	EPA 180.1
7/2/2012 10:08	Turbidity		3.64	NTU	EPA 180.1
7/10/2012 10:10	Turbidity		5.44	NTU	EPA 180.1
7/17/2012 10:10	Turbidity		4.33	NTU	EPA 180.1
6/19/2012 10:00	V	j	0.78	ug/L	EPA-200.7
6/26/2012 10:26	V	j	0.43	ug/L	EPA-200.7

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 10:08	V	j	0.56	ug/L	EPA-200.7
7/10/2012 10:10	V	j	0.59	ug/L	EPA-200.7
7/17/2012 10:10	V	j	0.73	ug/L	EPA-200.7
6/19/2012 10:00	Zn	j	3.7	ug/L	EPA-200.7
6/26/2012 10:26	Zn	j	6.49	ug/L	EPA-200.7
7/2/2012 10:08	Zn	j	5.66	ug/L	EPA-200.7
7/10/2012 10:10	Zn	j	5.36	ug/L	EPA-200.7
7/17/2012 10:10	Zn	j	9.32	ug/L	EPA-200.7

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:40	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 10:03	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 9:43	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 9:50	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 9:45	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 9:40	Al		44.23	ug/L	EPA-200.7
6/26/2012 10:03	Al		64.32	ug/L	EPA-200.7
7/2/2012 9:43	Al		168.5	ug/L	EPA-200.7
7/10/2012 9:50	Al		45.26	ug/L	EPA-200.7
7/17/2012 9:45	Al		79	ug/L	EPA-200.7
6/19/2012 9:40	Alkalinity		121.4	mg/LCaCO3	EPA-310.2
6/26/2012 10:03	Alkalinity		160.1	mg/LCaCO3	EPA-310.2
7/2/2012 9:43	Alkalinity		140.9	mg/LCaCO3	EPA-310.2
7/10/2012 9:50	Alkalinity		169.3	mg/LCaCO3	EPA-310.2
7/17/2012 9:45	Alkalinity		117.6	mg/LCaCO3	EPA-310.2
6/19/2012 9:40	As	j	1.33	ug/L	EPA-200.7
6/26/2012 10:03	As	j	0.56	ug/L	EPA-200.7
7/2/2012 9:43	As	j	0.69	ug/L	EPA-200.7
7/10/2012 9:50	As	j	0.98	ug/L	EPA-200.7
7/17/2012 9:45	As		2.12	ug/L	EPA-200.7
6/19/2012 9:40	Ba		35.3	ug/L	EPA-200.7
6/26/2012 10:03	Ba		42.2	ug/L	EPA-200.7
7/2/2012 9:43	Ba		41.8	ug/L	EPA-200.7
7/10/2012 9:50	Ba		47.5	ug/L	EPA-200.7
7/17/2012 9:45	Ba		39.5	ug/L	EPA-200.7
6/19/2012 9:40	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 10:03	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 9:43	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 9:50	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 9:45	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 9:40	BOD		4.2	mg/L	SM 5210
6/26/2012 10:03	BOD	<	2	mg/L	SM 5210
7/2/2012 9:43	BOD		3.4	mg/L	SM 5210
7/10/2012 9:50	BOD		2	mg/L	SM 5210
7/17/2012 9:45	BOD	<	2	mg/L	SM 5210
6/19/2012 9:40	Ca		49970	ug/L	EPA-200.7
6/26/2012 10:03	Ca		63100	ug/L	EPA-200.7
7/2/2012 9:43	Ca		60840	ug/L	EPA-200.7
7/10/2012 9:50	Ca		63960	ug/L	EPA-200.7

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 9:45	Ca		50530	ug/L	EPA-200.7
6/19/2012 9:40	CaCO3		170	mg/LCaCO3	EPA-200.7
6/26/2012 10:03	CaCO3		229	mg/LCaCO3	EPA-200.7
7/2/2012 9:43	CaCO3		217	mg/LCaCO3	EPA-200.7
7/10/2012 9:50	CaCO3		230	mg/LCaCO3	EPA-200.7
7/17/2012 9:45	CaCO3		174	mg/LCaCO3	EPA-200.7
6/19/2012 9:40	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 10:03	Cd	j	0.04	ug/L	EPA-200.7
7/2/2012 9:43	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 9:50	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 9:45	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 9:40	Chloride		159.8	mg/L	EPA 300.0
6/26/2012 10:03	Chloride		138.1	mg/L	EPA 300.0
7/2/2012 9:43	Chloride		124.5	mg/L	EPA 300.0
7/10/2012 9:50	Chloride		182	mg/L	EPA 300.0
7/17/2012 9:45	Chloride		122.4	mg/L	EPA 300.0
6/19/2012 9:40	Co	j	0.22	ug/L	EPA-200.7
6/26/2012 10:03	Co	j	0.19	ug/L	EPA-200.7
7/2/2012 9:43	Co	j	0.37	ug/L	EPA-200.7
7/10/2012 9:50	Co	j	0.32	ug/L	EPA-200.7
7/17/2012 9:45	Co	j	0.2	ug/L	EPA-200.7
6/19/2012 9:40	COD		23.4	mg/L	EPA 410.4
6/26/2012 10:03	COD	j	5.6	mg/L	EPA 410.4
7/2/2012 9:43	COD	j	6.9	mg/L	EPA 410.4
7/10/2012 9:50	COD	j	8.4	mg/L	EPA 410.4
7/17/2012 9:45	COD		14.4	mg/L	EPA 410.4
7/2/2012 9:43	Cr	j	0.345	ug/L	EPA-200.7
7/10/2012 9:50	Cr	<	0.25	ug/L	EPA-200.7
7/2/2012 9:43	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/10/2012 9:50	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 9:40	Cu		5.13	ug/L	EPA-200.7
6/26/2012 10:03	Cu		2.05	ug/L	EPA-200.7
7/2/2012 9:43	Cu		2.04	ug/L	EPA-200.7
7/10/2012 9:50	Cu		2.385	ug/L	EPA-200.7
7/17/2012 9:45	Cu		2.68	ug/L	EPA-200.7
6/19/2012 9:40	DRPhos		0.116	mg/L	EPA 365.1
6/26/2012 10:03	DRPhos		0.137	mg/L	EPA 365.1

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:43	DRPhos		0.191	mg/L	EPA 365.1
7/10/2012 9:50	DRPhos		0.122	mg/L	EPA 365.1
7/17/2012 9:45	DRPhos		0.132	mg/L	EPA 365.1
6/19/2012 9:40	E. coli		8000	cfu/100mL	EPA 1603
6/26/2012 10:03	E. coli	EC	32400	cfu/100mL	EPA 1603
7/2/2012 9:43	E. coli		3300	cfu/100mL	EPA 1603
7/10/2012 9:50	E. coli		1200	cfu/100mL	EPA 1603
7/17/2012 9:45	E. coli		1833	cfu/100mL	EPA 1603
6/19/2012 9:40	Fe		179.8	ug/L	EPA-200.7
6/26/2012 10:03	Fe		164.6	ug/L	EPA-200.7
7/2/2012 9:43	Fe		447	ug/L	EPA-200.7
7/10/2012 9:50	Fe		217.2	ug/L	EPA-200.7
7/17/2012 9:45	Fe		205.3	ug/L	EPA-200.7
6/19/2012 9:40	Field Cond		772	uS/cm	SM 2510A
6/26/2012 10:03	Field Cond		715	uS/cm	SM 2510A
7/2/2012 9:43	Field Cond		674	uS/cm	SM 2510A
7/10/2012 9:50	Field Cond		1000	uS/cm	SM 2510A
7/17/2012 9:45	Field Cond		737	uS/cm	SM 2510A
6/19/2012 9:40	Field DO		7.27	mg/L	SM 4500-0 G
6/26/2012 10:03	Field DO		9.81	mg/L	SM 4500-0 G
7/2/2012 9:43	Field DO		8.38	mg/L	SM 4500-0 G
7/10/2012 9:50	Field DO		9.45	mg/L	SM 4500-0 G
7/17/2012 9:45	Field DO		7.26	mg/L	SM 4500-0 G
6/19/2012 9:40	Field Temp		20.2	C	EPA 170.1
6/26/2012 10:03	Field Temp		17.6	C	EPA 170.1
7/2/2012 9:43	Field Temp		21	C	EPA 170.1
7/10/2012 9:50	Field Temp		20.7	C	EPA 170.1
7/17/2012 9:45	Field Temp		23.5	C	EPA 170.1
6/19/2012 9:40	Hg	j	0.016	ug/L	EPA 245.1
6/26/2012 10:03	Hg	j	0.012	ug/L	EPA 245.1
7/2/2012 9:43	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 9:50	Hg	j	0.016	ug/L	EPA 245.1
7/17/2012 9:45	Hg	j	0.008	ug/L	EPA 245.1
6/19/2012 9:40	K		5532	ug/L	EPA-200.7
6/26/2012 10:03	K		7512	ug/L	EPA-200.7
7/2/2012 9:43	K		6270	ug/L	EPA-200.7
7/10/2012 9:50	K		8342	ug/L	EPA-200.7
7/17/2012 9:45	K		5030	ug/L	EPA-200.7

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:40	Mg		10970	ug/L	EPA-200.7
6/26/2012 10:03	Mg		17390	ug/L	EPA-200.7
7/2/2012 9:43	Mg		15660	ug/L	EPA-200.7
7/10/2012 9:50	Mg		17130	ug/L	EPA-200.7
7/17/2012 9:45	Mg		11600	ug/L	EPA-200.7
6/19/2012 9:40	Mn		57.24	ug/L	EPA-200.7
6/26/2012 10:03	Mn		40.04	ug/L	EPA-200.7
7/2/2012 9:43	Mn		97.52	ug/L	EPA-200.7
7/10/2012 9:50	Mn		53.26	ug/L	EPA-200.7
7/17/2012 9:45	Mn		76.59	ug/L	EPA-200.7
6/19/2012 9:40	Mo		4.89	ug/L	EPA-200.7
6/26/2012 10:03	Mo		4.09	ug/L	EPA-200.7
7/2/2012 9:43	Mo		3.435	ug/L	EPA-200.7
7/10/2012 9:50	Mo		4.86	ug/L	EPA-200.7
7/17/2012 9:45	Mo		3.69	ug/L	EPA-200.7
6/19/2012 9:40	Na		91290	ug/L	EPA-200.7
6/26/2012 10:03	Na		83200	ug/L	EPA-200.7
7/2/2012 9:43	Na		70400	ug/L	EPA-200.7
7/10/2012 9:50	Na		91460	ug/L	EPA-200.7
7/17/2012 9:45	Na		76080	ug/L	EPA-200.7
6/19/2012 9:40	NH3		0.128	mg/L	EPA-350.1
6/26/2012 10:03	NH3		0.046	mg/L	EPA-350.1
7/2/2012 9:43	NH3		0.08	mg/L	EPA-350.1
7/10/2012 9:50	NH3		0.046	mg/L	EPA-350.1
7/17/2012 9:45	NH3		0.076	mg/L	EPA-350.1
6/19/2012 9:40	Ni		2.31	ug/L	EPA-200.7
6/26/2012 10:03	Ni	j	1.19	ug/L	EPA-200.7
7/2/2012 9:43	Ni	j	1.38	ug/L	EPA-200.7
7/10/2012 9:50	Ni	j	1.575	ug/L	EPA-200.7
7/17/2012 9:45	Ni	j	1.2	ug/L	EPA-200.7
6/19/2012 9:40	NO2		0.093	mg/L	SM 4500-NO2-B
6/26/2012 10:03	NO2	j	0.019	mg/L	SM 4500-NO2-B
7/2/2012 9:43	NO2		0.026	mg/L	SM 4500-NO2-B
7/10/2012 9:50	NO2		0.024	mg/L	SM 4500-NO2-B
7/17/2012 9:45	NO2		0.034	mg/L	SM 4500-NO2-B
6/19/2012 9:40	NO3		0.669	mg/L	EPA 353.2
6/26/2012 10:03	NO3		0.716	mg/L	EPA 353.2
7/2/2012 9:43	NO3		0.942	mg/L	EPA 353.2
7/10/2012 9:50	NO3		0.814	mg/L	EPA 353.2

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 9:45	NO3		0.721	mg/L	EPA 353.2
6/19/2012 9:40	NO3+NO2		0.762	mg/L	EPA 353.2
6/26/2012 10:03	NO3+NO2		0.735	mg/L	EPA 353.2
7/2/2012 9:43	NO3+NO2		0.968	mg/L	EPA 353.2
7/10/2012 9:50	NO3+NO2		0.838	mg/L	EPA 353.2
7/17/2012 9:45	NO3+NO2		0.755	mg/L	EPA 353.2
6/19/2012 9:40	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 10:03	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 9:43	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 9:50	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 9:45	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 9:40	pH		7.74	S.U.	
6/26/2012 10:03	pH		8.03	S.U.	
7/2/2012 9:43	pH		7.91	S.U.	
7/10/2012 9:50	pH		7.94	S.U.	
7/17/2012 9:45	pH		7.81	S.U.	
6/19/2012 9:40	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 10:03	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 9:43	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 9:50	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 9:45	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 9:40	Se	j	1.31	ug/L	EPA-200.7
6/26/2012 10:03	Se	j	2.44	ug/L	EPA-200.7
7/2/2012 9:43	Se	<	0.63	ug/L	EPA-200.7
7/10/2012 9:50	Se	j	0.73	ug/L	EPA-200.7
7/17/2012 9:45	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 9:40	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 10:03	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 9:43	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 9:50	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 9:45	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 9:40	SO4		54.51	mg/L	EPA 300.0
6/26/2012 10:03	SO4		65.85	mg/L	EPA 300.0
7/2/2012 9:43	SO4		59.24	mg/L	EPA 300.0
7/10/2012 9:50	SO4		70.54	mg/L	EPA 300.0
7/17/2012 9:45	SO4		47.95	mg/L	EPA 300.0
6/19/2012 9:40	TDS		494	mg/L	SM2540C
6/26/2012 10:03	TDS		526	mg/L	SM2540C

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:43	TDS		460	mg/L	SM2540C
7/10/2012 9:50	TDS		584	mg/L	SM2540C
7/17/2012 9:45	TDS		432	mg/L	SM2540C
6/19/2012 9:40	Ti	j	0.6	ug/L	EPA-200.7
6/26/2012 10:03	Ti	j	0.91	ug/L	EPA-200.7
7/2/2012 9:43	Ti		2.605	ug/L	EPA-200.7
7/10/2012 9:50	Ti	j	0.295	ug/L	EPA-200.7
7/17/2012 9:45	Ti	j	0.64	ug/L	EPA-200.7
6/19/2012 9:40	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 10:03	TI	j	1.68	ug/L	EPA-200.7
7/2/2012 9:43	TI	<	1.11	ug/L	EPA-200.7
7/10/2012 9:50	TI	<	1.11	ug/L	EPA-200.7
7/17/2012 9:45	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 9:40	TMET		11.9	ug/L	EPA-200.7
6/26/2012 10:03	TMET	<	10	ug/L	EPA-200.7
7/2/2012 9:43	TMET		11	ug/L	EPA-200.7
7/10/2012 9:50	TMET		10.3	ug/L	EPA-200.7
7/17/2012 9:45	TMET	<	10	ug/L	EPA-200.7
6/19/2012 9:40	Total-P		0.156	mg/L	EPA 365.1
6/26/2012 10:03	Total-P		0.177	mg/L	EPA 365.1
7/2/2012 9:43	Total-P		0.25	mg/L	EPA 365.1
7/10/2012 9:50	Total-P		0.164	mg/L	EPA 365.1
7/17/2012 9:45	Total-P		0.161	mg/L	EPA 365.1
6/19/2012 9:40	TS		502	mg/L	SM2540B
6/26/2012 10:03	TS		536	mg/L	SM2540B
7/2/2012 9:43	TS		500	mg/L	SM2540B
7/10/2012 9:50	TS		638	mg/L	SM2540B
7/17/2012 9:45	TS		456	mg/L	SM2540B
6/19/2012 9:40	TSS		2.5	mg/L	SM2540D
6/26/2012 10:03	TSS		2.8	mg/L	SM2540D
7/2/2012 9:43	TSS		7.2	mg/L	SM2540D
7/10/2012 9:50	TSS		1.5	mg/L	SM2540D
7/17/2012 9:45	TSS		2.6	mg/L	SM2540D
6/19/2012 9:40	Turbidity		3.48	NTU	EPA 180.1
6/26/2012 10:03	Turbidity		2.4	NTU	EPA 180.1
7/2/2012 9:43	Turbidity		10.22	NTU	EPA 180.1
7/10/2012 9:50	Turbidity		2.73	NTU	EPA 180.1
7/17/2012 9:45	Turbidity		4.78	NTU	EPA 180.1

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:40	V	j	0.59	ug/L	EPA-200.7
6/26/2012 10:03	V	j	0.56	ug/L	EPA-200.7
7/2/2012 9:43	V	j	0.845	ug/L	EPA-200.7
7/10/2012 9:50	V	j	0.445	ug/L	EPA-200.7
7/17/2012 9:45	V	j	0.4	ug/L	EPA-200.7
6/19/2012 9:40	Zn	j	2.84	ug/L	EPA-200.7
6/26/2012 10:03	Zn	j	6.08	ug/L	EPA-200.7
7/2/2012 9:43	Zn	j	7.375	ug/L	EPA-200.7
7/10/2012 9:50	Zn	j	6.385	ug/L	EPA-200.7
7/17/2012 9:45	Zn	j	1.77	ug/L	EPA-200.7

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:15	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 9:45	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 9:21	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 9:30	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 9:23	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 9:15	Al		50.33	ug/L	EPA-200.7
6/26/2012 9:45	Al		222.4	ug/L	EPA-200.7
7/2/2012 9:21	Al		145	ug/L	EPA-200.7
7/10/2012 9:30	Al		30.49	ug/L	EPA-200.7
7/17/2012 9:23	Al		157.6	ug/L	EPA-200.7
6/19/2012 9:15	Alkalinity		120.35	mg/LCaCO3	EPA-310.2
6/26/2012 9:45	Alkalinity		158.5	mg/LCaCO3	EPA-310.2
7/2/2012 9:21	Alkalinity		140.2	mg/LCaCO3	EPA-310.2
7/10/2012 9:30	Alkalinity		169.8	mg/LCaCO3	EPA-310.2
7/17/2012 9:23	Alkalinity		114.7	mg/LCaCO3	EPA-310.2
6/19/2012 9:15	As	j	1.01	ug/L	EPA-200.7
6/26/2012 9:45	As	j	0.67	ug/L	EPA-200.7
7/2/2012 9:21	As	j	0.55	ug/L	EPA-200.7
7/10/2012 9:30	As	j	0.53	ug/L	EPA-200.7
7/17/2012 9:23	As		2.01	ug/L	EPA-200.7
6/19/2012 9:15	Ba		37	ug/L	EPA-200.7
6/26/2012 9:45	Ba		45.5	ug/L	EPA-200.7
7/2/2012 9:21	Ba		42.8	ug/L	EPA-200.7
7/10/2012 9:30	Ba		50.2	ug/L	EPA-200.7
7/17/2012 9:23	Ba		39.3	ug/L	EPA-200.7
6/19/2012 9:15	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 9:45	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 9:21	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 9:30	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 9:23	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 9:15	BOD		2.15	mg/L	SM 5210
6/26/2012 9:45	BOD	<	2	mg/L	SM 5210
7/2/2012 9:21	BOD	<	2	mg/L	SM 5210
7/10/2012 9:30	BOD	<	2	mg/L	SM 5210
7/17/2012 9:23	BOD	<	2	mg/L	SM 5210
6/19/2012 9:15	Ca		52010	ug/L	EPA-200.7
6/26/2012 9:45	Ca		64580	ug/L	EPA-200.7
7/2/2012 9:21	Ca		60670	ug/L	EPA-200.7
7/10/2012 9:30	Ca		68220	ug/L	EPA-200.7

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 9:23	Ca		49570	ug/L	EPA-200.7
6/19/2012 9:15	CaCO3		177	mg/LCaCO3	EPA-200.7
6/26/2012 9:45	CaCO3		230	mg/LCaCO3	EPA-200.7
7/2/2012 9:21	CaCO3		218	mg/LCaCO3	EPA-200.7
7/10/2012 9:30	CaCO3		241	mg/LCaCO3	EPA-200.7
7/17/2012 9:23	CaCO3		168	mg/LCaCO3	EPA-200.7
6/19/2012 9:15	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 9:45	Cd	j	0.04	ug/L	EPA-200.7
7/2/2012 9:21	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 9:30	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 9:23	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 9:15	Chloride		162.2	mg/L	EPA 300.0
6/26/2012 9:45	Chloride		136.6	mg/L	EPA 300.0
7/2/2012 9:21	Chloride		128.1	mg/L	EPA 300.0
7/10/2012 9:30	Chloride		188.2	mg/L	EPA 300.0
7/17/2012 9:23	Chloride		123.3	mg/L	EPA 300.0
6/19/2012 9:15	Co	j	0.24	ug/L	EPA-200.7
6/26/2012 9:45	Co	j	0.4	ug/L	EPA-200.7
7/2/2012 9:21	Co	j	0.39	ug/L	EPA-200.7
7/10/2012 9:30	Co	j	0.26	ug/L	EPA-200.7
7/17/2012 9:23	Co	j	0.27	ug/L	EPA-200.7
6/19/2012 9:15	COD		21.55	mg/L	EPA 410.4
6/26/2012 9:45	COD	j	9.4	mg/L	EPA 410.4
7/2/2012 9:21	COD	j	7.1	mg/L	EPA 410.4
7/10/2012 9:30	COD	j	4.1	mg/L	EPA 410.4
7/17/2012 9:23	COD		17.1	mg/L	EPA 410.4
7/2/2012 9:21	Cr	j	0.32	ug/L	EPA-200.7
7/10/2012 9:30	Cr	<	0.25	ug/L	EPA-200.7
7/2/2012 9:21	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/10/2012 9:30	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 9:15	Cu		5.18	ug/L	EPA-200.7
6/26/2012 9:45	Cu		3.32	ug/L	EPA-200.7
7/2/2012 9:21	Cu		2.3	ug/L	EPA-200.7
7/10/2012 9:30	Cu		3.57	ug/L	EPA-200.7
7/17/2012 9:23	Cu		3.29	ug/L	EPA-200.7
6/19/2012 9:15	DRPhos		0.109	mg/L	EPA 365.1
6/26/2012 9:45	DRPhos		0.128	mg/L	EPA 365.1

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:21	DRPhos		0.158	mg/L	EPA 365.1
7/10/2012 9:30	DRPhos		0.104	mg/L	EPA 365.1
7/17/2012 9:23	DRPhos		0.12	mg/L	EPA 365.1
6/19/2012 9:15	E. coli		7200	cfu/100mL	EPA 1603
6/26/2012 9:45	E. coli		667	cfu/100mL	EPA 1603
7/2/2012 9:21	E. coli		700	cfu/100mL	EPA 1603
7/10/2012 9:30	E. coli		315	cfu/100mL	EPA 1603
7/17/2012 9:23	E. coli		767	cfu/100mL	EPA 1603
6/19/2012 9:15	Fe		188.5	ug/L	EPA-200.7
6/26/2012 9:45	Fe		381.7	ug/L	EPA-200.7
7/2/2012 9:21	Fe		403	ug/L	EPA-200.7
7/10/2012 9:30	Fe		173.8	ug/L	EPA-200.7
7/17/2012 9:23	Fe		369.6	ug/L	EPA-200.7
6/19/2012 9:15	Field Cond		778	uS/cm	SM 2510A
6/26/2012 9:45	Field Cond		703	uS/cm	SM 2510A
7/2/2012 9:21	Field Cond		684	uS/cm	SM 2510A
7/10/2012 9:30	Field Cond		1019	uS/cm	SM 2510A
7/17/2012 9:23	Field Cond		728	uS/cm	SM 2510A
6/19/2012 9:15	Field DO		8.79	mg/L	SM 4500-0 G
6/26/2012 9:45	Field DO		9.99	mg/L	SM 4500-0 G
7/2/2012 9:21	Field DO		8.94	mg/L	SM 4500-0 G
7/10/2012 9:30	Field DO		10.08	mg/L	SM 4500-0 G
7/17/2012 9:23	Field DO		8.16	mg/L	SM 4500-0 G
6/19/2012 9:15	Field Temp		20.2	C	EPA 170.1
6/26/2012 9:45	Field Temp		17.3	C	EPA 170.1
7/2/2012 9:21	Field Temp		20.8	C	EPA 170.1
7/10/2012 9:30	Field Temp		20.5	C	EPA 170.1
7/17/2012 9:23	Field Temp		23.4	C	EPA 170.1
6/26/2012 9:45	Hg	j	0.01	ug/L	EPA 245.1
7/2/2012 9:21	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 9:30	Hg	j	0.013	ug/L	EPA 245.1
7/17/2012 9:23	Hg	j	0.011	ug/L	EPA 245.1
6/19/2012 9:15	K		5723.5	ug/L	EPA-200.7
6/26/2012 9:45	K		6794	ug/L	EPA-200.7
7/2/2012 9:21	K		6606	ug/L	EPA-200.7
7/10/2012 9:30	K		8388	ug/L	EPA-200.7
7/17/2012 9:23	K		4750	ug/L	EPA-200.7
6/19/2012 9:15	Mg		11430	ug/L	EPA-200.7

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 9:45	Mg		16750	ug/L	EPA-200.7
7/2/2012 9:21	Mg		16140	ug/L	EPA-200.7
7/10/2012 9:30	Mg		17250	ug/L	EPA-200.7
7/17/2012 9:23	Mg		10800	ug/L	EPA-200.7
6/19/2012 9:15	Mn		38.75	ug/L	EPA-200.7
6/26/2012 9:45	Mn		80.62	ug/L	EPA-200.7
7/2/2012 9:21	Mn		66.18	ug/L	EPA-200.7
7/10/2012 9:30	Mn		24.39	ug/L	EPA-200.7
7/17/2012 9:23	Mn		62.53	ug/L	EPA-200.7
6/19/2012 9:15	Mo		5.145	ug/L	EPA-200.7
6/26/2012 9:45	Mo		4.07	ug/L	EPA-200.7
7/2/2012 9:21	Mo		3.62	ug/L	EPA-200.7
7/10/2012 9:30	Mo		5.28	ug/L	EPA-200.7
7/17/2012 9:23	Mo		3.46	ug/L	EPA-200.7
6/19/2012 9:15	Na		94400	ug/L	EPA-200.7
6/26/2012 9:45	Na		84470	ug/L	EPA-200.7
7/2/2012 9:21	Na		72700	ug/L	EPA-200.7
7/10/2012 9:30	Na		98070	ug/L	EPA-200.7
7/17/2012 9:23	Na		74140	ug/L	EPA-200.7
6/19/2012 9:15	NH3		0.0995	mg/L	EPA-350.1
6/26/2012 9:45	NH3		0.025	mg/L	EPA-350.1
7/2/2012 9:21	NH3		0.077	mg/L	EPA-350.1
7/10/2012 9:30	NH3	j	0.016	mg/L	EPA-350.1
7/17/2012 9:23	NH3		0.059	mg/L	EPA-350.1
6/19/2012 9:15	Ni		2.26	ug/L	EPA-200.7
6/26/2012 9:45	Ni	j	1.77	ug/L	EPA-200.7
7/2/2012 9:21	Ni	j	1.44	ug/L	EPA-200.7
7/10/2012 9:30	Ni	j	1.63	ug/L	EPA-200.7
7/17/2012 9:23	Ni	j	1.35	ug/L	EPA-200.7
6/19/2012 9:15	NO2		0.0875	mg/L	SM 4500-NO2-B
6/26/2012 9:45	NO2	j	0.014	mg/L	SM 4500-NO2-B
7/2/2012 9:21	NO2	j	0.015	mg/L	SM 4500-NO2-B
7/10/2012 9:30	NO2	j	0.017	mg/L	SM 4500-NO2-B
7/17/2012 9:23	NO2		0.028	mg/L	SM 4500-NO2-B
6/19/2012 9:15	NO3		0.697	mg/L	EPA 353.2
6/26/2012 9:45	NO3		0.692	mg/L	EPA 353.2
7/2/2012 9:21	NO3		0.784	mg/L	EPA 353.2
7/10/2012 9:30	NO3		0.622	mg/L	EPA 353.2
7/17/2012 9:23	NO3		0.664	mg/L	EPA 353.2

Mill Creek
River Mile 2.75

Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:15	NO3+NO2		0.7845	mg/L	EPA 353.2
6/26/2012 9:45	NO3+NO2		0.705	mg/L	EPA 353.2
7/2/2012 9:21	NO3+NO2		0.8	mg/L	EPA 353.2
7/10/2012 9:30	NO3+NO2		0.639	mg/L	EPA 353.2
7/17/2012 9:23	NO3+NO2		0.692	mg/L	EPA 353.2
6/19/2012 9:15	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 9:45	Pb	j	0.72	ug/L	EPA-200.7
7/2/2012 9:21	Pb	j	0.45	ug/L	EPA-200.7
7/10/2012 9:30	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 9:23	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 9:15	pH		8.13	S.U.	
6/26/2012 9:45	pH		8.33	S.U.	
7/2/2012 9:21	pH		8.24	S.U.	
7/10/2012 9:30	pH		8.26	S.U.	
7/17/2012 9:23	pH		8.21	S.U.	
6/19/2012 9:15	Sb	j	0.65	ug/L	EPA-200.7
6/26/2012 9:45	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 9:21	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 9:30	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 9:23	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 9:15	Se	j	1.815	ug/L	EPA-200.7
6/26/2012 9:45	Se	j	1.97	ug/L	EPA-200.7
7/2/2012 9:21	Se	<	0.63	ug/L	EPA-200.7
7/10/2012 9:30	Se	j	0.68	ug/L	EPA-200.7
7/17/2012 9:23	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 9:15	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 9:45	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 9:21	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 9:30	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 9:23	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 9:15	SO4		55.955	mg/L	EPA 300.0
6/26/2012 9:45	SO4		64.94	mg/L	EPA 300.0
7/2/2012 9:21	SO4		59.57	mg/L	EPA 300.0
7/10/2012 9:30	SO4		71.96	mg/L	EPA 300.0
7/17/2012 9:23	SO4		46.65	mg/L	EPA 300.0
6/19/2012 9:15	TDS		495	mg/L	SM2540C
6/26/2012 9:45	TDS		516	mg/L	SM2540C
7/2/2012 9:21	TDS		454	mg/L	SM2540C

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 9:30	TDS		592	mg/L	SM2540C
7/17/2012 9:23	TDS		424	mg/L	SM2540C
6/19/2012 9:15	Ti	j	0.925	ug/L	EPA-200.7
6/26/2012 9:45	Ti		2.42	ug/L	EPA-200.7
7/2/2012 9:21	Ti		2.15	ug/L	EPA-200.7
7/10/2012 9:30	Ti	j	0.31	ug/L	EPA-200.7
7/17/2012 9:23	Ti	j	1.38	ug/L	EPA-200.7
6/19/2012 9:15	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 9:45	TI	j	2.22	ug/L	EPA-200.7
7/2/2012 9:21	TI	<	1.11	ug/L	EPA-200.7
7/10/2012 9:30	TI	<	1.11	ug/L	EPA-200.7
7/17/2012 9:23	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 9:15	TMET		11.45	ug/L	EPA-200.7
6/26/2012 9:45	TMET		18.4	ug/L	EPA-200.7
7/2/2012 9:21	TMET	<	10	ug/L	EPA-200.7
7/10/2012 9:30	TMET		13.6	ug/L	EPA-200.7
7/17/2012 9:23	TMET		13.9	ug/L	EPA-200.7
6/19/2012 9:15	Total-P		0.151	mg/L	EPA 365.1
6/26/2012 9:45	Total-P		0.185	mg/L	EPA 365.1
7/2/2012 9:21	Total-P		0.216	mg/L	EPA 365.1
7/10/2012 9:30	Total-P		0.137	mg/L	EPA 365.1
7/17/2012 9:23	Total-P		0.155	mg/L	EPA 365.1
6/19/2012 9:15	TS		520.5	mg/L	SM2540B
6/26/2012 9:45	TS		532	mg/L	SM2540B
7/2/2012 9:21	TS		500	mg/L	SM2540B
7/10/2012 9:30	TS		642	mg/L	SM2540B
7/17/2012 9:23	TS		454	mg/L	SM2540B
6/19/2012 9:15	TSS		3.2	mg/L	SM2540D
6/26/2012 9:45	TSS		4.9	mg/L	SM2540D
7/2/2012 9:21	TSS		4.8	mg/L	SM2540D
7/10/2012 9:30	TSS		2.3	mg/L	SM2540D
7/17/2012 9:23	TSS		3.2	mg/L	SM2540D
6/19/2012 9:15	Turbidity		4.38	NTU	EPA 180.1
6/26/2012 9:45	Turbidity		5.2	NTU	EPA 180.1
7/2/2012 9:21	Turbidity		5.03	NTU	EPA 180.1
7/10/2012 9:30	Turbidity		3.42	NTU	EPA 180.1
7/17/2012 9:23	Turbidity		3.16	NTU	EPA 180.1
6/19/2012 9:15	V	j	0.73	ug/L	EPA-200.7

Mill Creek					
River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 9:45	V	j	0.8	ug/L	EPA-200.7
7/2/2012 9:21	V		1.01	ug/L	EPA-200.7
7/10/2012 9:30	V	j	0.33	ug/L	EPA-200.7
7/17/2012 9:23	V	j	0.53	ug/L	EPA-200.7
6/19/2012 9:15	Zn	j	3.285	ug/L	EPA-200.7
6/26/2012 9:45	Zn		12.89	ug/L	EPA-200.7
7/2/2012 9:21	Zn	j	5.38	ug/L	EPA-200.7
7/10/2012 9:30	Zn	j	8.4	ug/L	EPA-200.7
7/17/2012 9:23	Zn	j	9.3	ug/L	EPA-200.7

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:40	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 9:02	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 8:56	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 9:00	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 8:58	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 8:40	Al		46.39	ug/L	EPA-200.7
6/26/2012 9:02	Al		46.57	ug/L	EPA-200.7
7/2/2012 8:56	Al		37.26	ug/L	EPA-200.7
7/10/2012 9:00	Al		99.73	ug/L	EPA-200.7
7/17/2012 8:58	Al		89	ug/L	EPA-200.7
6/19/2012 8:40	Alkalinity		136.9	mg/LCaCO3	EPA-310.2
6/26/2012 9:02	Alkalinity		199.6	mg/LCaCO3	EPA-310.2
7/2/2012 8:56	Alkalinity		182.1	mg/LCaCO3	EPA-310.2
7/10/2012 9:00	Alkalinity		208.1	mg/LCaCO3	EPA-310.2
7/17/2012 8:58	Alkalinity		145	mg/LCaCO3	EPA-310.2
6/19/2012 8:40	As	j	0.33	ug/L	EPA-200.7
6/26/2012 9:02	As	<	0.31	ug/L	EPA-200.7
7/2/2012 8:56	As	<	0.31	ug/L	EPA-200.7
7/10/2012 9:00	As	<	0.32	ug/L	EPA-200.7
7/17/2012 8:58	As		2.02	ug/L	EPA-200.7
6/19/2012 8:40	Ba		46.5	ug/L	EPA-200.7
6/26/2012 9:02	Ba		70.9	ug/L	EPA-200.7
7/2/2012 8:56	Ba		63.7	ug/L	EPA-200.7
7/10/2012 9:00	Ba		74.25	ug/L	EPA-200.7
7/17/2012 8:58	Ba		56	ug/L	EPA-200.7
6/19/2012 8:40	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 9:02	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 8:56	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 9:00	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 8:58	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 8:40	BOD		2.1	mg/L	SM 5210
6/26/2012 9:02	BOD		3.3	mg/L	SM 5210
7/2/2012 8:56	BOD		5.4	mg/L	SM 5210
7/10/2012 9:00	BOD		2.9	mg/L	SM 5210
7/17/2012 8:58	BOD		2	mg/L	SM 5210
6/19/2012 8:40	Ca		54670	ug/L	EPA-200.7
6/26/2012 9:02	Ca		72650	ug/L	EPA-200.7
7/2/2012 8:56	Ca		70740	ug/L	EPA-200.7
7/10/2012 9:00	Ca		75590	ug/L	EPA-200.7

Mill Creek					
River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 8:58	Ca		54910	ug/L	EPA-200.7
6/19/2012 8:40	CaCO3		193	mg/LCaCO3	EPA-200.7
6/26/2012 9:02	CaCO3		284	mg/LCaCO3	EPA-200.7
7/2/2012 8:56	CaCO3		266	mg/LCaCO3	EPA-200.7
7/10/2012 9:00	CaCO3		288	mg/LCaCO3	EPA-200.7
7/17/2012 8:58	CaCO3		201	mg/LCaCO3	EPA-200.7
6/19/2012 8:40	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 9:02	Cd	j	0.06	ug/L	EPA-200.7
7/2/2012 8:56	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 9:00	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 8:58	Cd	j	0.03	ug/L	EPA-200.7
6/19/2012 8:40	Chloride		181.2	mg/L	EPA 300.0
6/26/2012 9:02	Chloride		222.5	mg/L	EPA 300.0
7/2/2012 8:56	Chloride		171.6	mg/L	EPA 300.0
7/10/2012 9:00	Chloride		225.3	mg/L	EPA 300.0
7/17/2012 8:58	Chloride		153.1	mg/L	EPA 300.0
6/19/2012 8:40	Co	j	0.34	ug/L	EPA-200.7
6/26/2012 9:02	Co	j	0.47	ug/L	EPA-200.7
7/2/2012 8:56	Co	j	0.46	ug/L	EPA-200.7
7/10/2012 9:00	Co	j	0.585	ug/L	EPA-200.7
7/17/2012 8:58	Co	j	0.44	ug/L	EPA-200.7
6/19/2012 8:40	COD		19.6	mg/L	EPA 410.4
6/26/2012 9:02	COD		16.6	mg/L	EPA 410.4
7/2/2012 8:56	COD		11.9	mg/L	EPA 410.4
7/10/2012 9:00	COD		10.9	mg/L	EPA 410.4
7/17/2012 8:58	COD		18.4	mg/L	EPA 410.4
6/19/2012 8:40	Cr	j	0.64	ug/L	EPA-200.7
7/2/2012 8:56	Cr	<	0.25	ug/L	EPA-200.7
6/19/2012 8:40	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/2/2012 8:56	Cr+6	j	1.23	ug/L	SM 3500-Cr-D
6/19/2012 8:40	Cu		4.3	ug/L	EPA-200.7
6/26/2012 9:02	Cu		4.16	ug/L	EPA-200.7
7/2/2012 8:56	Cu		2.64	ug/L	EPA-200.7
7/10/2012 9:00	Cu		4.075	ug/L	EPA-200.7
7/17/2012 8:58	Cu		3.59	ug/L	EPA-200.7
6/19/2012 8:40	DRPhos		0.048	mg/L	EPA 365.1
6/26/2012 9:02	DRPhos		0.017	mg/L	EPA 365.1

Mill Creek					
River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 8:56	DRPhos		0.037	mg/L	EPA 365.1
7/10/2012 9:00	DRPhos		0.025	mg/L	EPA 365.1
7/17/2012 8:58	DRPhos		0.048	mg/L	EPA 365.1
6/19/2012 8:40	E. coli		1240	cfu/100mL	EPA 1603
6/26/2012 9:02	E. coli		320	cfu/100mL	EPA 1603
7/2/2012 8:56	E. coli		680	cfu/100mL	EPA 1603
7/10/2012 9:00	E. coli		333.5	cfu/100mL	EPA 1603
7/17/2012 8:58	E. coli		1133	cfu/100mL	EPA 1603
6/19/2012 8:40	Fe		234.6	ug/L	EPA-200.7
6/26/2012 9:02	Fe		317.1	ug/L	EPA-200.7
7/2/2012 8:56	Fe		280.8	ug/L	EPA-200.7
7/10/2012 9:00	Fe		463.25	ug/L	EPA-200.7
7/17/2012 8:58	Fe		406.3	ug/L	EPA-200.7
6/19/2012 8:40	Field Cond		865	uS/cm	SM 2510A
6/26/2012 9:02	Field Cond		982	uS/cm	SM 2510A
7/2/2012 8:56	Field Cond		872	uS/cm	SM 2510A
7/10/2012 9:00	Field Cond		1220	uS/cm	SM 2510A
7/17/2012 8:58	Field Cond		880	uS/cm	SM 2510A
6/19/2012 8:40	Field DO		7.24	mg/L	SM 4500-0 G
6/26/2012 9:02	Field DO		9.51	mg/L	SM 4500-0 G
7/2/2012 8:56	Field DO		8.08	mg/L	SM 4500-0 G
7/10/2012 9:00	Field DO		11.09	mg/L	SM 4500-0 G
7/17/2012 8:58	Field DO		7.4	mg/L	SM 4500-0 G
6/19/2012 8:40	Field Temp		20.1	C	EPA 170.1
6/26/2012 9:02	Field Temp		16.5	C	EPA 170.1
7/2/2012 8:56	Field Temp		20.4	C	EPA 170.1
7/10/2012 9:00	Field Temp		20.2	C	EPA 170.1
7/17/2012 8:58	Field Temp		22.7	C	EPA 170.1
6/19/2012 8:40	Hg	<	0.005	ug/L	EPA 245.1
6/26/2012 9:02	Hg	j	0.009	ug/L	EPA 245.1
7/2/2012 8:56	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 9:00	Hg	j	0.013	ug/L	EPA 245.1
7/17/2012 8:58	Hg	j	0.022	ug/L	EPA 245.1
6/19/2012 8:40	K		7756	ug/L	EPA-200.7
6/26/2012 9:02	K		13660	ug/L	EPA-200.7
7/2/2012 8:56	K		11240	ug/L	EPA-200.7
7/10/2012 9:00	K		12935	ug/L	EPA-200.7
7/17/2012 8:58	K		8131	ug/L	EPA-200.7

Mill Creek					
River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:40	Mg		13680	ug/L	EPA-200.7
6/26/2012 9:02	Mg		24890	ug/L	EPA-200.7
7/2/2012 8:56	Mg		21830	ug/L	EPA-200.7
7/10/2012 9:00	Mg		24215	ug/L	EPA-200.7
7/17/2012 8:58	Mg		15540	ug/L	EPA-200.7
6/19/2012 8:40	Mn		59.05	ug/L	EPA-200.7
6/26/2012 9:02	Mn		47.59	ug/L	EPA-200.7
7/2/2012 8:56	Mn		61.91	ug/L	EPA-200.7
7/10/2012 9:00	Mn		79.015	ug/L	EPA-200.7
7/17/2012 8:58	Mn		76.13	ug/L	EPA-200.7
6/19/2012 8:40	Mo		4.92	ug/L	EPA-200.7
6/26/2012 9:02	Mo		5.45	ug/L	EPA-200.7
7/2/2012 8:56	Mo		4.86	ug/L	EPA-200.7
7/10/2012 9:00	Mo		5.825	ug/L	EPA-200.7
7/17/2012 8:58	Mo		4.68	ug/L	EPA-200.7
6/19/2012 8:40	Na		100000	ug/L	EPA-200.7
6/26/2012 9:02	Na		131800	ug/L	EPA-200.7
7/2/2012 8:56	Na		96790	ug/L	EPA-200.7
7/17/2012 8:58	Na		93340	ug/L	EPA-200.7
6/19/2012 8:40	NH3		0.362	mg/L	EPA-350.1
6/26/2012 9:02	NH3		0.543	mg/L	EPA-350.1
7/2/2012 8:56	NH3		0.377	mg/L	EPA-350.1
7/10/2012 9:00	NH3		0.541	mg/L	EPA-350.1
7/17/2012 8:58	NH3		0.486	mg/L	EPA-350.1
6/19/2012 8:40	Ni		2.42	ug/L	EPA-200.7
6/26/2012 9:02	Ni		2.67	ug/L	EPA-200.7
7/2/2012 8:56	Ni	j	1.98	ug/L	EPA-200.7
7/10/2012 9:00	Ni		3.04	ug/L	EPA-200.7
7/17/2012 8:58	Ni		2.1	ug/L	EPA-200.7
6/19/2012 8:40	NO2		0.206	mg/L	SM 4500-NO2-B
6/26/2012 9:02	NO2		0.354	mg/L	SM 4500-NO2-B
7/2/2012 8:56	NO2		0.211	mg/L	SM 4500-NO2-B
7/10/2012 9:00	NO2		0.24	mg/L	SM 4500-NO2-B
7/17/2012 8:58	NO2		0.138	mg/L	SM 4500-NO2-B
6/19/2012 8:40	NO3		0.791	mg/L	EPA 353.2
6/26/2012 9:02	NO3		1.393	mg/L	EPA 353.2
7/2/2012 8:56	NO3		1.076	mg/L	EPA 353.2
7/10/2012 9:00	NO3		0.8715	mg/L	EPA 353.2
7/17/2012 8:58	NO3		0.779	mg/L	EPA 353.2

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:40	NO3+NO2		0.997	mg/L	EPA 353.2
6/26/2012 9:02	NO3+NO2		1.747	mg/L	EPA 353.2
7/2/2012 8:56	NO3+NO2		1.287	mg/L	EPA 353.2
7/10/2012 9:00	NO3+NO2		1.1115	mg/L	EPA 353.2
7/17/2012 8:58	NO3+NO2		0.917	mg/L	EPA 353.2
6/19/2012 8:40	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 9:02	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 8:56	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 9:00	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 8:58	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 8:40	pH		7.73	S.U.	
6/26/2012 9:02	pH		7.93	S.U.	
7/2/2012 8:56	pH		7.86	S.U.	
7/10/2012 9:00	pH		7.84	S.U.	
7/17/2012 8:58	pH		7.92	S.U.	
6/19/2012 8:40	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 9:02	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 8:56	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 9:00	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 8:58	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 8:40	Se	j	1.61	ug/L	EPA-200.7
6/26/2012 9:02	Se	j	1.44	ug/L	EPA-200.7
7/2/2012 8:56	Se	j	1.05	ug/L	EPA-200.7
7/10/2012 9:00	Se	j	1.195	ug/L	EPA-200.7
7/17/2012 8:58	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 8:40	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 9:02	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 8:56	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 9:00	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 8:58	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 8:40	SO4		62.82	mg/L	EPA 300.0
6/26/2012 9:02	SO4		95.17	mg/L	EPA 300.0
7/2/2012 8:56	SO4		82.95	mg/L	EPA 300.0
7/10/2012 9:00	SO4		96.885	mg/L	EPA 300.0
7/17/2012 8:58	SO4		56.64	mg/L	EPA 300.0
6/19/2012 8:40	TDS		554	mg/L	SM2540C
6/26/2012 9:02	TDS		722	mg/L	SM2540C
7/2/2012 8:56	TDS		638	mg/L	SM2540C

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 9:00	TDS		726	mg/L	SM2540C
7/17/2012 8:58	TDS		522	mg/L	SM2540C
6/19/2012 8:40	Ti	j	0.62	ug/L	EPA-200.7
6/26/2012 9:02	Ti	j	0.92	ug/L	EPA-200.7
7/2/2012 8:56	Ti	j	0.47	ug/L	EPA-200.7
7/10/2012 9:00	Ti	j	1.425	ug/L	EPA-200.7
7/17/2012 8:58	Ti	j	1.02	ug/L	EPA-200.7
6/19/2012 8:40	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 9:02	TI	j	4.87	ug/L	EPA-200.7
7/2/2012 8:56	TI	<	1.11	ug/L	EPA-200.7
7/10/2012 9:00	TI	j	1.545	ug/L	EPA-200.7
7/17/2012 8:58	TI	<	1.11	ug/L	EPA-200.7
6/19/2012 8:40	TMET	<	10	ug/L	EPA-200.7
6/26/2012 9:02	TMET		17.4	ug/L	EPA-200.7
7/2/2012 8:56	TMET		10.7	ug/L	EPA-200.7
7/10/2012 9:00	TMET		20.5	ug/L	EPA-200.7
7/17/2012 8:58	TMET		14.2	ug/L	EPA-200.7
6/19/2012 8:40	Total-P		0.089	mg/L	EPA 365.1
6/26/2012 9:02	Total-P		0.081	mg/L	EPA 365.1
7/2/2012 8:56	Total-P		0.09	mg/L	EPA 365.1
7/10/2012 9:00	Total-P		0.076	mg/L	EPA 365.1
7/17/2012 8:58	Total-P		0.092	mg/L	EPA 365.1
6/19/2012 8:40	TS		582	mg/L	SM2540B
6/26/2012 9:02	TS		766	mg/L	SM2540B
7/2/2012 8:56	TS		650	mg/L	SM2540B
7/10/2012 9:00	TS		780	mg/L	SM2540B
7/17/2012 8:58	TS		568	mg/L	SM2540B
6/19/2012 8:40	TSS		3.4	mg/L	SM2540D
6/26/2012 9:02	TSS		5	mg/L	SM2540D
7/2/2012 8:56	TSS		7.4	mg/L	SM2540D
7/10/2012 9:00	TSS		6.6	mg/L	SM2540D
7/17/2012 8:58	TSS		5.2	mg/L	SM2540D
6/19/2012 8:40	Turbidity		3.78	NTU	EPA 180.1
6/26/2012 9:02	Turbidity		2.8	NTU	EPA 180.1
7/2/2012 8:56	Turbidity		5.35	NTU	EPA 180.1
7/10/2012 9:00	Turbidity		6.235	NTU	EPA 180.1
7/17/2012 8:58	Turbidity		5.6	NTU	EPA 180.1
6/19/2012 8:40	V	j	0.56	ug/L	EPA-200.7

Mill Creek					
River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 9:02	V	j	0.15	ug/L	EPA-200.7
7/2/2012 8:56	V	j	0.49	ug/L	EPA-200.7
7/10/2012 9:00	V	j	0.61	ug/L	EPA-200.7
7/17/2012 8:58	V	j	0.26	ug/L	EPA-200.7
6/19/2012 8:40	Zn	j	2.58	ug/L	EPA-200.7
6/26/2012 9:02	Zn		10.18	ug/L	EPA-200.7
7/2/2012 8:56	Zn	j	6.08	ug/L	EPA-200.7
7/10/2012 9:00	Zn		12.915	ug/L	EPA-200.7
7/17/2012 8:58	Zn	j	8.22	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:25	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 8:49	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 8:40	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 8:46	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 8:38	Ag	<	0.12	ug/L	EPA-200.7
7/24/2012 9:00	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 8:25	Al		176.3	ug/L	EPA-200.7
6/26/2012 8:49	Al		247.5	ug/L	EPA-200.7
7/2/2012 8:40	Al		186.7	ug/L	EPA-200.7
7/10/2012 8:46	Al		230.1	ug/L	EPA-200.7
7/17/2012 8:38	Al		228.8	ug/L	EPA-200.7
7/24/2012 9:00	Al		213.35	ug/L	EPA-200.7
6/19/2012 8:25	Alkalinity		133.2	mg/LCaCO3	EPA-310.2
6/26/2012 8:49	Alkalinity		182.7	mg/LCaCO3	EPA-310.2
7/2/2012 8:40	Alkalinity		185	mg/LCaCO3	EPA-310.2
7/10/2012 8:46	Alkalinity		188	mg/LCaCO3	EPA-310.2
7/17/2012 8:38	Alkalinity		139.3	mg/LCaCO3	EPA-310.2
7/24/2012 9:00	Alkalinity		181.45	mg/LCaCO3	EPA-310.2
6/19/2012 8:25	As	<	0.31	ug/L	EPA-200.7
6/26/2012 8:49	As	<	0.31	ug/L	EPA-200.7
7/2/2012 8:40	As	<	0.31	ug/L	EPA-200.7
7/10/2012 8:46	As	<	0.31	ug/L	EPA-200.7
7/17/2012 8:38	As	j	1.94	ug/L	EPA-200.7
7/24/2012 9:00	As	<	0.505	ug/L	EPA-200.7
6/19/2012 8:25	Ba		46.4	ug/L	EPA-200.7
6/26/2012 8:49	Ba		65.4	ug/L	EPA-200.7
7/2/2012 8:40	Ba		65.6	ug/L	EPA-200.7
7/10/2012 8:46	Ba		65.5	ug/L	EPA-200.7
7/17/2012 8:38	Ba		52.5	ug/L	EPA-200.7
7/24/2012 9:00	Ba		67.115	ug/L	EPA-200.7
6/19/2012 8:25	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 8:49	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 8:40	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 8:46	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 8:38	Be	<	0.12	ug/L	EPA-200.7
7/24/2012 9:00	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 8:25	BOD	<	2	mg/L	SM 5210
6/26/2012 8:49	BOD	<	2	mg/L	SM 5210
7/2/2012 8:40	BOD		4.1	mg/L	SM 5210
7/10/2012 8:46	BOD		2.1	mg/L	SM 5210

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 8:38	BOD	<	2	mg/L	SM 5210
7/24/2012 9:00	BOD	<	2	mg/L	SM 5210
6/19/2012 8:25	Ca		56750	ug/L	EPA-200.7
6/26/2012 8:49	Ca		77860	ug/L	EPA-200.7
7/2/2012 8:40	Ca		74710	ug/L	EPA-200.7
7/10/2012 8:46	Ca		72920	ug/L	EPA-200.7
7/17/2012 8:38	Ca		57130	ug/L	EPA-200.7
7/24/2012 9:00	Ca		72430	ug/L	EPA-200.7
6/19/2012 8:25	CaCO3		199	mg/LCaCO3	EPA-200.7
6/26/2012 8:49	CaCO3		292	mg/LCaCO3	EPA-200.7
7/2/2012 8:40	CaCO3		282	mg/LCaCO3	EPA-200.7
7/10/2012 8:46	CaCO3		272	mg/LCaCO3	EPA-200.7
7/17/2012 8:38	CaCO3		204	mg/LCaCO3	EPA-200.7
7/24/2012 9:00	CaCO3		271	mg/LCaCO3	EPA-200.7
6/19/2012 8:25	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 8:49	Cd	j	0.02	ug/L	EPA-200.7
7/2/2012 8:40	Cd	<	0.02	ug/L	EPA-200.7
7/10/2012 8:46	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 8:38	Cd	j	0.02	ug/L	EPA-200.7
7/24/2012 9:00	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 8:25	Chloride		185.2	mg/L	EPA 300.0
6/26/2012 8:49	Chloride		230.8	mg/L	EPA 300.0
7/2/2012 8:40	Chloride		181.4	mg/L	EPA 300.0
7/10/2012 8:46	Chloride		208.9	mg/L	EPA 300.0
7/17/2012 8:38	Chloride		146.8	mg/L	EPA 300.0
7/24/2012 9:00	Chloride		188.4	mg/L	EPA 300.0
6/19/2012 8:25	Co	j	0.48	ug/L	EPA-200.7
6/26/2012 8:49	Co	j	0.65	ug/L	EPA-200.7
7/2/2012 8:40	Co	j	0.57	ug/L	EPA-200.7
7/10/2012 8:46	Co	j	0.68	ug/L	EPA-200.7
7/17/2012 8:38	Co	j	0.51	ug/L	EPA-200.7
7/24/2012 9:00	Co	j	0.68	ug/L	EPA-200.7
6/19/2012 8:25	COD		17.6	mg/L	EPA 410.4
6/26/2012 8:49	COD		12.6	mg/L	EPA 410.4
7/2/2012 8:40	COD	j	8.6	mg/L	EPA 410.4
7/10/2012 8:46	COD		10.6	mg/L	EPA 410.4
7/17/2012 8:38	COD		19.6	mg/L	EPA 410.4
7/24/2012 9:00	COD		15.5	mg/L	EPA 410.4
7/2/2012 8:40	Cr	<	0.25	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 8:40	Cr+6	j	1.259	ug/L	SM 3500-Cr-D
6/19/2012 8:25	Cu		6.34	ug/L	EPA-200.7
6/26/2012 8:49	Cu		6.03	ug/L	EPA-200.7
7/2/2012 8:40	Cu		4.52	ug/L	EPA-200.7
7/10/2012 8:46	Cu		4.13	ug/L	EPA-200.7
7/17/2012 8:38	Cu		3.79	ug/L	EPA-200.7
7/24/2012 9:00	Cu		3.39	ug/L	EPA-200.7
6/19/2012 8:25	DRPhos		0.012	mg/L	EPA 365.1
6/26/2012 8:49	DRPhos	j	0.005	mg/L	EPA 365.1
7/2/2012 8:40	DRPhos	j	0.006	mg/L	EPA 365.1
7/10/2012 8:46	DRPhos	j	0.007	mg/L	EPA 365.1
7/17/2012 8:38	DRPhos		0.01	mg/L	EPA 365.1
7/24/2012 9:00	DRPhos	j	0.0055	mg/L	EPA 365.1
6/19/2012 8:25	E. coli		1380	cfu/100mL	EPA 1603
6/26/2012 8:49	E. coli		542	cfu/100mL	EPA 1603
7/2/2012 8:40	E. coli		820	cfu/100mL	EPA 1603
7/10/2012 8:46	E. coli	EC	384	cfu/100mL	EPA 1603
7/17/2012 8:38	E. coli		1067	cfu/100mL	EPA 1603
7/24/2012 9:00	E. coli		297.5	cfu/100mL	EPA 1603
6/19/2012 8:25	Fe		650.7	ug/L	EPA-200.7
6/26/2012 8:49	Fe		1119	ug/L	EPA-200.7
7/2/2012 8:40	Fe		862.5	ug/L	EPA-200.7
7/10/2012 8:46	Fe		957.8	ug/L	EPA-200.7
7/17/2012 8:38	Fe		814.2	ug/L	EPA-200.7
7/24/2012 9:00	Fe		936.35	ug/L	EPA-200.7
6/19/2012 8:25	Field Cond		896	uS/cm	SM 2510A
6/26/2012 8:49	Field Cond		1048	uS/cm	SM 2510A
7/2/2012 8:40	Field Cond		944	uS/cm	SM 2510A
7/10/2012 8:46	Field Cond		1120	uS/cm	SM 2510A
7/17/2012 8:38	Field Cond		882	uS/cm	SM 2510A
7/24/2012 9:00	Field Cond		1139	uS/cm	SM 2510A
6/19/2012 8:25	Field DO		7.26	mg/L	SM 4500-0 G
6/26/2012 8:49	Field DO		9.61	mg/L	SM 4500-0 G
7/2/2012 8:40	Field DO		8.25	mg/L	SM 4500-0 G
7/10/2012 8:46	Field DO		9.16	mg/L	SM 4500-0 G
7/17/2012 8:38	Field DO		7.88	mg/L	SM 4500-0 G
7/24/2012 9:00	Field DO		8.2	mg/L	SM 4500-0 G
6/19/2012 8:25	Field Temp		20.4	C	EPA 170.1

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 8:49	Field Temp		18	C	EPA 170.1
7/2/2012 8:40	Field Temp		21.4	C	EPA 170.1
7/10/2012 8:46	Field Temp		21.8	C	EPA 170.1
7/17/2012 8:38	Field Temp		23.9	C	EPA 170.1
7/24/2012 9:00	Field Temp		25	C	EPA 170.1
6/19/2012 8:25	Hg	<	0.005	ug/L	EPA 245.1
6/26/2012 8:49	Hg	j	0.012	ug/L	EPA 245.1
7/2/2012 8:40	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 8:46	Hg	j	0.014	ug/L	EPA 245.1
7/17/2012 8:38	Hg	j	0.01	ug/L	EPA 245.1
7/24/2012 9:00	Hg	<	0.005	ug/L	EPA 245.1
6/19/2012 8:25	K		7769	ug/L	EPA-200.7
6/26/2012 8:49	K		12120	ug/L	EPA-200.7
7/2/2012 8:40	K		11920	ug/L	EPA-200.7
7/10/2012 8:46	K		11750	ug/L	EPA-200.7
7/17/2012 8:38	K		7204	ug/L	EPA-200.7
7/24/2012 9:00	K		12300	ug/L	EPA-200.7
6/19/2012 8:25	Mg		14020	ug/L	EPA-200.7
6/26/2012 8:49	Mg		23780	ug/L	EPA-200.7
7/2/2012 8:40	Mg		23270	ug/L	EPA-200.7
7/10/2012 8:46	Mg		21910	ug/L	EPA-200.7
7/17/2012 8:38	Mg		14870	ug/L	EPA-200.7
7/24/2012 9:00	Mg		21955	ug/L	EPA-200.7
6/19/2012 8:25	Mn		90.44	ug/L	EPA-200.7
6/26/2012 8:49	Mn		104.2	ug/L	EPA-200.7
7/2/2012 8:40	Mn		98.2	ug/L	EPA-200.7
7/10/2012 8:46	Mn		125.3	ug/L	EPA-200.7
7/17/2012 8:38	Mn		122.1	ug/L	EPA-200.7
7/24/2012 9:00	Mn		131	ug/L	EPA-200.7
6/19/2012 8:25	Mo		5.17	ug/L	EPA-200.7
6/26/2012 8:49	Mo		5.77	ug/L	EPA-200.7
7/2/2012 8:40	Mo		5.41	ug/L	EPA-200.7
7/10/2012 8:46	Mo		5.99	ug/L	EPA-200.7
7/17/2012 8:38	Mo		4.75	ug/L	EPA-200.7
7/24/2012 9:00	Mo		6.15	ug/L	EPA-200.7
6/19/2012 8:25	Na		102300	ug/L	EPA-200.7
6/26/2012 8:49	Na		133100	ug/L	EPA-200.7
7/2/2012 8:40	Na		102400	ug/L	EPA-200.7
7/10/2012 8:46	Na		102200	ug/L	EPA-200.7
7/17/2012 8:38	Na		90030	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/24/2012 9:00	Na		103900	ug/L	EPA-200.7
6/19/2012 8:25	NH3		0.158	mg/L	EPA-350.1
6/26/2012 8:49	NH3		0.11	mg/L	EPA-350.1
7/2/2012 8:40	NH3		0.149	mg/L	EPA-350.1
7/10/2012 8:46	NH3		0.145	mg/L	EPA-350.1
7/17/2012 8:38	NH3		0.165	mg/L	EPA-350.1
6/19/2012 8:25	Ni		2.55	ug/L	EPA-200.7
6/26/2012 8:49	Ni		2.86	ug/L	EPA-200.7
7/2/2012 8:40	Ni		2.4	ug/L	EPA-200.7
7/10/2012 8:46	Ni		3.1	ug/L	EPA-200.7
7/17/2012 8:38	Ni		2.22	ug/L	EPA-200.7
7/24/2012 9:00	Ni		2.71	ug/L	EPA-200.7
6/19/2012 8:25	NO2		0.144	mg/L	SM 4500-NO2-B
6/26/2012 8:49	NO2		0.178	mg/L	SM 4500-NO2-B
7/2/2012 8:40	NO2		0.158	mg/L	SM 4500-NO2-B
7/10/2012 8:46	NO2		0.164	mg/L	SM 4500-NO2-B
7/17/2012 8:38	NO2		0.091	mg/L	SM 4500-NO2-B
7/24/2012 9:00	NO2		0.128	mg/L	SM 4500-NO2-B
6/19/2012 8:25	NO3		0.754	mg/L	EPA 353.2
6/26/2012 8:49	NO3		1.25	mg/L	EPA 353.2
7/2/2012 8:40	NO3		1.161	mg/L	EPA 353.2
7/10/2012 8:46	NO3		0.93	mg/L	EPA 353.2
7/17/2012 8:38	NO3		0.764	mg/L	EPA 353.2
6/19/2012 8:25	NO3+NO2		0.898	mg/L	EPA 353.2
6/26/2012 8:49	NO3+NO2		1.428	mg/L	EPA 353.2
7/2/2012 8:40	NO3+NO2		1.319	mg/L	EPA 353.2
7/10/2012 8:46	NO3+NO2		1.094	mg/L	EPA 353.2
7/17/2012 8:38	NO3+NO2		0.855	mg/L	EPA 353.2
6/19/2012 8:25	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 8:49	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 8:40	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 8:46	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 8:38	Pb	<	0.39	ug/L	EPA-200.7
7/24/2012 9:00	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 8:25	pH		7.52	S.U.	
6/26/2012 8:49	pH		7.75	S.U.	
7/2/2012 8:40	pH		7.72	S.U.	
7/10/2012 8:46	pH		7.59	S.U.	
7/17/2012 8:38	pH		7.77	S.U.	

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/24/2012 9:00	pH		7.78	S.U.	
6/19/2012 8:25	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 8:49	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 8:40	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 8:46	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 8:38	Sb	<	0.61	ug/L	EPA-200.7
7/24/2012 9:00	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 8:25	Se	j	1.15	ug/L	EPA-200.7
6/26/2012 8:49	Se	<	0.63	ug/L	EPA-200.7
7/2/2012 8:40	Se	j	0.97	ug/L	EPA-200.7
7/10/2012 8:46	Se	<	0.63	ug/L	EPA-200.7
7/17/2012 8:38	Se	<	0.63	ug/L	EPA-200.7
7/24/2012 9:00	Se	j	1.135	ug/L	EPA-200.7
6/19/2012 8:25	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 8:49	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 8:40	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 8:46	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 8:38	Sn	<	18.4	ug/L	EPA-200.7
7/24/2012 9:00	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 8:25	SO4		74.62	mg/L	EPA 300.0
6/26/2012 8:49	SO4		110	mg/L	EPA 300.0
7/2/2012 8:40	SO4		95.85	mg/L	EPA 300.0
7/10/2012 8:46	SO4		111.7	mg/L	EPA 300.0
7/17/2012 8:38	SO4		68.34	mg/L	EPA 300.0
7/24/2012 9:00	SO4		105.9	mg/L	EPA 300.0
6/19/2012 8:25	TDS		566	mg/L	SM2540C
6/26/2012 8:49	TDS		762	mg/L	SM2540C
7/2/2012 8:40	TDS		688	mg/L	SM2540C
7/10/2012 8:46	TDS		718	mg/L	SM2540C
7/17/2012 8:38	TDS		528	mg/L	SM2540C
7/24/2012 9:00	TDS		727	mg/L	SM2540C
6/19/2012 8:25	Ti	j	0.94	ug/L	EPA-200.7
6/26/2012 8:49	Ti	j	0.91	ug/L	EPA-200.7
7/2/2012 8:40	Ti	j	0.52	ug/L	EPA-200.7
7/10/2012 8:46	Ti	j	0.69	ug/L	EPA-200.7
7/17/2012 8:38	Ti	j	1.07	ug/L	EPA-200.7
7/24/2012 9:00	Ti	j	0.55	ug/L	EPA-200.7
6/19/2012 8:25	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 8:49	TI	j	2.1	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 8:40	TI	j	1.14	ug/L	EPA-200.7
7/10/2012 8:46	TI	j	1.32	ug/L	EPA-200.7
7/17/2012 8:38	TI	<	1.11	ug/L	EPA-200.7
7/24/2012 9:00	TI	j	1.27	ug/L	EPA-200.7
6/19/2012 8:25	TMET		20	ug/L	EPA-200.7
6/26/2012 8:49	TMET		31.3	ug/L	EPA-200.7
7/2/2012 8:40	TMET		20.2	ug/L	EPA-200.7
7/10/2012 8:46	TMET		27	ug/L	EPA-200.7
7/17/2012 8:38	TMET		17	ug/L	EPA-200.7
7/24/2012 9:00	TMET		18.7	ug/L	EPA-200.7
6/19/2012 8:25	Total-P		0.07	mg/L	EPA 365.1
6/26/2012 8:49	Total-P		0.05	mg/L	EPA 365.1
7/2/2012 8:40	Total-P		0.053	mg/L	EPA 365.1
7/10/2012 8:46	Total-P		0.049	mg/L	EPA 365.1
7/17/2012 8:38	Total-P		0.078	mg/L	EPA 365.1
7/24/2012 9:00	Total-P		0.042	mg/L	EPA 365.1
6/19/2012 8:25	TS		602	mg/L	SM2540B
6/26/2012 8:49	TS		800	mg/L	SM2540B
7/2/2012 8:40	TS		700	mg/L	SM2540B
7/10/2012 8:46	TS		772	mg/L	SM2540B
7/17/2012 8:38	TS		558	mg/L	SM2540B
7/24/2012 9:00	TS		762	mg/L	SM2540B
6/19/2012 8:25	TSS		5.2	mg/L	SM2540D
6/26/2012 8:49	TSS		8	mg/L	SM2540D
7/2/2012 8:40	TSS		7.6	mg/L	SM2540D
7/10/2012 8:46	TSS		7.7	mg/L	SM2540D
7/17/2012 8:38	TSS		6.7	mg/L	SM2540D
7/24/2012 9:00	TSS		6.25	mg/L	SM2540D
6/19/2012 8:25	Turbidity		14.9	NTU	EPA 180.1
6/26/2012 8:49	Turbidity		7.3	NTU	EPA 180.1
7/2/2012 8:40	Turbidity		7.78	NTU	EPA 180.1
7/10/2012 8:46	Turbidity		11.75	NTU	EPA 180.1
7/17/2012 8:38	Turbidity		7.39	NTU	EPA 180.1
7/24/2012 9:00	Turbidity		5.64	NTU	EPA 180.1
6/19/2012 8:25	V	j	0.78	ug/L	EPA-200.7
6/26/2012 8:49	V	j	0.19	ug/L	EPA-200.7
7/2/2012 8:40	V	j	0.62	ug/L	EPA-200.7
7/10/2012 8:46	V	j	0.52	ug/L	EPA-200.7
7/17/2012 8:38	V	j	0.26	ug/L	EPA-200.7
7/24/2012 9:00	V	j	0.355	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:25	Zn		10.53	ug/L	EPA-200.7
6/26/2012 8:49	Zn		22.01	ug/L	EPA-200.7
7/2/2012 8:40	Zn		13.32	ug/L	EPA-200.7
7/10/2012 8:46	Zn		19.34	ug/L	EPA-200.7
7/17/2012 8:38	Zn		10.64	ug/L	EPA-200.7
7/24/2012 9:00	Zn		12.285	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count