

Doan Brook River Mile 1.40					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:01	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 9:35	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 9:15	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 11:30	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 9:15	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 9:01	Al		15.36	ug/L	EPA-200.8
6/24/2013 9:35	Al		78.17	ug/L	EPA-200.8
7/1/2013 9:15	Al		12.49	ug/L	EPA-200.8
7/8/2013 11:30	Al		65.47	ug/L	EPA-200.8
7/15/2013 9:15	Al		11.58	ug/L	EPA-200.8
6/17/2013 9:01	Alkalinity		140	mg/LCaCO3	EPA-310.2
6/24/2013 9:35	Alkalinity		164.2	mg/LCaCO3	EPA-310.2
7/1/2013 9:15	Alkalinity		140.2	mg/LCaCO3	EPA-310.2
7/8/2013 11:30	Alkalinity		101.5	mg/LCaCO3	EPA-310.2
7/15/2013 9:15	Alkalinity		169.8	mg/LCaCO3	EPA-310.2
6/17/2013 9:01	As		2.164	ug/L	EPA-200.8
6/24/2013 9:35	As		2.772	ug/L	EPA-200.8
7/1/2013 9:15	As		2.632	ug/L	EPA-200.8
7/8/2013 11:30	As		2.872	ug/L	EPA-200.8
7/15/2013 9:15	As		2.32	ug/L	EPA-200.8
6/17/2013 9:01	Ba		33.05	ug/L	EPA-200.8
6/24/2013 9:35	Ba		32.8	ug/L	EPA-200.8
7/1/2013 9:15	Ba		33.83	ug/L	EPA-200.8
7/8/2013 11:30	Ba		23.59	ug/L	EPA-200.8
7/15/2013 9:15	Ba		42.43	ug/L	EPA-200.8
6/17/2013 9:01	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 9:35	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 9:15	Be	<	0.126	ug/L	EPA-200.8
7/8/2013 11:30	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 9:15	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 9:01	BOD	<	2	mg/L	SM 5210
7/1/2013 9:15	BOD	<	2	mg/L	SM 5210
7/8/2013 11:30	BOD		2.3	mg/L	SM 5210
7/15/2013 9:15	BOD	<	2	mg/L	SM 5210
6/17/2013 9:01	Ca		58280	ug/L	EPA-200.8
6/24/2013 9:35	Ca		59810	ug/L	EPA-200.8
7/1/2013 9:15	Ca		63870	ug/L	EPA-200.8
7/8/2013 11:30	Ca		42860	ug/L	EPA-200.8
7/15/2013 9:15	Ca		73220	ug/L	EPA-200.8

Doan Brook
River Mile 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:01	CaCO3		194	mg/LCaCO3	EPA-200.8
6/24/2013 9:35	CaCO3		209	mg/LCaCO3	EPA-200.8
7/1/2013 9:15	CaCO3		215	mg/LCaCO3	EPA-200.8
7/8/2013 11:30	CaCO3		142	mg/LCaCO3	EPA-200.8
7/15/2013 9:15	CaCO3		246	mg/LCaCO3	EPA-200.8
6/17/2013 9:01	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 9:35	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 9:15	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 11:30	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 9:15	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 9:01	Chloride		155.8	mg/L	EPA 300.0
6/24/2013 9:35	Chloride		160.8	mg/L	EPA 300.0
7/1/2013 9:15	Chloride		194.2	mg/L	EPA 300.0
7/8/2013 11:30	Chloride		94.7	mg/L	EPA 300.0
7/15/2013 9:15	Chloride		65.12	mg/L	EPA 300.0
6/17/2013 9:01	Co	<	0.134	ug/L	EPA-200.8
6/24/2013 9:35	Co	j	0.201	ug/L	EPA-200.8
7/1/2013 9:15	Co	j	0.194	ug/L	EPA-200.8
7/8/2013 11:30	Co	<	0.138	ug/L	EPA-200.8
7/15/2013 9:15	Co	<	0.138	ug/L	EPA-200.8
6/17/2013 9:01	COD		22.7	mg/L	EPA 410.4
7/1/2013 9:15	COD		43.3	mg/L	EPA 410.4
7/8/2013 11:30	COD		33.8	mg/L	EPA 410.4
7/15/2013 9:15	COD		15.9	mg/L	EPA 410.4
6/17/2013 9:01	Cr	j	0.564	ug/L	EPA-200.8
7/1/2013 9:15	Cr	j	0.952	ug/L	EPA-200.8
7/8/2013 11:30	Cr		1.414	ug/L	EPA-200.8
7/15/2013 9:15	Cr	j	0.522	ug/L	EPA-200.8
6/17/2013 9:01	Cu		5.338	ug/L	EPA-200.8
6/24/2013 9:35	Cu		4.342	ug/L	EPA-200.8
7/1/2013 9:15	Cu		5.032	ug/L	EPA-200.8
7/8/2013 11:30	Cu		8.02	ug/L	EPA-200.8
7/15/2013 9:15	Cu		3.569	ug/L	EPA-200.8
6/24/2013 9:35	DRPhos		0.084	mg/L	EPA 365.1
7/1/2013 9:15	DRPhos		0.071	mg/L	EPA 365.1
7/8/2013 11:30	DRPhos		0.089	mg/L	EPA 365.1
7/15/2013 9:15	DRPhos		0.047	mg/L	EPA 365.1

Doan Brook River Mile 1.40					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:01	E. coli		365	cfu/100mL	EPA 1603
6/24/2013 9:35	E. coli		800	cfu/100mL	EPA 1603
7/1/2013 9:15	E. coli		155	cfu/100mL	EPA 1603
7/8/2013 11:30	E. coli	EC	687	cfu/100mL	EPA 1603
7/15/2013 9:15	E. coli		130	cfu/100mL	EPA 1603
6/17/2013 9:01	Fe		229	ug/L	EPA-200.8
6/24/2013 9:35	Fe		348.3	ug/L	EPA-200.8
7/1/2013 9:15	Fe		136.1	ug/L	EPA-200.8
7/8/2013 11:30	Fe		238.1	ug/L	EPA-200.8
7/15/2013 9:15	Fe		223	ug/L	EPA-200.8
6/17/2013 9:01	Field Cond		717	umhos/cm	SM 2510A
6/24/2013 9:35	Field Cond		852	umhos/cm	SM 2510A
7/1/2013 9:15	Field Cond		925	umhos/cm	SM 2510A
7/8/2013 11:30	Field Cond		600	umhos/cm	SM 2510A
7/15/2013 9:15	Field Cond		1090	umhos/cm	SM 2510A
6/17/2013 9:01	Field DO		6.47	mg/L	SM 4500-0 G
7/1/2013 9:15	Field DO		6.78	mg/L	SM 4500-0 G
7/8/2013 11:30	Field DO		9.86	mg/L	SM 4500-0 G
7/15/2013 9:15	Field DO		8.05	mg/L	SM 4500-0 G
6/17/2013 9:01	Field Temp		18.1	C	EPA 170.1
6/24/2013 9:35	Field Temp		21.5	C	EPA 170.1
7/1/2013 9:15	Field Temp		19.1	C	EPA 170.1
7/8/2013 11:30	Field Temp		22	C	EPA 170.1
7/15/2013 9:15	Field Temp		22.1	C	EPA 170.1
6/17/2013 9:01	Hg		0.072	ug/L	EPA 245.1
6/24/2013 9:35	Hg	j	0.011	ug/L	EPA 245.1
7/1/2013 9:15	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 11:30	Hg	j	0.038	ug/L	EPA 245.1
7/15/2013 9:15	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 9:01	K		3421	ug/L	EPA-200.8
6/24/2013 9:35	K		3248	ug/L	EPA-200.8
7/1/2013 9:15	K		3225	ug/L	EPA-200.8
7/8/2013 11:30	K		3877	ug/L	EPA-200.8
7/15/2013 9:15	K		4436	ug/L	EPA-200.8
6/17/2013 9:01	Mg		11760	ug/L	EPA-200.8
6/24/2013 9:35	Mg		14530	ug/L	EPA-200.8
7/1/2013 9:15	Mg		13400	ug/L	EPA-200.8
7/8/2013 11:30	Mg		8394	ug/L	EPA-200.8
7/15/2013 9:15	Mg		15460	ug/L	EPA-200.8

Doan Brook River Mile 1.40					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:01	Mn		37.98	ug/L	EPA-200.8
6/24/2013 9:35	Mn		48.91	ug/L	EPA-200.8
7/1/2013 9:15	Mn		18.24	ug/L	EPA-200.8
7/8/2013 11:30	Mn		10.34	ug/L	EPA-200.8
7/15/2013 9:15	Mn		23.52	ug/L	EPA-200.8
6/17/2013 9:01	Mo		3.025	ug/L	EPA-200.8
6/24/2013 9:35	Mo		3.455	ug/L	EPA-200.8
7/1/2013 9:15	Mo		3.373	ug/L	EPA-200.8
7/8/2013 11:30	Mo		2.386	ug/L	EPA-200.8
7/15/2013 9:15	Mo		3.626	ug/L	EPA-200.8
6/17/2013 9:01	Na		99830	ug/L	EPA-200.8
6/24/2013 9:35	Na		117600	ug/L	EPA-200.8
7/1/2013 9:15	Na		135900	ug/L	EPA-200.8
7/8/2013 11:30	Na		60940	ug/L	EPA-200.8
7/15/2013 9:15	Na		131400	ug/L	EPA-200.8
6/17/2013 9:01	NH3		0.042	mg/L	EPA-350.1
7/1/2013 9:15	NH3		0.035	mg/L	EPA-350.1
7/8/2013 11:30	NH3		0.034	mg/L	EPA-350.1
7/15/2013 9:15	NH3		0.053	mg/L	EPA-350.1
6/17/2013 9:01	Ni	<	1.96	ug/L	EPA-200.8
6/24/2013 9:35	Ni	<	1.96	ug/L	EPA-200.8
7/1/2013 9:15	Ni	j	2.064	ug/L	EPA-200.8
7/8/2013 11:30	Ni	j	1.732	ug/L	EPA-200.8
7/15/2013 9:15	Ni	j	1.858	ug/L	EPA-200.8
6/17/2013 9:01	NO3-NO2		0.116	mg/L	EPA 353.2
6/24/2013 9:35	NO3-NO2		0.023	mg/L	EPA 353.2
7/1/2013 9:15	NO3-NO2		0.029	mg/L	EPA 353.2
7/8/2013 11:30	NO3-NO2		1.083	mg/L	EPA 353.2
7/15/2013 9:15	NO3-NO2		0.04	mg/L	EPA 353.2
6/17/2013 9:01	Pb	j	0.272	ug/L	EPA-200.8
6/24/2013 9:35	Pb	j	0.961	ug/L	EPA-200.8
7/1/2013 9:15	Pb	j	0.306	ug/L	EPA-200.8
7/8/2013 11:30	Pb	j	0.629	ug/L	EPA-200.8
7/15/2013 9:15	Pb	j	0.124	ug/L	EPA-200.8
6/17/2013 9:01	pH		7.57	S.U.	
6/24/2013 9:35	pH		8.01	S.U.	
7/1/2013 9:15	pH		7.73	S.U.	
7/8/2013 11:30	pH		8.17	S.U.	

Doan Brook River Mile 1.40					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 9:15	pH		7.81	S.U.	
6/17/2013 9:01	Sb	j	0.337	ug/L	EPA-200.8
6/24/2013 9:35	Sb	j	0.256	ug/L	EPA-200.8
7/1/2013 9:15	Sb	j	0.321	ug/L	EPA-200.8
7/8/2013 11:30	Sb	j	0.492	ug/L	EPA-200.8
7/15/2013 9:15	Sb	j	0.301	ug/L	EPA-200.8
6/17/2013 9:01	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 9:35	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 9:15	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 11:30	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 9:15	Se	<	0.66	ug/L	EPA-200.8
6/17/2013 9:01	Sn	j	0.384	ug/L	EPA-200.8
6/24/2013 9:35	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 9:15	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 11:30	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 9:15	Sn	j	0.468	ug/L	EPA-200.8
6/17/2013 9:01	SO4		45.84	mg/L	EPA 300.0
6/24/2013 9:35	SO4		54.6	mg/L	EPA 300.0
7/1/2013 9:15	SO4		51.46	mg/L	EPA 300.0
7/8/2013 11:30	SO4		42.52	mg/L	EPA 300.0
7/15/2013 9:15	SO4		216.7	mg/L	EPA 300.0
6/17/2013 9:01	Sr		276.395	ug/L	EPA-200.8
6/24/2013 9:35	Sr		294.552	ug/L	EPA-200.8
7/1/2013 9:15	Sr		303.775	ug/L	EPA-200.8
7/8/2013 11:30	Sr		202.418	ug/L	EPA-200.8
7/15/2013 9:15	Sr		339.7	ug/L	EPA-200.8
6/17/2013 9:01	TDS		464	mg/L	SM2540C
6/24/2013 9:35	TDS		526	mg/L	SM2540C
7/1/2013 9:15	TDS		572	mg/L	SM2540C
7/8/2013 11:30	TDS		374	mg/L	SM2540C
7/15/2013 9:15	TDS		632	mg/L	SM2540C
6/17/2013 9:01	Ti		34.07	ug/L	EPA-200.8
6/24/2013 9:35	Ti		35.43	ug/L	EPA-200.8
7/1/2013 9:15	Ti		36.44	ug/L	EPA-200.8
7/8/2013 11:30	Ti	j	1.754	ug/L	EPA-200.8
7/15/2013 9:15	Ti	j	0.618	ug/L	EPA-200.8
6/17/2013 9:01	TKN	<	0.2	mg/L	EPA-351.1
6/24/2013 9:35	TKN		0.641	mg/L	EPA-351.1

Doan Brook River Mile 1.40						
Sample Date	Parameter	Code	Result	Units	Method	
7/1/2013 9:15	TKN	j	0.494	mg/L	EPA-351.1	
7/8/2013 11:30	TKN		1.209	mg/L	EPA-351.1	
7/15/2013 9:15	TKN	j	0.239	mg/L	EPA-351.1	
6/17/2013 9:01	TI	<	0.16	ug/L	EPA-200.8	
6/24/2013 9:35	TI	<	0.16	ug/L	EPA-200.8	
7/1/2013 9:15	TI	<	0.16	ug/L	EPA-200.8	
7/8/2013 11:30	TI	<	0.6	ug/L	EPA-200.8	
7/15/2013 9:15	TI	<	0.6	ug/L	EPA-200.8	
6/17/2013 9:01	TMET	<	10	ug/L	EPA-200.8	
6/24/2013 9:35	TMET	<	10	ug/L	EPA-200.8	
7/1/2013 9:15	TMET	<	10	ug/L	EPA-200.8	
7/8/2013 11:30	TMET		16.8	ug/L	EPA-200.8	
7/15/2013 9:15	TMET	<	10	ug/L	EPA-200.8	
6/24/2013 9:35	Total-P		0.105	mg/L	EPA 365.1	
7/1/2013 9:15	Total-P		0.088	mg/L	EPA 365.1	
7/8/2013 11:30	Total-P		0.134	mg/L	EPA 365.1	
7/15/2013 9:15	Total-P		0.06	mg/L	EPA 365.1	
6/17/2013 9:01	TS		448	mg/L	SM2540B	
6/24/2013 9:35	TS		522	mg/L	SM2540B	
7/1/2013 9:15	TS		602	mg/L	SM2540B	
7/8/2013 11:30	TS		390	mg/L	SM2540B	
7/15/2013 9:15	TS		682	mg/L	SM2540B	
6/17/2013 9:01	TSS	j	0.9	mg/L	SM2540D	
6/24/2013 9:35	TSS		1.3	mg/L	SM2540D	
7/1/2013 9:15	TSS	j	0.7	mg/L	SM2540D	
7/8/2013 11:30	TSS	<	0.5	mg/L	SM2540D	
7/15/2013 9:15	TSS	<	0.5	mg/L	SM2540D	
6/17/2013 9:01	Turbidity		1.4	NTU	EPA 180.1	
6/24/2013 9:35	Turbidity		1.45	NTU	EPA 180.1	
7/1/2013 9:15	Turbidity		0.9	NTU	EPA 180.1	
7/8/2013 11:30	Turbidity		4.36	NTU	EPA 180.1	
7/15/2013 9:15	Turbidity		0.94	NTU	EPA 180.1	
6/17/2013 9:01	V	<	1.84	ug/L	EPA-200.8	
6/24/2013 9:35	V	<	1.84	ug/L	EPA-200.8	
7/1/2013 9:15	V	<	1.84	ug/L	EPA-200.8	
7/8/2013 11:30	V	<	1.04	ug/L	EPA-200.8	
7/15/2013 9:15	V	<	1.04	ug/L	EPA-200.8	
6/17/2013 9:01	Zn	<	4.8	ug/L	EPA-200.8	

Doan Brook
River Mile 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 9:35	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 9:15	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 11:30	Zn	j	5.618	ug/L	EPA-200.8
7/15/2013 9:15	Zn	j	2.3	ug/L	EPA-200.8

Doan Brook River Mile 6.70					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:22	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 10:00	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 9:34	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 11:00	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 9:40	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 9:22	Al		12.06	ug/L	EPA-200.8
6/24/2013 10:00	Al	j	7.092	ug/L	EPA-200.8
7/1/2013 9:34	Al	j	8.854	ug/L	EPA-200.8
7/8/2013 11:00	Al		96.145	ug/L	EPA-200.8
7/15/2013 9:40	Al		30.08	ug/L	EPA-200.8
6/17/2013 9:22	Alkalinity		108.1	mg/LCaCO3	EPA-310.2
6/24/2013 10:00	Alkalinity		129.6	mg/LCaCO3	EPA-310.2
7/1/2013 9:34	Alkalinity		113.1	mg/LCaCO3	EPA-310.2
7/8/2013 11:00	Alkalinity		91.4	mg/LCaCO3	EPA-310.2
7/15/2013 9:40	Alkalinity		108.3	mg/LCaCO3	EPA-310.2
6/17/2013 9:22	As		3.236	ug/L	EPA-200.8
6/24/2013 10:00	As	j	1.826	ug/L	EPA-200.8
7/1/2013 9:34	As		4.005	ug/L	EPA-200.8
7/8/2013 11:00	As		3.2	ug/L	EPA-200.8
7/15/2013 9:40	As		3.345	ug/L	EPA-200.8
6/17/2013 9:22	Ba		22.08	ug/L	EPA-200.8
6/24/2013 10:00	Ba		11.26	ug/L	EPA-200.8
7/1/2013 9:34	Ba		21.12	ug/L	EPA-200.8
7/8/2013 11:00	Ba		20.34	ug/L	EPA-200.8
7/15/2013 9:40	Ba		18.97	ug/L	EPA-200.8
6/17/2013 9:22	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 10:00	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 9:34	Be	<	0.126	ug/L	EPA-200.8
7/8/2013 11:00	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 9:40	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 9:22	BOD		2.3	mg/L	SM 5210
7/1/2013 9:34	BOD	<	2	mg/L	SM 5210
7/8/2013 11:00	BOD		6.9	mg/L	SM 5210
7/15/2013 9:40	BOD	<	2	mg/L	SM 5210
6/17/2013 9:22	Ca		42630	ug/L	EPA-200.8
6/24/2013 10:00	Ca		22790	ug/L	EPA-200.8
7/1/2013 9:34	Ca		44170	ug/L	EPA-200.8
7/8/2013 11:00	Ca		36220	ug/L	EPA-200.8
7/15/2013 9:40	Ca		37420	ug/L	EPA-200.8

Doan Brook
River Mile 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:22	CaCO3		139	mg/LCaCO3	EPA-200.8
6/24/2013 10:00	CaCO3		75	mg/LCaCO3	EPA-200.8
7/1/2013 9:34	CaCO3		145	mg/LCaCO3	EPA-200.8
7/8/2013 11:00	CaCO3		118.5	mg/LCaCO3	EPA-200.8
7/15/2013 9:40	CaCO3		120	mg/LCaCO3	EPA-200.8
6/17/2013 9:22	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 10:00	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 9:34	Cd	j	0.227	ug/L	EPA-200.8
7/8/2013 11:00	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 9:40	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 9:22	Chloride		169.7	mg/L	EPA 300.0
6/24/2013 10:00	Chloride		181.9	mg/L	EPA 300.0
7/1/2013 9:34	Chloride		149.2	mg/L	EPA 300.0
7/8/2013 11:00	Chloride		149.7	mg/L	EPA 300.0
7/15/2013 9:40	Chloride		90.34	mg/L	EPA 300.0
6/17/2013 9:22	Co	<	0.134	ug/L	EPA-200.8
6/24/2013 10:00	Co	<	0.134	ug/L	EPA-200.8
7/1/2013 9:34	Co	j	0.242	ug/L	EPA-200.8
7/8/2013 11:00	Co	j	0.1715	ug/L	EPA-200.8
7/15/2013 9:40	Co	j	0.166	ug/L	EPA-200.8
6/17/2013 9:22	COD		25.6	mg/L	EPA 410.4
6/24/2013 10:00	COD		22.2	mg/L	EPA 410.4
7/1/2013 9:34	COD		57	mg/L	EPA 410.4
7/8/2013 11:00	COD		27.25	mg/L	EPA 410.4
7/15/2013 9:40	COD		15.6	mg/L	EPA 410.4
6/17/2013 9:22	Cr	j	0.36	ug/L	EPA-200.8
7/1/2013 9:34	Cr	j	0.727	ug/L	EPA-200.8
7/8/2013 11:00	Cr	j	0.563	ug/L	EPA-200.8
7/15/2013 9:40	Cr	j	0.428	ug/L	EPA-200.8
6/17/2013 9:22	Cu		2.577	ug/L	EPA-200.8
6/24/2013 10:00	Cu	j	0.939	ug/L	EPA-200.8
7/1/2013 9:34	Cu		2.194	ug/L	EPA-200.8
7/8/2013 11:00	Cu		3.546	ug/L	EPA-200.8
7/15/2013 9:40	Cu		3.238	ug/L	EPA-200.8
6/24/2013 10:00	DRPhos		0.13	mg/L	EPA 365.1
7/1/2013 9:34	DRPhos		0.112	mg/L	EPA 365.1
7/8/2013 11:00	DRPhos		0.04	mg/L	EPA 365.1
7/15/2013 9:40	DRPhos		0.122	mg/L	EPA 365.1

Doan Brook
River Mile 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:22	E. coli		195	cfu/100mL	EPA 1603
6/24/2013 10:00	E. coli		390	cfu/100mL	EPA 1603
7/1/2013 9:34	E. coli		105	cfu/100mL	EPA 1603
7/8/2013 11:00	E. coli		242.5	cfu/100mL	EPA 1603
7/15/2013 9:40	E. coli		110	cfu/100mL	EPA 1603
6/17/2013 9:22	Fe		184.4	ug/L	EPA-200.8
6/24/2013 10:00	Fe		95.66	ug/L	EPA-200.8
7/1/2013 9:34	Fe		190	ug/L	EPA-200.8
7/8/2013 11:00	Fe		334.2	ug/L	EPA-200.8
7/15/2013 9:40	Fe		265.3	ug/L	EPA-200.8
6/17/2013 9:22	Field Cond		712	umhos/cm	SM 2510A
6/24/2013 10:00	Field Cond		807	umhos/cm	SM 2510A
7/1/2013 9:34	Field Cond		823	umhos/cm	SM 2510A
7/8/2013 11:00	Field Cond		797	umhos/cm	SM 2510A
7/15/2013 9:40	Field Cond		589	umhos/cm	SM 2510A
6/17/2013 9:22	Field DO		6.13	mg/L	SM 4500-0 G
7/1/2013 9:34	Field DO		5.77	mg/L	SM 4500-0 G
7/8/2013 11:00	Field DO		7.59	mg/L	SM 4500-0 G
7/15/2013 9:40	Field DO		5.29	mg/L	SM 4500-0 G
6/17/2013 9:22	Field Temp		20.3	C	EPA 170.1
6/24/2013 10:00	Field Temp		21.4	C	EPA 170.1
7/1/2013 9:34	Field Temp		21.4	C	EPA 170.1
7/8/2013 11:00	Field Temp		24.9	C	EPA 170.1
7/15/2013 9:40	Field Temp		23.4	C	EPA 170.1
6/17/2013 9:22	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 10:00	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 9:34	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 11:00	Hg	<	0.0095	ug/L	EPA 245.1
7/15/2013 9:40	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 9:22	K		3754	ug/L	EPA-200.8
6/24/2013 10:00	K		1972	ug/L	EPA-200.8
7/1/2013 9:34	K		3980	ug/L	EPA-200.8
7/8/2013 11:00	K		3416.5	ug/L	EPA-200.8
7/15/2013 9:40	K		3435	ug/L	EPA-200.8
6/17/2013 9:22	Mg		7898	ug/L	EPA-200.8
6/24/2013 10:00	Mg		4324	ug/L	EPA-200.8
7/1/2013 9:34	Mg		8366	ug/L	EPA-200.8
7/8/2013 11:00	Mg		6889.5	ug/L	EPA-200.8

Doan Brook River Mile 6.70					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 9:40	Mg		6516	ug/L	EPA-200.8
6/17/2013 9:22	Mn		72.8	ug/L	EPA-200.8
6/24/2013 10:00	Mn		45.66	ug/L	EPA-200.8
7/1/2013 9:34	Mn		82.76	ug/L	EPA-200.8
7/8/2013 11:00	Mn		95.65	ug/L	EPA-200.8
7/15/2013 9:40	Mn		102.6	ug/L	EPA-200.8
6/17/2013 9:22	Mo		2.249	ug/L	EPA-200.8
6/24/2013 10:00	Mo		1.091	ug/L	EPA-200.8
7/1/2013 9:34	Mo		2.235	ug/L	EPA-200.8
7/8/2013 11:00	Mo		2.0335	ug/L	EPA-200.8
7/15/2013 9:40	Mo		2.232	ug/L	EPA-200.8
6/17/2013 9:22	Na		108700	ug/L	EPA-200.8
6/24/2013 10:00	Na		61100	ug/L	EPA-200.8
7/1/2013 9:34	Na		127000	ug/L	EPA-200.8
7/8/2013 11:00	Na		103150	ug/L	EPA-200.8
7/15/2013 9:40	Na		73580	ug/L	EPA-200.8
6/17/2013 9:22	NH3		0.074	mg/L	EPA-350.1
6/24/2013 10:00	NH3		0.078	mg/L	EPA-350.1
7/1/2013 9:34	NH3		0.077	mg/L	EPA-350.1
7/8/2013 11:00	NH3		0.0655	mg/L	EPA-350.1
7/15/2013 9:40	NH3		0.075	mg/L	EPA-350.1
6/17/2013 9:22	Ni	<	1.96	ug/L	EPA-200.8
6/24/2013 10:00	Ni	<	1.96	ug/L	EPA-200.8
7/1/2013 9:34	Ni	<	1.96	ug/L	EPA-200.8
7/8/2013 11:00	Ni	j	1.511	ug/L	EPA-200.8
7/15/2013 9:40	Ni	j	1.584	ug/L	EPA-200.8
6/17/2013 9:22	NO3-NO2		0.334	mg/L	EPA 353.2
6/24/2013 10:00	NO3-NO2		0.755	mg/L	EPA 353.2
7/1/2013 9:34	NO3-NO2		0.481	mg/L	EPA 353.2
7/8/2013 11:00	NO3-NO2		0.1045	mg/L	EPA 353.2
7/15/2013 9:40	NO3-NO2		0.649	mg/L	EPA 353.2
6/17/2013 9:22	Pb	j	0.273	ug/L	EPA-200.8
6/24/2013 10:00	Pb	<	0.166	ug/L	EPA-200.8
7/1/2013 9:34	Pb	j	0.346	ug/L	EPA-200.8
7/8/2013 11:00	Pb	j	0.9795	ug/L	EPA-200.8
7/15/2013 9:40	Pb	j	0.305	ug/L	EPA-200.8
6/17/2013 9:22	pH		7.61	S.U.	
6/24/2013 10:00	pH		7.5	S.U.	

Doan Brook River Mile 6.70					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:34	pH		7.56	S.U.	
7/8/2013 11:00	pH		7.91	S.U.	
7/15/2013 9:40	pH		7.48	S.U.	
6/17/2013 9:22	Sb	j	0.374	ug/L	EPA-200.8
6/24/2013 10:00	Sb	<	0.152	ug/L	EPA-200.8
7/1/2013 9:34	Sb	j	0.377	ug/L	EPA-200.8
7/8/2013 11:00	Sb	j	0.512	ug/L	EPA-200.8
7/15/2013 9:40	Sb	j	0.392	ug/L	EPA-200.8
6/17/2013 9:22	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 10:00	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 9:34	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 11:00	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 9:40	Se	<	0.66	ug/L	EPA-200.8
6/17/2013 9:22	Sn	j	0.443	ug/L	EPA-200.8
6/24/2013 10:00	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 9:34	Sn	j	0.286	ug/L	EPA-200.8
7/8/2013 11:00	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 9:40	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 9:22	SO4		29.08	mg/L	EPA 300.0
6/24/2013 10:00	SO4		25.65	mg/L	EPA 300.0
7/1/2013 9:34	SO4		28.51	mg/L	EPA 300.0
7/8/2013 11:00	SO4		23.87	mg/L	EPA 300.0
7/15/2013 9:40	SO4		24.35	mg/L	EPA 300.0
6/17/2013 9:22	Sr		219.636	ug/L	EPA-200.8
6/24/2013 10:00	Sr		112.408	ug/L	EPA-200.8
7/1/2013 9:34	Sr		234.921	ug/L	EPA-200.8
7/8/2013 11:00	Sr		201.073	ug/L	EPA-200.8
7/15/2013 9:40	Sr		181.02	ug/L	EPA-200.8
6/17/2013 9:22	TDS		430	mg/L	SM2540C
6/24/2013 10:00	TDS		506	mg/L	SM2540C
7/1/2013 9:34	TDS		468	mg/L	SM2540C
7/8/2013 11:00	TDS		427	mg/L	SM2540C
7/15/2013 9:40	TDS		332	mg/L	SM2540C
6/17/2013 9:22	Ti		25.98	ug/L	EPA-200.8
6/24/2013 10:00	Ti		13.59	ug/L	EPA-200.8
7/1/2013 9:34	Ti		25.41	ug/L	EPA-200.8
7/8/2013 11:00	Ti		2.181	ug/L	EPA-200.8
7/15/2013 9:40	Ti	j	1.338	ug/L	EPA-200.8

Doan Brook River Mile 6.70						
Sample Date	Parameter	Code	Result	Units	Method	
6/17/2013 9:22	TKN	<	0.2	mg/L	EPA-351.1	
6/24/2013 10:00	TKN		0.738	mg/L	EPA-351.1	
7/1/2013 9:34	TKN		0.806	mg/L	EPA-351.1	
7/8/2013 11:00	TKN		1.395	mg/L	EPA-351.1	
7/15/2013 9:40	TKN		0.804	mg/L	EPA-351.1	
6/17/2013 9:22	TI	<	0.16	ug/L	EPA-200.8	
6/24/2013 10:00	TI	<	0.16	ug/L	EPA-200.8	
7/1/2013 9:34	TI	<	0.16	ug/L	EPA-200.8	
7/8/2013 11:00	TI	<	0.6	ug/L	EPA-200.8	
7/15/2013 9:40	TI	<	0.6	ug/L	EPA-200.8	
6/17/2013 9:22	TMET	<	10	ug/L	EPA-200.8	
6/24/2013 10:00	TMET	<	10	ug/L	EPA-200.8	
7/1/2013 9:34	TMET	<	10	ug/L	EPA-200.8	
7/8/2013 11:00	TMET		11.45	ug/L	EPA-200.8	
7/15/2013 9:40	TMET	<	10	ug/L	EPA-200.8	
6/24/2013 10:00	Total-P		0.169	mg/L	EPA 365.1	
7/1/2013 9:34	Total-P		0.145	mg/L	EPA 365.1	
7/8/2013 11:00	Total-P		0.155	mg/L	EPA 365.1	
7/15/2013 9:40	Total-P		0.145	mg/L	EPA 365.1	
6/17/2013 9:22	TS		430	mg/L	SM2540B	
6/24/2013 10:00	TS		490	mg/L	SM2540B	
7/1/2013 9:34	TS		474	mg/L	SM2540B	
7/8/2013 11:00	TS		437	mg/L	SM2540B	
7/15/2013 9:40	TS		348	mg/L	SM2540B	
6/17/2013 9:22	TSS		3.2	mg/L	SM2540D	
6/24/2013 10:00	TSS		14.5	mg/L	SM2540D	
7/1/2013 9:34	TSS		2.1	mg/L	SM2540D	
7/8/2013 11:00	TSS		10.2	mg/L	SM2540D	
7/15/2013 9:40	TSS	j	0.9	mg/L	SM2540D	
6/17/2013 9:22	Turbidity		1.25	NTU	EPA 180.1	
6/24/2013 10:00	Turbidity		1.285	NTU	EPA 180.1	
7/1/2013 9:34	Turbidity		1.59	NTU	EPA 180.1	
7/8/2013 11:00	Turbidity		8.81	NTU	EPA 180.1	
7/15/2013 9:40	Turbidity		0.78	NTU	EPA 180.1	
6/17/2013 9:22	V	<	1.84	ug/L	EPA-200.8	
6/24/2013 10:00	V	<	1.84	ug/L	EPA-200.8	
7/1/2013 9:34	V	<	1.84	ug/L	EPA-200.8	
7/8/2013 11:00	V	<	1.04	ug/L	EPA-200.8	
7/15/2013 9:40	V	<	1.04	ug/L	EPA-200.8	

Doan Brook
River Mile 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:22	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 10:00	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 9:34	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 11:00	Zn	j	5.84	ug/L	EPA-200.8
7/15/2013 9:40	Zn	<	1.58	ug/L	EPA-200.8

Doan Brook River Mile 0.75					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:10	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 12:05	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 10:10	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 10:27	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 11:15	Ag	<	0.066	ug/L	EPA-200.8
7/23/2013 9:08	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 11:10	Al		81.71	ug/L	EPA-200.8
6/24/2013 12:05	Al		29.08	ug/L	EPA-200.8
7/1/2013 10:10	Al		24.26	ug/L	EPA-200.8
7/8/2013 10:27	Al		163.1	ug/L	EPA-200.8
7/15/2013 11:15	Al		49.03	ug/L	EPA-200.8
7/23/2013 9:08	Al		100.4	ug/L	EPA-200.8
6/17/2013 11:10	Alkalinity		128.1	mg/LCaCO3	EPA-310.2
6/24/2013 12:05	Alkalinity		130.1	mg/LCaCO3	EPA-310.2
7/1/2013 10:10	Alkalinity		137.7	mg/LCaCO3	EPA-310.2
7/8/2013 10:27	Alkalinity		106.8	mg/LCaCO3	EPA-310.2
7/15/2013 11:15	Alkalinity		143.5	mg/LCaCO3	EPA-310.2
7/23/2013 9:08	Alkalinity		108.5	mg/LCaCO3	EPA-310.2
6/17/2013 11:10	As	j	1.702	ug/L	EPA-200.8
6/24/2013 12:05	As	j	1.212	ug/L	EPA-200.8
7/1/2013 10:10	As		2.008	ug/L	EPA-200.8
7/8/2013 10:27	As		2.849	ug/L	EPA-200.8
7/15/2013 11:15	As	j	1.586	ug/L	EPA-200.8
7/23/2013 9:08	As	j	1.841	ug/L	EPA-200.8
6/17/2013 11:10	Ba		31.92	ug/L	EPA-200.8
6/24/2013 12:05	Ba		33.2	ug/L	EPA-200.8
7/1/2013 10:10	Ba		33.62	ug/L	EPA-200.8
7/8/2013 10:27	Ba		26.27	ug/L	EPA-200.8
7/15/2013 11:15	Ba		35.21	ug/L	EPA-200.8
7/23/2013 9:08	Ba		30.69	ug/L	EPA-200.8
6/17/2013 11:10	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 12:05	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 10:10	Be	j	0.158	ug/L	EPA-200.8
7/8/2013 10:27	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 11:15	Be	<	0.126	ug/L	EPA-200.8
7/23/2013 9:08	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 11:10	BOD	<	2	mg/L	SM 5210
7/1/2013 10:10	BOD	<	2	mg/L	SM 5210
7/8/2013 10:27	BOD		5.3	mg/L	SM 5210
7/15/2013 11:15	BOD	<	2	mg/L	SM 5210

Doan Brook River Mile 0.75					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:08	BOD	<	2	mg/L	SM 5210
6/17/2013 11:10	Ca		63020	ug/L	EPA-200.8
6/24/2013 12:05	Ca		66340	ug/L	EPA-200.8
7/1/2013 10:10	Ca		65300	ug/L	EPA-200.8
7/8/2013 10:27	Ca		45080	ug/L	EPA-200.8
7/15/2013 11:15	Ca		62440	ug/L	EPA-200.8
7/23/2013 9:08	Ca		51820	ug/L	EPA-200.8
6/17/2013 11:10	CaCO3		214	mg/LCaCO3	EPA-200.8
6/24/2013 12:05	CaCO3		228	mg/LCaCO3	EPA-200.8
7/1/2013 10:10	CaCO3		222	mg/LCaCO3	EPA-200.8
7/8/2013 10:27	CaCO3		151	mg/LCaCO3	EPA-200.8
7/15/2013 11:15	CaCO3		211	mg/LCaCO3	EPA-200.8
7/23/2013 9:08	CaCO3		174	mg/LCaCO3	EPA-200.8
6/17/2013 11:10	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 12:05	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 10:10	Cd	j	0.614	ug/L	EPA-200.8
7/8/2013 10:27	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 11:15	Cd	<	0.22	ug/L	EPA-200.8
7/23/2013 9:08	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 11:10	Chloride		212.1	mg/L	EPA 300.0
6/24/2013 12:05	Chloride		214.9	mg/L	EPA 300.0
7/1/2013 10:10	Chloride		247.8	mg/L	EPA 300.0
7/8/2013 10:27	Chloride		159	mg/L	EPA 300.0
7/15/2013 11:15	Chloride		209	mg/L	EPA 300.0
7/23/2013 9:08	Chloride		153.8	mg/L	EPA 300.0
6/17/2013 11:10	Co	j	0.153	ug/L	EPA-200.8
6/24/2013 12:05	Co	<	0.134	ug/L	EPA-200.8
7/1/2013 10:10	Co	j	0.388	ug/L	EPA-200.8
7/8/2013 10:27	Co	j	0.242	ug/L	EPA-200.8
7/15/2013 11:15	Co	<	0.134	ug/L	EPA-200.8
7/23/2013 9:08	Co	j	0.158	ug/L	EPA-200.8
6/17/2013 11:10	COD		17.2	mg/L	EPA 410.4
7/1/2013 10:10	COD		43	mg/L	EPA 410.4
7/8/2013 10:27	COD		32	mg/L	EPA 410.4
7/15/2013 11:15	COD	j	7.4	mg/L	EPA 410.4
7/23/2013 9:08	COD		16.1	mg/L	EPA 410.4
6/17/2013 11:10	Cr	j	0.528	ug/L	EPA-200.8
7/1/2013 10:10	Cr	j	0.983	ug/L	EPA-200.8
7/8/2013 10:27	Cr	j	0.941	ug/L	EPA-200.8

Doan Brook River Mile 0.75					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 11:15	Cr	j	0.634	ug/L	EPA-200.8
7/23/2013 9:08	Cr	j	0.95	ug/L	EPA-200.8
6/17/2013 11:10	Cu		5.455	ug/L	EPA-200.8
6/24/2013 12:05	Cu		4.619	ug/L	EPA-200.8
7/1/2013 10:10	Cu		5.662	ug/L	EPA-200.8
7/8/2013 10:27	Cu		4.411	ug/L	EPA-200.8
7/15/2013 11:15	Cu		3.45	ug/L	EPA-200.8
7/23/2013 9:08	Cu		7.154	ug/L	EPA-200.8
6/17/2013 11:10	DRPhos		0.248	mg/L	EPA 365.1
6/24/2013 12:05	DRPhos		0.176	mg/L	EPA 365.1
7/1/2013 10:10	DRPhos		0.133	mg/L	EPA 365.1
7/8/2013 10:27	DRPhos		0.069	mg/L	EPA 365.1
7/15/2013 11:15	DRPhos		0.142	mg/L	EPA 365.1
7/23/2013 9:08	DRPhos		0.107	mg/L	EPA 365.1
6/17/2013 11:10	E. coli		616	cfu/100mL	EPA 1603
6/24/2013 12:05	E. coli		292	cfu/100mL	EPA 1603
7/1/2013 10:10	E. coli		318	cfu/100mL	EPA 1603
7/8/2013 10:27	E. coli	EC	748	cfu/100mL	EPA 1603
7/15/2013 11:15	E. coli		400	cfu/100mL	EPA 1603
7/23/2013 9:08	E. coli		7800	cfu/100mL	EPA 1603
6/17/2013 11:10	Fe		338.4	ug/L	EPA-200.8
6/24/2013 12:05	Fe		144.2	ug/L	EPA-200.8
7/1/2013 10:10	Fe		161.2	ug/L	EPA-200.8
7/8/2013 10:27	Fe		559.8	ug/L	EPA-200.8
7/15/2013 11:15	Fe		190.8	ug/L	EPA-200.8
7/23/2013 9:08	Fe		292.7	ug/L	EPA-200.8
6/17/2013 11:10	Field Cond		872	umhos/cm	SM 2510A
6/24/2013 12:05	Field Cond		985	umhos/cm	SM 2510A
7/1/2013 10:10	Field Cond		1057	umhos/cm	SM 2510A
7/8/2013 10:27	Field Cond		820	umhos/cm	SM 2510A
7/15/2013 11:15	Field Cond		1041	umhos/cm	SM 2510A
7/23/2013 9:08	Field Cond		835	umhos/cm	SM 2510A
6/17/2013 11:10	Field DO		8.18	mg/L	SM 4500-0 G
7/1/2013 10:10	Field DO		8.06	mg/L	SM 4500-0 G
7/8/2013 10:27	Field DO		7.99	mg/L	SM 4500-0 G
7/15/2013 11:15	Field DO		8.24	mg/L	SM 4500-0 G
7/23/2013 9:08	Field DO		7.46	mg/L	SM 4500-0 G
6/17/2013 11:10	Field Temp		18.8	C	EPA 170.1
6/24/2013 12:05	Field Temp		21.3	C	EPA 170.1

Doan Brook
River Mile 0.75

Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 10:10	Field Temp		19.6	C	EPA 170.1
7/8/2013 10:27	Field Temp		22.5	C	EPA 170.1
7/15/2013 11:15	Field Temp		22.2	C	EPA 170.1
7/23/2013 9:08	Field Temp		21.2	C	EPA 170.1
6/17/2013 11:10	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 12:05	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 10:10	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 10:27	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 11:15	Hg	<	0.008	ug/L	EPA 245.1
7/23/2013 9:08	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 11:10	K		3968	ug/L	EPA-200.8
6/24/2013 12:05	K		3840	ug/L	EPA-200.8
7/1/2013 10:10	K		4183	ug/L	EPA-200.8
7/8/2013 10:27	K		3559	ug/L	EPA-200.8
7/15/2013 11:15	K		4038	ug/L	EPA-200.8
7/23/2013 9:08	K		3787	ug/L	EPA-200.8
6/17/2013 11:10	Mg		13880	ug/L	EPA-200.8
6/24/2013 12:05	Mg		15180	ug/L	EPA-200.8
7/1/2013 10:10	Mg		14240	ug/L	EPA-200.8
7/8/2013 10:27	Mg		9399	ug/L	EPA-200.8
7/15/2013 11:15	Mg		13390	ug/L	EPA-200.8
7/23/2013 9:08	Mg		10870	ug/L	EPA-200.8
6/17/2013 11:10	Mn		43.33	ug/L	EPA-200.8
6/24/2013 12:05	Mn		15.89	ug/L	EPA-200.8
7/1/2013 10:10	Mn		16	ug/L	EPA-200.8
7/8/2013 10:27	Mn		100.3	ug/L	EPA-200.8
7/15/2013 11:15	Mn		22.02	ug/L	EPA-200.8
7/23/2013 9:08	Mn		29.97	ug/L	EPA-200.8
6/17/2013 11:10	Mo		3.711	ug/L	EPA-200.8
6/24/2013 12:05	Mo		6	ug/L	EPA-200.8
7/1/2013 10:10	Mo		3.89	ug/L	EPA-200.8
7/8/2013 10:27	Mo		2.73	ug/L	EPA-200.8
7/15/2013 11:15	Mo		2.977	ug/L	EPA-200.8
7/23/2013 9:08	Mo		3.292	ug/L	EPA-200.8
6/17/2013 11:10	Na		126800	ug/L	EPA-200.8
6/24/2013 12:05	Na		135100	ug/L	EPA-200.8
7/1/2013 10:10	Na		150400	ug/L	EPA-200.8
7/8/2013 10:27	Na		104000	ug/L	EPA-200.8
7/15/2013 11:15	Na		122400	ug/L	EPA-200.8
7/23/2013 9:08	Na		98640	ug/L	EPA-200.8

Doan Brook
River Mile 0.75

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:10	NH3		0.084	mg/L	EPA-350.1
6/24/2013 12:05	NH3		0.037	mg/L	EPA-350.1
7/1/2013 10:10	NH3		0.064	mg/L	EPA-350.1
7/8/2013 10:27	NH3		0.042	mg/L	EPA-350.1
7/15/2013 11:15	NH3		0.047	mg/L	EPA-350.1
7/23/2013 9:08	NH3		0.279	mg/L	EPA-350.1
6/17/2013 11:10	Ni	<	1.96	ug/L	EPA-200.8
6/24/2013 12:05	Ni	<	1.96	ug/L	EPA-200.8
7/1/2013 10:10	Ni	j	2.632	ug/L	EPA-200.8
7/8/2013 10:27	Ni	j	2.07	ug/L	EPA-200.8
7/15/2013 11:15	Ni	<	1.96	ug/L	EPA-200.8
7/23/2013 9:08	Ni	j	1.923	ug/L	EPA-200.8
6/17/2013 11:10	NO3-NO2		0.61	mg/L	EPA 353.2
6/24/2013 12:05	NO3-NO2		0.68	mg/L	EPA 353.2
7/1/2013 10:10	NO3-NO2		0.726	mg/L	EPA 353.2
7/8/2013 10:27	NO3-NO2		0.153	mg/L	EPA 353.2
7/15/2013 11:15	NO3-NO2		0.716	mg/L	EPA 353.2
7/23/2013 9:08	NO3-NO2		0.647	mg/L	EPA 353.2
6/17/2013 11:10	Pb		1.668	ug/L	EPA-200.8
6/24/2013 12:05	Pb	j	0.446	ug/L	EPA-200.8
7/1/2013 10:10	Pb		1.198	ug/L	EPA-200.8
7/8/2013 10:27	Pb		3.153	ug/L	EPA-200.8
7/15/2013 11:15	Pb	j	0.659	ug/L	EPA-200.8
7/23/2013 9:08	Pb		1.365	ug/L	EPA-200.8
6/17/2013 11:10	pH		7.89	S.U.	
6/24/2013 12:05	pH		8.07	S.U.	
7/1/2013 10:10	pH		7.78	S.U.	
7/8/2013 10:27	pH		7.96	S.U.	
7/15/2013 11:15	pH		7.96	S.U.	
7/23/2013 9:08	pH		7.59	S.U.	
6/17/2013 11:10	Sb	j	0.345	ug/L	EPA-200.8
6/24/2013 12:05	Sb	j	0.249	ug/L	EPA-200.8
7/1/2013 10:10	Sb	j	0.388	ug/L	EPA-200.8
7/8/2013 10:27	Sb	j	0.535	ug/L	EPA-200.8
7/15/2013 11:15	Sb	j	0.235	ug/L	EPA-200.8
7/23/2013 9:08	Sb	j	0.465	ug/L	EPA-200.8
6/17/2013 11:10	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 12:05	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 10:10	Se	<	2.46	ug/L	EPA-200.8

Doan Brook River Mile 0.75					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 10:27	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 11:15	Se	<	2.46	ug/L	EPA-200.8
7/23/2013 9:08	Se	j	0.7	ug/L	EPA-200.8
6/17/2013 11:10	Sn	j	0.392	ug/L	EPA-200.8
6/24/2013 12:05	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 10:10	Sn	j	0.325	ug/L	EPA-200.8
7/8/2013 10:27	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 11:15	Sn	<	0.172	ug/L	EPA-200.8
7/23/2013 9:08	Sn	j	0.238	ug/L	EPA-200.8
6/17/2013 11:10	SO4		66.65	mg/L	EPA 300.0
6/24/2013 12:05	SO4		73.24	mg/L	EPA 300.0
7/1/2013 10:10	SO4		65.38	mg/L	EPA 300.0
7/8/2013 10:27	SO4		33.62	mg/L	EPA 300.0
7/15/2013 11:15	SO4		69.28	mg/L	EPA 300.0
7/23/2013 9:08	SO4		57.1	mg/L	EPA 300.0
6/17/2013 11:10	Sr		290.04	ug/L	EPA-200.8
6/24/2013 12:05	Sr		292.59	ug/L	EPA-200.8
7/1/2013 10:10	Sr		296.061	ug/L	EPA-200.8
7/8/2013 10:27	Sr		209.065	ug/L	EPA-200.8
7/15/2013 11:15	Sr		291.984	ug/L	EPA-200.8
7/23/2013 9:08	Sr		239.246	ug/L	EPA-200.8
6/17/2013 11:10	TDS		562	mg/L	SM2540C
6/24/2013 12:05	TDS		624	mg/L	SM2540C
7/1/2013 10:10	TDS		606	mg/L	SM2540C
7/8/2013 10:27	TDS		472	mg/L	SM2540C
7/15/2013 11:15	TDS		632	mg/L	SM2540C
7/23/2013 9:08	TDS		480	mg/L	SM2540C
6/17/2013 11:10	Ti		37.52	ug/L	EPA-200.8
6/24/2013 12:05	Ti		39.9	ug/L	EPA-200.8
7/1/2013 10:10	Ti		37.2	ug/L	EPA-200.8
7/8/2013 10:27	Ti		3.146	ug/L	EPA-200.8
7/15/2013 11:15	Ti		41.51	ug/L	EPA-200.8
7/23/2013 9:08	Ti		2.013	ug/L	EPA-200.8
6/17/2013 11:10	TKN		0.694	mg/L	EPA-351.1
6/24/2013 12:05	TKN	j	0.471	mg/L	EPA-351.1
7/1/2013 10:10	TKN	j	0.391	mg/L	EPA-351.1
7/8/2013 10:27	TKN		1.152	mg/L	EPA-351.1
7/15/2013 11:15	TKN	j	0.413	mg/L	EPA-351.1
7/23/2013 9:08	TKN	j	0.251	mg/L	EPA-351.1

Doan Brook River Mile 0.75						
Sample Date	Parameter	Code	Result	Units	Method	
6/17/2013 11:10	TI	<	0.16	ug/L	EPA-200.8	
6/24/2013 12:05	TI	<	0.16	ug/L	EPA-200.8	
7/1/2013 10:10	TI	j	0.194	ug/L	EPA-200.8	
7/8/2013 10:27	TI	<	0.6	ug/L	EPA-200.8	
7/15/2013 11:15	TI	<	0.16	ug/L	EPA-200.8	
7/23/2013 9:08	TI	<	0.6	ug/L	EPA-200.8	
6/17/2013 11:10	TMET		13.2	ug/L	EPA-200.8	
6/24/2013 12:05	TMET	<	10	ug/L	EPA-200.8	
7/1/2013 10:10	TMET		15.2	ug/L	EPA-200.8	
7/8/2013 10:27	TMET		15.2	ug/L	EPA-200.8	
7/15/2013 11:15	TMET	<	10	ug/L	EPA-200.8	
7/23/2013 9:08	TMET		22.3	ug/L	EPA-200.8	
6/17/2013 11:10	Total-P		0.227	mg/L	EPA 365.1	
6/24/2013 12:05	Total-P		0.204	mg/L	EPA 365.1	
7/1/2013 10:10	Total-P		0.15	mg/L	EPA 365.1	
7/8/2013 10:27	Total-P		0.192	mg/L	EPA 365.1	
7/15/2013 11:15	Total-P		0.168	mg/L	EPA 365.1	
7/23/2013 9:08	Total-P		0.14	mg/L	EPA 365.1	
6/17/2013 11:10	TS		576	mg/L	SM2540B	
6/24/2013 12:05	TS		640	mg/L	SM2540B	
7/1/2013 10:10	TS		680	mg/L	SM2540B	
7/8/2013 10:27	TS		490	mg/L	SM2540B	
7/15/2013 11:15	TS		682	mg/L	SM2540B	
7/23/2013 9:08	TS		506	mg/L	SM2540B	
6/17/2013 11:10	TSS		4.4	mg/L	SM2540D	
6/24/2013 12:05	TSS		1.5	mg/L	SM2540D	
7/1/2013 10:10	TSS		1.5	mg/L	SM2540D	
7/8/2013 10:27	TSS		16	mg/L	SM2540D	
7/15/2013 11:15	TSS		2.6	mg/L	SM2540D	
7/23/2013 9:08	TSS		3.5	mg/L	SM2540D	
6/17/2013 11:10	Turbidity		2.03	NTU	EPA 180.1	
6/24/2013 12:05	Turbidity		1.24	NTU	EPA 180.1	
7/1/2013 10:10	Turbidity		1.62	NTU	EPA 180.1	
7/8/2013 10:27	Turbidity		12.2	NTU	EPA 180.1	
7/15/2013 11:15	Turbidity		1.28	NTU	EPA 180.1	
7/23/2013 9:08	Turbidity		7.11	NTU	EPA 180.1	
6/17/2013 11:10	V	<	1.84	ug/L	EPA-200.8	
6/24/2013 12:05	V	<	1.84	ug/L	EPA-200.8	
7/1/2013 10:10	V	<	1.84	ug/L	EPA-200.8	
7/8/2013 10:27	V	<	1.04	ug/L	EPA-200.8	

Doan Brook River Mile 0.75					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 11:15	V	<	1.84	ug/L	EPA-200.8
7/23/2013 9:08	V	<	1.04	ug/L	EPA-200.8
6/17/2013 11:10	Zn	j	7.258	ug/L	EPA-200.8
6/24/2013 12:05	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 10:10	Zn	j	5.95	ug/L	EPA-200.8
7/8/2013 10:27	Zn	j	7.805	ug/L	EPA-200.8
7/15/2013 11:15	Zn	<	4.8	ug/L	EPA-200.8
7/23/2013 9:08	Zn		12.27	ug/L	EPA-200.8

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count