

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:46	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 8:50	Ag	<	0.019	ug/L	EPA-200.8
8/6/2013 9:20	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 8:21	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 9:04	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 9:46	Al		28.38	ug/L	EPA-200.8
7/30/2013 8:50	Al		50.98	ug/L	EPA-200.8
8/6/2013 9:20	Al		25.74	ug/L	EPA-200.8
8/13/2013 8:21	Al		37.63	ug/L	EPA-200.8
8/20/2013 9:04	Al		41.05	ug/L	EPA-200.8
7/23/2013 9:46	Alkalinity		116.6	mg/LCaCO3	EPA-310.2
7/30/2013 8:50	Alkalinity		118.5	mg/LCaCO3	EPA-310.2
8/6/2013 9:20	Alkalinity		95.1	mg/LCaCO3	EPA-310.2
8/13/2013 8:21	Alkalinity		97.2	mg/LCaCO3	EPA-310.2
8/20/2013 9:04	Alkalinity		95.2	mg/LCaCO3	EPA-310.2
7/23/2013 9:46	As	j	0.884	ug/L	EPA-200.8
7/30/2013 8:50	As	j	0.905	ug/L	EPA-200.8
8/6/2013 9:20	As	j	0.448	ug/L	EPA-200.8
8/13/2013 8:21	As	j	0.63	ug/L	EPA-200.8
8/20/2013 9:04	As	<	0.4	ug/L	EPA-200.8
7/23/2013 9:46	BOD		2.7	mg/L	SM 5210
7/30/2013 8:50	BOD	<	2	mg/L	SM 5210
8/6/2013 9:20	BOD	<	2	mg/L	SM 5210
8/13/2013 8:21	BOD	<	2	mg/L	SM 5210
8/20/2013 9:04	BOD	<	2	mg/L	SM 5210
7/23/2013 9:46	Ba		30	ug/L	EPA-200.8
7/30/2013 8:50	Ba		29.22	ug/L	EPA-200.8
8/6/2013 9:20	Ba		20.92	ug/L	EPA-200.8
8/13/2013 8:21	Ba		22.44	ug/L	EPA-200.8
8/20/2013 9:04	Ba		27.31	ug/L	EPA-200.8
7/23/2013 9:46	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 8:50	Be	<	0.1	ug/L	EPA-200.8
8/6/2013 9:20	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 8:21	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 9:04	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 9:46	COD	j	6.6	mg/L	EPA 410.4
7/30/2013 8:50	COD		11.4	mg/L	EPA 410.4

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 9:20	COD	j	9.6	mg/L	EPA 410.4
8/13/2013 8:21	COD	j	6.6	mg/L	EPA 410.4
8/20/2013 9:04	COD	j	4.8	mg/L	EPA 410.4
7/23/2013 9:46	Ca		59430	ug/L	EPA-200.8
7/30/2013 8:50	Ca		54900	ug/L	EPA-200.8
8/6/2013 9:20	Ca		43420	ug/L	EPA-200.8
8/13/2013 8:21	Ca		45760	ug/L	EPA-200.8
8/20/2013 9:04	Ca		53120	ug/L	EPA-200.8
7/23/2013 9:46	CaCO3		225	mg/LCaCO3	EPA-200.8
7/30/2013 8:50	CaCO3		212	mg/LCaCO3	EPA-200.8
8/6/2013 9:20	CaCO3		166	mg/LCaCO3	EPA-200.8
8/13/2013 8:21	CaCO3		176	mg/LCaCO3	EPA-200.8
8/20/2013 9:04	CaCO3		205	mg/LCaCO3	EPA-200.8
7/23/2013 9:46	Cd	<	0.076	ug/L	EPA-200.8
7/30/2013 8:50	Cd	<	0.038	ug/L	EPA-200.8
8/6/2013 9:20	Cd	<	0.076	ug/L	EPA-200.8
8/13/2013 8:21	Cd	<	0.076	ug/L	EPA-200.8
8/20/2013 9:04	Cd	<	0.076	ug/L	EPA-200.8
7/23/2013 9:46	Chloride		160.2	mg/L	EPA 300.0
7/30/2013 8:50	Chloride		159.5	mg/L	EPA 300.0
8/6/2013 9:20	Chloride		101.6	mg/L	EPA 300.0
8/13/2013 8:21	Chloride		98.14	mg/L	EPA 300.0
8/20/2013 9:04	Chloride		142	mg/L	SM 4500-Cl C
7/23/2013 9:46	Co	j	0.16	ug/L	EPA-200.8
7/30/2013 8:50	Co	j	0.178	ug/L	EPA-200.8
8/6/2013 9:20	Co	<	0.138	ug/L	EPA-200.8
8/13/2013 8:21	Co	j	0.141	ug/L	EPA-200.8
8/20/2013 9:04	Co	j	0.162	ug/L	EPA-200.8
7/23/2013 9:46	Cr	j	0.806	ug/L	EPA-200.8
7/30/2013 8:50	Cr		0.578	ug/L	EPA-200.8
8/6/2013 9:20	Cr	j	0.474	ug/L	EPA-200.8
8/13/2013 8:21	Cr	j	0.482	ug/L	EPA-200.8
8/20/2013 9:04	Cr	j	0.665	ug/L	EPA-200.8
7/23/2013 9:46	Cu		4.228	ug/L	EPA-200.8
7/30/2013 8:50	Cu		3.713	ug/L	EPA-200.8
8/6/2013 9:20	Cu		3.19	ug/L	EPA-200.8
8/13/2013 8:21	Cu		2.917	ug/L	EPA-200.8

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2013 9:04	Cu		2.662	ug/L	EPA-200.8
7/23/2013 9:46	DRPhos		0.057	mg/L	EPA 365.1
7/30/2013 8:50	DRPhos		0.052	mg/L	EPA 365.1
8/6/2013 9:20	DRPhos		0.056	mg/L	EPA 365.1
8/13/2013 8:21	DRPhos		0.052	mg/L	EPA 365.1
8/20/2013 9:04	DRPhos		0.065	mg/L	EPA 365.1
7/23/2013 9:46	E. coli		372	cfu/100mL	EPA 1603
7/30/2013 8:50	E. coli		340	cfu/100mL	EPA 1603
8/6/2013 9:20	E. coli		235	cfu/100mL	EPA 1603
8/13/2013 8:21	E. coli		250	cfu/100mL	EPA 1603
8/20/2013 9:04	E. coli		185	cfu/100mL	EPA 1603
7/23/2013 9:46	Fe		147.1	ug/L	EPA-200.8
7/30/2013 8:50	Fe		199.5	ug/L	EPA-200.8
8/6/2013 9:20	Fe		116	ug/L	EPA-200.8
8/13/2013 8:21	Fe		139.2	ug/L	EPA-200.8
8/20/2013 9:04	Fe		167.5	ug/L	EPA-200.8
7/23/2013 9:46	Field Cond		881	umhos/cm	SM 2510A
7/30/2013 8:50	Field Cond		829	umhos/cm	SM 2510A
8/6/2013 9:20	Field Cond		598	umhos/cm	SM 2510A
8/13/2013 8:21	Field Cond		584	umhos/cm	SM 2510A
8/20/2013 9:04	Field Cond		796	umhos/cm	SM 2510A
7/23/2013 9:46	Field DO		9.94	mg/L	SM 4500-0 G
7/30/2013 8:50	Field DO		8.98	mg/L	SM 4500-0 G
8/6/2013 9:20	Field DO		10.09	mg/L	SM 4500-0 G
8/13/2013 8:21	Field DO		8	mg/L	SM 4500-0 G
8/20/2013 9:04	Field DO		852	mg/L	SM 4500-0 G
7/23/2013 9:46	Field Temp		20.8	C	EPA 170.1
7/30/2013 8:50	Field Temp		17.1	C	EPA 170.1
8/6/2013 9:20	Field Temp		18.2	C	EPA 170.1
8/13/2013 8:21	Field Temp		20	C	EPA 170.1
8/20/2013 9:04	Field Temp		18.9	C	EPA 170.1
7/23/2013 9:46	Hg	<	0.008	ug/L	EPA 245.1
7/30/2013 8:50	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 9:20	Hg	<	0.008	ug/L	EPA 245.1
8/13/2013 8:21	Hg	<	0.008	ug/L	EPA 245.1
8/20/2013 9:04	Hg	<	0.008	ug/L	EPA 245.1

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:46	K		4991	ug/L	EPA-200.8
7/30/2013 8:50	K		4251	ug/L	EPA-200.8
8/6/2013 9:20	K		3682	ug/L	EPA-200.8
8/13/2013 8:21	K		3805	ug/L	EPA-200.8
8/20/2013 9:04	K		3806	ug/L	EPA-200.8
7/23/2013 9:46	Mg		18610	ug/L	EPA-200.8
7/30/2013 8:50	Mg		18100	ug/L	EPA-200.8
8/6/2013 9:20	Mg		13930	ug/L	EPA-200.8
8/13/2013 8:21	Mg		14920	ug/L	EPA-200.8
8/20/2013 9:04	Mg		17540	ug/L	EPA-200.8
7/23/2013 9:46	Mn		8.64	ug/L	EPA-200.8
7/30/2013 8:50	Mn		10.25	ug/L	EPA-200.8
8/6/2013 9:20	Mn		6.458	ug/L	EPA-200.8
8/13/2013 8:21	Mn		8.172	ug/L	EPA-200.8
8/20/2013 9:04	Mn		7.881	ug/L	EPA-200.8
7/23/2013 9:46	Mo		3.382	ug/L	EPA-200.8
7/30/2013 8:50	Mo		3.223	ug/L	EPA-200.8
8/6/2013 9:20	Mo		2.911	ug/L	EPA-200.8
8/13/2013 8:21	Mo		2.828	ug/L	EPA-200.8
8/20/2013 9:04	Mo		2.797	ug/L	EPA-200.8
7/23/2013 9:46	NH3		0.056	mg/L	EPA-350.1
7/30/2013 8:50	NH3	j	0.013	mg/L	EPA-350.1
8/6/2013 9:20	NH3	j	0.017	mg/L	EPA-350.1
8/13/2013 8:21	NH3		0.023	mg/L	EPA-350.1
8/20/2013 9:04	NH3		0.073	mg/L	EPA-350.1
7/23/2013 9:46	NO3-NO2		0.768	mg/L	EPA 353.2
7/30/2013 8:50	NO3-NO2		0.601	mg/L	EPA 353.2
8/6/2013 9:20	NO3-NO2		0.491	mg/L	EPA 353.2
8/13/2013 8:21	NO3-NO2		0.481	mg/L	EPA 353.2
8/20/2013 9:04	NO3-NO2		0.387	mg/L	EPA 353.2
7/23/2013 9:46	Na		99100	ug/L	EPA-200.8
7/30/2013 8:50	Na		92580	ug/L	EPA-200.8
8/6/2013 9:20	Na		70380	ug/L	EPA-200.8
8/13/2013 8:21	Na		65600	ug/L	EPA-200.8
8/20/2013 9:04	Na		73630	ug/L	EPA-200.8
7/23/2013 9:46	Ni	j	2.696	ug/L	EPA-200.8
7/30/2013 8:50	Ni		2.859	ug/L	EPA-200.8

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 9:20	Ni	j	2.019	ug/L	EPA-200.8
8/13/2013 8:21	Ni	j	1.998	ug/L	EPA-200.8
8/20/2013 9:04	Ni	j	2.041	ug/L	EPA-200.8
7/23/2013 9:46	Pb	j	0.346	ug/L	EPA-200.8
7/30/2013 8:50	Pb	j	0.247	ug/L	EPA-200.8
8/6/2013 9:20	Pb	j	0.137	ug/L	EPA-200.8
8/13/2013 8:21	Pb	j	0.176	ug/L	EPA-200.8
8/20/2013 9:04	Pb	j	0.184	ug/L	EPA-200.8
7/23/2013 9:46	SO4		92.46	mg/L	EPA 300.0
7/30/2013 8:50	SO4		92.61	mg/L	EPA 300.0
8/6/2013 9:20	SO4		65.9	mg/L	EPA 300.0
8/13/2013 8:21	SO4		76.16	mg/L	EPA 300.0
7/23/2013 9:46	Sb	j	0.38	ug/L	EPA-200.8
7/30/2013 8:50	Sb	j	0.243	ug/L	EPA-200.8
8/6/2013 9:20	Sb	j	0.324	ug/L	EPA-200.8
8/13/2013 8:21	Sb	j	0.279	ug/L	EPA-200.8
8/20/2013 9:04	Sb	j	0.446	ug/L	EPA-200.8
7/23/2013 9:46	Se	<	0.66	ug/L	EPA-200.8
7/30/2013 8:50	Se	j	0.374	ug/L	EPA-200.8
8/6/2013 9:20	Se	<	0.66	ug/L	EPA-200.8
8/13/2013 8:21	Se	<	0.66	ug/L	EPA-200.8
8/20/2013 9:04	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 9:46	Sn	<	0.178	ug/L	EPA-200.8
7/30/2013 8:50	Sn	<	0.089	ug/L	EPA-200.8
8/6/2013 9:20	Sn	<	0.178	ug/L	EPA-200.8
8/13/2013 8:21	Sn	<	0.178	ug/L	EPA-200.8
8/20/2013 9:04	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 9:46	Sr		269.4	ug/L	EPA-200.8
7/30/2013 8:50	Sr		278.491	ug/L	EPA-200.8
8/6/2013 9:20	Sr		205.459	ug/L	EPA-200.8
8/13/2013 8:21	Sr		220.604	ug/L	EPA-200.8
8/20/2013 9:04	Sr		263.802	ug/L	EPA-200.8
7/23/2013 9:46	TDS		554	mg/L	SM2540C
7/30/2013 8:50	TDS		592	mg/L	SM2540C
8/6/2013 9:20	TDS		396	mg/L	SM2540C
8/13/2013 8:21	TDS		414	mg/L	SM2540C
8/20/2013 9:04	TDS		478	mg/L	SM2540C

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:46	TKN	<	0.2	mg/L	EPA-351.1
7/30/2013 8:50	TKN	j	0.231	mg/L	EPA-351.1
8/6/2013 9:20	TKN	j	0.32	mg/L	EPA-351.1
8/13/2013 8:21	TKN	j	0.382	mg/L	EPA-351.1
8/20/2013 9:04	TKN	j	0.3	mg/L	EPA-351.1
7/23/2013 9:46	TMET		11.7	ug/L	EPA-200.8
7/30/2013 8:50	TMET	<	10	ug/L	EPA-200.8
8/6/2013 9:20	TMET	<	10	ug/L	EPA-200.8
8/13/2013 8:21	TMET	<	10	ug/L	EPA-200.8
8/20/2013 9:04	TMET	<	10	ug/L	EPA-200.8
7/23/2013 9:46	TS		598	mg/L	SM2540B
7/30/2013 8:50	TS		622	mg/L	SM2540B
8/6/2013 9:20	TS		426	mg/L	SM2540B
8/13/2013 8:21	TS		417	mg/L	SM2540B
8/20/2013 9:04	TS		544	mg/L	SM2540B
7/23/2013 9:46	TSS		1.2	mg/L	SM2540D
7/30/2013 8:50	TSS		2	mg/L	SM2540D
8/6/2013 9:20	TSS		1.9	mg/L	SM2540D
8/13/2013 8:21	TSS		4	mg/L	SM2540D
8/20/2013 9:04	TSS		1.8	mg/L	SM2540D
7/23/2013 9:46	Ti	j	0.773	ug/L	EPA-200.8
7/30/2013 8:50	Ti		1.265	ug/L	EPA-200.8
8/6/2013 9:20	Ti	j	0.764	ug/L	EPA-200.8
8/13/2013 8:21	Ti	j	0.789	ug/L	EPA-200.8
8/20/2013 9:04	Ti	j	0.986	ug/L	EPA-200.8
7/23/2013 9:46	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 8:50	TI	<	0.3	ug/L	EPA-200.8
8/6/2013 9:20	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 8:21	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 9:04	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 9:46	Total-P		0.06	mg/L	EPA 365.1
7/30/2013 8:50	Total-P		0.059	mg/L	EPA 365.1
8/6/2013 9:20	Total-P		0.059	mg/L	EPA 365.1
8/13/2013 8:21	Total-P		0.062	mg/L	EPA 365.1
8/20/2013 9:04	Total-P		0.072	mg/L	EPA 365.1
7/23/2013 9:46	Turbidity		1.94	NTU	EPA 180.1

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 8:50	Turbidity		2.82	NTU	EPA 180.1
8/6/2013 9:20	Turbidity		1.77	NTU	EPA 180.1
8/13/2013 8:21	Turbidity		2.1	NTU	EPA 180.1
8/20/2013 9:04	Turbidity		1.77	NTU	EPA 180.1
7/23/2013 9:46	V	<	1.04	ug/L	EPA-200.8
7/30/2013 8:50	V	<	0.52	ug/L	EPA-200.8
8/6/2013 9:20	V	<	1.04	ug/L	EPA-200.8
8/13/2013 8:21	V	<	1.04	ug/L	EPA-200.8
8/20/2013 9:04	V	<	1.04	ug/L	EPA-200.8
7/23/2013 9:46	Zn	j	3.971	ug/L	EPA-200.8
7/30/2013 8:50	Zn	j	2.195	ug/L	EPA-200.8
8/6/2013 9:20	Zn	<	1.58	ug/L	EPA-200.8
8/13/2013 8:21	Zn	<	1.58	ug/L	EPA-200.8
8/20/2013 9:04	Zn	j	2.087	ug/L	EPA-200.8
7/23/2013 9:46	pH		8.03	S.U.	
7/30/2013 8:50	pH		7.79	S.U.	
8/6/2013 9:20	pH		7.72	S.U.	
8/13/2013 8:21	pH		7.73	S.U.	
8/20/2013 9:04	pH		7.86	S.U.	

West Creek River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:06	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 9:12	Ag	<	0.038	ug/L	EPA-200.8
8/6/2013 10:00	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 8:40	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 9:26	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 10:06	Al		24.73	ug/L	EPA-200.8
7/30/2013 9:12	Al		22	ug/L	EPA-200.8
8/6/2013 10:00	Al		35.78	ug/L	EPA-200.8
8/13/2013 8:40	Al		30.34	ug/L	EPA-200.8
8/20/2013 9:26	Al		24.98	ug/L	EPA-200.8
7/23/2013 10:06	Alkalinity		116.5	mg/LCaCO3	EPA-310.2
7/30/2013 9:12	Alkalinity		121.4	mg/LCaCO3	EPA-310.2
8/6/2013 10:00	Alkalinity		102.4	mg/LCaCO3	EPA-310.2
8/13/2013 8:40	Alkalinity		104.7	mg/LCaCO3	EPA-310.2
8/20/2013 9:26	Alkalinity		98.9	mg/LCaCO3	EPA-310.2
7/23/2013 10:06	As	j	0.715	ug/L	EPA-200.8
7/30/2013 9:12	As	j	0.807	ug/L	EPA-200.8
8/6/2013 10:00	As	j	0.973	ug/L	EPA-200.8
8/13/2013 8:40	As	j	0.724	ug/L	EPA-200.8
8/20/2013 9:26	As	j	0.667	ug/L	EPA-200.8
7/23/2013 10:06	BOD	<	2	mg/L	SM 5210
7/30/2013 9:12	BOD	<	2	mg/L	SM 5210
8/6/2013 10:00	BOD	<	2	mg/L	SM 5210
8/13/2013 8:40	BOD	<	2	mg/L	SM 5210
8/20/2013 9:26	BOD	<	2	mg/L	SM 5210
7/23/2013 10:06	Ba		29.24	ug/L	EPA-200.8
7/30/2013 9:12	Ba		29.71	ug/L	EPA-200.8
8/6/2013 10:00	Ba		22.5	ug/L	EPA-200.8
8/13/2013 8:40	Ba		24.48	ug/L	EPA-200.8
8/20/2013 9:26	Ba		27.39	ug/L	EPA-200.8
7/23/2013 10:06	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 9:12	Be	<	0.2	ug/L	EPA-200.8
8/6/2013 10:00	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 8:40	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 9:26	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 10:06	COD		15.6	mg/L	EPA 410.4
7/30/2013 9:12	COD	j	9.8	mg/L	EPA 410.4

West Creek River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 10:00	COD	j	5.3	mg/L	EPA 410.4
8/13/2013 8:40	COD	<	3.9	mg/L	EPA 410.4
8/20/2013 9:26	COD	j	5.6	mg/L	EPA 410.4
7/23/2013 10:06	Ca		57990	ug/L	EPA-200.8
7/30/2013 9:12	Ca		55830	ug/L	EPA-200.8
8/6/2013 10:00	Ca		46610	ug/L	EPA-200.8
8/13/2013 8:40	Ca		47930	ug/L	EPA-200.8
8/20/2013 9:26	Ca		53220	ug/L	EPA-200.8
7/23/2013 10:06	CaCO3		216	mg/LCaCO3	EPA-200.8
7/30/2013 9:12	CaCO3		211	mg/LCaCO3	EPA-200.8
8/6/2013 10:00	CaCO3		177	mg/LCaCO3	EPA-200.8
8/13/2013 8:40	CaCO3		182	mg/LCaCO3	EPA-200.8
8/20/2013 9:26	CaCO3		202	mg/LCaCO3	EPA-200.8
7/23/2013 10:06	Cd	<	0.076	ug/L	EPA-200.8
7/30/2013 9:12	Cd	<	0.076	ug/L	EPA-200.8
8/6/2013 10:00	Cd	<	0.076	ug/L	EPA-200.8
8/13/2013 8:40	Cd	<	0.076	ug/L	EPA-200.8
8/20/2013 9:26	Cd	<	0.076	ug/L	EPA-200.8
7/23/2013 10:06	Chloride		179.2	mg/L	EPA 300.0
7/30/2013 9:12	Chloride		162.8	mg/L	EPA 300.0
8/6/2013 10:00	Chloride		114.7	mg/L	EPA 300.0
8/13/2013 8:40	Chloride		113.9	mg/L	EPA 300.0
8/20/2013 9:26	Chloride		152	mg/L	SM 4500-Cl C
7/23/2013 10:06	Co	j	0.194	ug/L	EPA-200.8
7/30/2013 9:12	Co	j	0.16	ug/L	EPA-200.8
8/6/2013 10:00	Co	<	0.138	ug/L	EPA-200.8
8/13/2013 8:40	Co	j	0.156	ug/L	EPA-200.8
8/20/2013 9:26	Co	j	0.169	ug/L	EPA-200.8
7/23/2013 10:06	Cr	j	0.968	ug/L	EPA-200.8
7/30/2013 9:12	Cr	j	0.51	ug/L	EPA-200.8
8/6/2013 10:00	Cr		1.892	ug/L	EPA-200.8
8/13/2013 8:40	Cr	j	0.528	ug/L	EPA-200.8
8/20/2013 9:26	Cr	j	0.635	ug/L	EPA-200.8
7/23/2013 10:06	Cu		4.002	ug/L	EPA-200.8
7/30/2013 9:12	Cu		3.316	ug/L	EPA-200.8
8/6/2013 10:00	Cu		4.366	ug/L	EPA-200.8
8/13/2013 8:40	Cu		2.733	ug/L	EPA-200.8

West Creek					
River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2013 9:26	Cu		2.427	ug/L	EPA-200.8
7/23/2013 10:06	DRPhos		0.048	mg/L	EPA 365.1
7/30/2013 9:12	DRPhos		0.048	mg/L	EPA 365.1
8/6/2013 10:00	DRPhos		0.041	mg/L	EPA 365.1
8/13/2013 8:40	DRPhos		0.045	mg/L	EPA 365.1
8/20/2013 9:26	DRPhos		0.061	mg/L	EPA 365.1
7/23/2013 10:06	E. coli		800	cfu/100mL	EPA 1603
7/30/2013 9:12	E. coli		260	cfu/100mL	EPA 1603
8/6/2013 10:00	E. coli		1100	cfu/100mL	EPA 1603
8/13/2013 8:40	E. coli		1400	cfu/100mL	EPA 1603
8/20/2013 9:26	E. coli		315	cfu/100mL	EPA 1603
7/23/2013 10:06	Fe		131.4	ug/L	EPA-200.8
7/30/2013 9:12	Fe		136.6	ug/L	EPA-200.8
8/6/2013 10:00	Fe		141.2	ug/L	EPA-200.8
8/13/2013 8:40	Fe		137.8	ug/L	EPA-200.8
8/20/2013 9:26	Fe		150.1	ug/L	EPA-200.8
7/23/2013 10:06	Field Cond		993	umhos/cm	SM 2510A
7/30/2013 9:12	Field Cond		830	umhos/cm	SM 2510A
8/6/2013 10:00	Field Cond		583	umhos/cm	SM 2510A
8/13/2013 8:40	Field Cond		643	umhos/cm	SM 2510A
8/20/2013 9:26	Field Cond		826	umhos/cm	SM 2510A
7/23/2013 10:06	Field DO		10.56	mg/L	SM 4500-0 G
7/30/2013 9:12	Field DO		9.63	mg/L	SM 4500-0 G
8/6/2013 10:00	Field DO		11.14	mg/L	SM 4500-0 G
8/13/2013 8:40	Field DO		7.84	mg/L	SM 4500-0 G
8/20/2013 9:26	Field DO		8.96	mg/L	SM 4500-0 G
7/23/2013 10:06	Field Temp		20.5	C	EPA 170.1
7/30/2013 9:12	Field Temp		16.6	C	EPA 170.1
8/6/2013 10:00	Field Temp		17.7	C	EPA 170.1
8/13/2013 8:40	Field Temp		19.9	C	EPA 170.1
8/20/2013 9:26	Field Temp		18.3	C	EPA 170.1
7/23/2013 10:06	Hg	<	0.008	ug/L	EPA 245.1
7/30/2013 9:12	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 10:00	Hg	<	0.008	ug/L	EPA 245.1
8/13/2013 8:40	Hg	<	0.008	ug/L	EPA 245.1
8/20/2013 9:26	Hg	<	0.008	ug/L	EPA 245.1

West Creek River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:06	K		4802	ug/L	EPA-200.8
7/30/2013 9:12	K		4238	ug/L	EPA-200.8
8/6/2013 10:00	K		3937	ug/L	EPA-200.8
8/13/2013 8:40	K		3949	ug/L	EPA-200.8
8/20/2013 9:26	K		3812	ug/L	EPA-200.8
7/23/2013 10:06	Mg		17400	ug/L	EPA-200.8
7/30/2013 9:12	Mg		17340	ug/L	EPA-200.8
8/6/2013 10:00	Mg		14820	ug/L	EPA-200.8
8/13/2013 8:40	Mg		15070	ug/L	EPA-200.8
8/20/2013 9:26	Mg		16760	ug/L	EPA-200.8
7/23/2013 10:06	Mn		6.857	ug/L	EPA-200.8
7/30/2013 9:12	Mn		5.369	ug/L	EPA-200.8
8/6/2013 10:00	Mn		7.696	ug/L	EPA-200.8
8/13/2013 8:40	Mn		6.406	ug/L	EPA-200.8
8/20/2013 9:26	Mn		5.802	ug/L	EPA-200.8
7/23/2013 10:06	Mo		4.343	ug/L	EPA-200.8
7/30/2013 9:12	Mo		4.179	ug/L	EPA-200.8
8/6/2013 10:00	Mo		3.8	ug/L	EPA-200.8
8/13/2013 8:40	Mo		3.955	ug/L	EPA-200.8
8/20/2013 9:26	Mo		3.941	ug/L	EPA-200.8
7/23/2013 10:06	NH3		0.095	mg/L	EPA-350.1
7/30/2013 9:12	NH3	j	0.012	mg/L	EPA-350.1
8/6/2013 10:00	NH3	j	0.018	mg/L	EPA-350.1
8/13/2013 8:40	NH3		0.026	mg/L	EPA-350.1
8/20/2013 9:26	NH3		0.032	mg/L	EPA-350.1
7/23/2013 10:06	NO3-NO2		0.742	mg/L	EPA 353.2
7/30/2013 9:12	NO3-NO2		0.596	mg/L	EPA 353.2
8/6/2013 10:00	NO3-NO2		0.433	mg/L	EPA 353.2
8/13/2013 8:40	NO3-NO2		0.463	mg/L	EPA 353.2
8/20/2013 9:26	NO3-NO2		0.435	mg/L	EPA 353.2
7/23/2013 10:06	Na		108700	ug/L	EPA-200.8
7/30/2013 9:12	Na		102200	ug/L	EPA-200.8
8/6/2013 10:00	Na		88810	ug/L	EPA-200.8
8/13/2013 8:40	Na		78210	ug/L	EPA-200.8
8/20/2013 9:26	Na		78940	ug/L	EPA-200.8
7/23/2013 10:06	Ni	j	2.906	ug/L	EPA-200.8
7/30/2013 9:12	Ni	j	2.844	ug/L	EPA-200.8

West Creek River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 10:00	Ni	j	3.021	ug/L	EPA-200.8
8/13/2013 8:40	Ni	j	2.289	ug/L	EPA-200.8
8/20/2013 9:26	Ni	j	2.302	ug/L	EPA-200.8
7/23/2013 10:06	Pb	j	0.307	ug/L	EPA-200.8
7/30/2013 9:12	Pb	j	0.09	ug/L	EPA-200.8
8/6/2013 10:00	Pb	j	0.142	ug/L	EPA-200.8
8/13/2013 8:40	Pb	j	0.126	ug/L	EPA-200.8
8/20/2013 9:26	Pb	j	0.099	ug/L	EPA-200.8
7/23/2013 10:06	SO4		90.22	mg/L	EPA 300.0
7/30/2013 9:12	SO4		89.17	mg/L	EPA 300.0
8/6/2013 10:00	SO4		66.99	mg/L	EPA 300.0
8/13/2013 8:40	SO4		81.41	mg/L	EPA 300.0
7/23/2013 10:06	Sb	j	0.426	ug/L	EPA-200.8
7/30/2013 9:12	Sb	j	0.281	ug/L	EPA-200.8
8/6/2013 10:00	Sb	j	0.097	ug/L	EPA-200.8
8/13/2013 8:40	Sb	j	0.328	ug/L	EPA-200.8
8/20/2013 9:26	Sb	j	0.344	ug/L	EPA-200.8
7/23/2013 10:06	Se	<	0.66	ug/L	EPA-200.8
7/30/2013 9:12	Se	j	0.785	ug/L	EPA-200.8
8/6/2013 10:00	Se	<	0.66	ug/L	EPA-200.8
8/13/2013 8:40	Se	<	0.66	ug/L	EPA-200.8
8/20/2013 9:26	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 10:06	Sn		7.758	ug/L	EPA-200.8
7/30/2013 9:12	Sn	<	0.178	ug/L	EPA-200.8
8/6/2013 10:00	Sn		29.02	ug/L	EPA-200.8
8/13/2013 8:40	Sn		1.011	ug/L	EPA-200.8
8/20/2013 9:26	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 10:06	Sr		264.43	ug/L	EPA-200.8
7/30/2013 9:12	Sr		275.966	ug/L	EPA-200.8
8/6/2013 10:00	Sr		215.329	ug/L	EPA-200.8
8/13/2013 8:40	Sr		234.698	ug/L	EPA-200.8
8/20/2013 9:26	Sr		267.442	ug/L	EPA-200.8
7/23/2013 10:06	TDS		566	mg/L	SM2540C
7/30/2013 9:12	TDS		572	mg/L	SM2540C
8/6/2013 10:00	TDS		348	mg/L	SM2540C
8/13/2013 8:40	TDS		452	mg/L	SM2540C
8/20/2013 9:26	TDS		482	mg/L	SM2540C

West Creek River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:06	TKN	<	0.2	mg/L	EPA-351.1
7/30/2013 9:12	TKN	j	0.288	mg/L	EPA-351.1
8/6/2013 10:00	TKN	j	0.379	mg/L	EPA-351.1
8/13/2013 8:40	TKN	j	0.381	mg/L	EPA-351.1
8/20/2013 9:26	TKN	j	0.228	mg/L	EPA-351.1
7/23/2013 10:06	TMET		11.2	ug/L	EPA-200.8
7/30/2013 9:12	TMET	<	10	ug/L	EPA-200.8
8/6/2013 10:00	TMET		11.9	ug/L	EPA-200.8
8/13/2013 8:40	TMET	<	10	ug/L	EPA-200.8
8/20/2013 9:26	TMET	<	10	ug/L	EPA-200.8
7/23/2013 10:06	TS		594	mg/L	SM2540B
7/30/2013 9:12	TS		618	mg/L	SM2540B
8/6/2013 10:00	TS		440	mg/L	SM2540B
8/13/2013 8:40	TS		462	mg/L	SM2540B
8/20/2013 9:26	TS		546	mg/L	SM2540B
7/23/2013 10:06	TSS		1.2	mg/L	SM2540D
7/30/2013 9:12	TSS	j	0.9	mg/L	SM2540D
8/6/2013 10:00	TSS		1.6	mg/L	SM2540D
8/13/2013 8:40	TSS		1.8	mg/L	SM2540D
8/20/2013 9:26	TSS		1.2	mg/L	SM2540D
7/23/2013 10:06	Ti	j	0.708	ug/L	EPA-200.8
7/30/2013 9:12	Ti	j	1.216	ug/L	EPA-200.8
8/6/2013 10:00	Ti	j	0.604	ug/L	EPA-200.8
8/13/2013 8:40	Ti	j	0.736	ug/L	EPA-200.8
8/20/2013 9:26	Ti	j	0.801	ug/L	EPA-200.8
7/23/2013 10:06	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 9:12	TI	<	0.6	ug/L	EPA-200.8
8/6/2013 10:00	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 8:40	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 9:26	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 10:06	Total-P		0.054	mg/L	EPA 365.1
7/30/2013 9:12	Total-P		0.052	mg/L	EPA 365.1
8/6/2013 10:00	Total-P		0.047	mg/L	EPA 365.1
8/13/2013 8:40	Total-P		0.056	mg/L	EPA 365.1
8/20/2013 9:26	Total-P		0.072	mg/L	EPA 365.1
7/23/2013 10:06	Turbidity		1.47	NTU	EPA 180.1

West Creek					
River mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 9:12	Turbidity		1.1	NTU	EPA 180.1
8/6/2013 10:00	Turbidity		1.55	NTU	EPA 180.1
8/13/2013 8:40	Turbidity		1.55	NTU	EPA 180.1
8/20/2013 9:26	Turbidity		1.1	NTU	EPA 180.1
7/23/2013 10:06	V	<	1.04	ug/L	EPA-200.8
7/30/2013 9:12	V	<	1.04	ug/L	EPA-200.8
8/6/2013 10:00	V	<	1.04	ug/L	EPA-200.8
8/13/2013 8:40	V	<	1.04	ug/L	EPA-200.8
8/20/2013 9:26	V	<	1.04	ug/L	EPA-200.8
7/23/2013 10:06	Zn	j	3.346	ug/L	EPA-200.8
7/30/2013 9:12	Zn	j	1.649	ug/L	EPA-200.8
8/6/2013 10:00	Zn	j	2.623	ug/L	EPA-200.8
8/13/2013 8:40	Zn	<	1.58	ug/L	EPA-200.8
8/20/2013 9:26	Zn	j	1.676	ug/L	EPA-200.8
7/23/2013 10:06	pH		8.16	S.U.	
7/30/2013 9:12	pH		8.06	S.U.	
8/6/2013 10:00	pH		8.05	S.U.	
8/13/2013 8:40	pH		7.87	S.U.	
8/20/2013 9:26	pH		7.99	S.U.	

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:17	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 9:30	Ag	<	0.038	ug/L	EPA-200.8
8/6/2013 10:31	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 8:50	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 9:46	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 10:17	Al		22.87	ug/L	EPA-200.8
7/30/2013 9:30	Al		23.91	ug/L	EPA-200.8
8/6/2013 10:31	Al		41.15	ug/L	EPA-200.8
8/13/2013 8:50	Al		21.96	ug/L	EPA-200.8
8/20/2013 9:46	Al		39.34	ug/L	EPA-200.8
7/23/2013 10:17	Alkalinity		119.8	mg/LCaCO3	EPA-310.2
7/30/2013 9:30	Alkalinity		123.5	mg/LCaCO3	EPA-310.2
8/6/2013 10:31	Alkalinity		107.1	mg/LCaCO3	EPA-310.2
8/13/2013 8:50	Alkalinity		114.6	mg/LCaCO3	EPA-310.2
8/20/2013 9:46	Alkalinity		109.1	mg/LCaCO3	EPA-310.2
7/23/2013 10:17	As	j	1.015	ug/L	EPA-200.8
7/30/2013 9:30	As	j	1.0595	ug/L	EPA-200.8
8/6/2013 10:31	As	j	1.224	ug/L	EPA-200.8
8/13/2013 8:50	As	j	0.858	ug/L	EPA-200.8
8/20/2013 9:46	As	j	0.995	ug/L	EPA-200.8
7/23/2013 10:17	BOD	<	2	mg/L	SM 5210
7/30/2013 9:30	BOD	<	2	mg/L	SM 5210
8/6/2013 10:31	BOD	<	2	mg/L	SM 5210
8/13/2013 8:50	BOD	<	2	mg/L	SM 5210
8/20/2013 9:46	BOD	<	2	mg/L	SM 5210
7/23/2013 10:17	Ba		30.54	ug/L	EPA-200.8
7/30/2013 9:30	Ba		30.91	ug/L	EPA-200.8
8/6/2013 10:31	Ba		24	ug/L	EPA-200.8
8/13/2013 8:50	Ba		27.52	ug/L	EPA-200.8
8/20/2013 9:46	Ba		27.77	ug/L	EPA-200.8
7/23/2013 10:17	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 9:30	Be	<	0.2	ug/L	EPA-200.8
8/6/2013 10:31	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 8:50	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 9:46	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 10:17	COD		13.5	mg/L	EPA 410.4
7/30/2013 9:30	COD		13.4	mg/L	EPA 410.4

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 10:31	COD	j	9	mg/L	EPA 410.4
8/13/2013 8:50	COD		13.5	mg/L	EPA 410.4
8/20/2013 9:46	COD	j	8.8	mg/L	EPA 410.4
7/23/2013 10:17	Ca		59070	ug/L	EPA-200.8
7/30/2013 9:30	Ca		60625	ug/L	EPA-200.8
8/6/2013 10:31	Ca		52690	ug/L	EPA-200.8
8/13/2013 8:50	Ca		54890	ug/L	EPA-200.8
8/20/2013 9:46	Ca		56340	ug/L	EPA-200.8
7/23/2013 10:17	CaCO3		218	mg/LCaCO3	EPA-200.8
7/30/2013 9:30	CaCO3		226	mg/LCaCO3	EPA-200.8
8/6/2013 10:31	CaCO3		196	mg/LCaCO3	EPA-200.8
8/13/2013 8:50	CaCO3		203	mg/LCaCO3	EPA-200.8
8/20/2013 9:46	CaCO3		210	mg/LCaCO3	EPA-200.8
7/23/2013 10:17	Cd	<	0.076	ug/L	EPA-200.8
7/30/2013 9:30	Cd	<	0.076	ug/L	EPA-200.8
8/6/2013 10:31	Cd	<	0.076	ug/L	EPA-200.8
8/13/2013 8:50	Cd	<	0.076	ug/L	EPA-200.8
8/20/2013 9:46	Cd	<	0.076	ug/L	EPA-200.8
7/23/2013 10:17	Chloride		222.1	mg/L	EPA 300.0
7/30/2013 9:30	Chloride		209.2	mg/L	EPA 300.0
8/6/2013 10:31	Chloride		156.7	mg/L	EPA 300.0
8/13/2013 8:50	Chloride		154.8	mg/L	EPA 300.0
8/20/2013 9:46	Chloride		130	mg/L	SM 4500-Cl C
7/23/2013 10:17	Co	j	0.165	ug/L	EPA-200.8
7/30/2013 9:30	Co	j	0.1535	ug/L	EPA-200.8
8/6/2013 10:31	Co	<	0.138	ug/L	EPA-200.8
8/13/2013 8:50	Co	j	0.148	ug/L	EPA-200.8
8/20/2013 9:46	Co	j	0.192	ug/L	EPA-200.8
7/23/2013 10:17	Cr	j	0.746	ug/L	EPA-200.8
7/30/2013 9:30	Cr	j	0.5375	ug/L	EPA-200.8
8/6/2013 10:31	Cr	j	0.65	ug/L	EPA-200.8
8/13/2013 8:50	Cr	j	0.546	ug/L	EPA-200.8
8/20/2013 9:46	Cr	j	0.662	ug/L	EPA-200.8
7/23/2013 10:17	Cu		3.665	ug/L	EPA-200.8
7/30/2013 9:30	Cu		3.2655	ug/L	EPA-200.8
8/6/2013 10:31	Cu		3.063	ug/L	EPA-200.8
8/13/2013 8:50	Cu		2.925	ug/L	EPA-200.8

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2013 9:46	Cu		2.472	ug/L	EPA-200.8
7/23/2013 10:17	DRPhos		0.046	mg/L	EPA 365.1
7/30/2013 9:30	DRPhos		0.0385	mg/L	EPA 365.1
8/6/2013 10:31	DRPhos		0.039	mg/L	EPA 365.1
8/13/2013 8:50	DRPhos		0.037	mg/L	EPA 365.1
8/20/2013 9:46	DRPhos		0.057	mg/L	EPA 365.1
7/23/2013 10:17	E. coli		420	cfu/100mL	EPA 1603
7/30/2013 9:30	E. coli		127.5	cfu/100mL	EPA 1603
8/6/2013 10:31	E. coli		530	cfu/100mL	EPA 1603
8/13/2013 8:50	E. coli		460	cfu/100mL	EPA 1603
8/20/2013 9:46	E. coli		180	cfu/100mL	EPA 1603
7/23/2013 10:17	Fe		131.6	ug/L	EPA-200.8
7/30/2013 9:30	Fe		143.75	ug/L	EPA-200.8
8/6/2013 10:31	Fe		135.2	ug/L	EPA-200.8
8/13/2013 8:50	Fe		124.2	ug/L	EPA-200.8
8/20/2013 9:46	Fe		185.2	ug/L	EPA-200.8
7/23/2013 10:17	Field Cond		1071	umhos/cm	SM 2510A
7/30/2013 9:30	Field Cond		988	umhos/cm	SM 2510A
8/6/2013 10:31	Field Cond		767	umhos/cm	SM 2510A
8/13/2013 8:50	Field Cond		769	umhos/cm	SM 2510A
8/20/2013 9:46	Field Cond		954	umhos/cm	SM 2510A
7/23/2013 10:17	Field DO		12.61	mg/L	SM 4500-0 G
7/30/2013 9:30	Field DO		12.31	mg/L	SM 4500-0 G
8/6/2013 10:31	Field DO		12.78	mg/L	SM 4500-0 G
8/13/2013 8:50	Field DO		8.89	mg/L	SM 4500-0 G
8/20/2013 9:46	Field DO		12.1	mg/L	SM 4500-0 G
7/23/2013 10:17	Field Temp		22.6	C	EPA 170.1
7/30/2013 9:30	Field Temp		17.7	C	EPA 170.1
8/6/2013 10:31	Field Temp		18.6	C	EPA 170.1
8/13/2013 8:50	Field Temp		19.8	C	EPA 170.1
8/20/2013 9:46	Field Temp		19.4	C	EPA 170.1
7/23/2013 10:17	Hg	<	0.008	ug/L	EPA 245.1
7/30/2013 9:30	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 10:31	Hg	<	0.008	ug/L	EPA 245.1
8/13/2013 8:50	Hg	<	0.008	ug/L	EPA 245.1
8/20/2013 9:46	Hg	<	0.008	ug/L	EPA 245.1

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:17	K		4774	ug/L	EPA-200.8
7/30/2013 9:30	K		4520	ug/L	EPA-200.8
8/6/2013 10:31	K		4290	ug/L	EPA-200.8
8/13/2013 8:50	K		4273	ug/L	EPA-200.8
8/20/2013 9:46	K		3947	ug/L	EPA-200.8
7/23/2013 10:17	Mg		17050	ug/L	EPA-200.8
7/30/2013 9:30	Mg		18045	ug/L	EPA-200.8
8/6/2013 10:31	Mg		15550	ug/L	EPA-200.8
8/13/2013 8:50	Mg		16040	ug/L	EPA-200.8
8/20/2013 9:46	Mg		16710	ug/L	EPA-200.8
7/23/2013 10:17	Mn		7.435	ug/L	EPA-200.8
7/30/2013 9:30	Mn		6.2505	ug/L	EPA-200.8
8/6/2013 10:31	Mn		7.947	ug/L	EPA-200.8
8/13/2013 8:50	Mn		7.104	ug/L	EPA-200.8
8/20/2013 9:46	Mn		8.786	ug/L	EPA-200.8
7/23/2013 10:17	Mo		5.547	ug/L	EPA-200.8
7/30/2013 9:30	Mo		5.283	ug/L	EPA-200.8
8/6/2013 10:31	Mo		4.908	ug/L	EPA-200.8
8/13/2013 8:50	Mo		5.006	ug/L	EPA-200.8
8/20/2013 9:46	Mo		4.688	ug/L	EPA-200.8
7/23/2013 10:17	NH3		0.196	mg/L	EPA-350.1
7/30/2013 9:30	NH3	j	0.033	mg/L	EPA-350.1
8/6/2013 10:31	NH3		0.024	mg/L	EPA-350.1
8/13/2013 8:50	NH3		0.022	mg/L	EPA-350.1
8/20/2013 9:46	NH3		0.032	mg/L	EPA-350.1
7/23/2013 10:17	NO3-NO2		0.6	mg/L	EPA 353.2
7/30/2013 9:30	NO3-NO2		0.384	mg/L	EPA 353.2
8/6/2013 10:31	NO3-NO2		0.294	mg/L	EPA 353.2
8/13/2013 8:50	NO3-NO2		0.331	mg/L	EPA 353.2
8/20/2013 9:46	NO3-NO2		0.256	mg/L	EPA 353.2
7/23/2013 10:17	Na		125500	ug/L	EPA-200.8
7/30/2013 9:30	Na		129000	ug/L	EPA-200.8
8/6/2013 10:31	Na		116800	ug/L	EPA-200.8
8/13/2013 8:50	Na		104500	ug/L	EPA-200.8
8/20/2013 9:46	Na		99550	ug/L	EPA-200.8
7/23/2013 10:17	Ni	j	2.658	ug/L	EPA-200.8
7/30/2013 9:30	Ni	j	2.888	ug/L	EPA-200.8

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2013 10:31	Ni	j	2.014	ug/L	EPA-200.8
8/13/2013 8:50	Ni	j	2.27	ug/L	EPA-200.8
8/20/2013 9:46	Ni	j	2.173	ug/L	EPA-200.8
7/23/2013 10:17	Pb	j	0.271	ug/L	EPA-200.8
7/30/2013 9:30	Pb	j	0.083	ug/L	EPA-200.8
8/6/2013 10:31	Pb	j	0.103	ug/L	EPA-200.8
8/13/2013 8:50	Pb	j	0.147	ug/L	EPA-200.8
8/20/2013 9:46	Pb	j	0.162	ug/L	EPA-200.8
7/23/2013 10:17	SO4		97.35	mg/L	EPA 300.0
7/30/2013 9:30	SO4		95.81	mg/L	EPA 300.0
8/6/2013 10:31	SO4		76.12	mg/L	EPA 300.0
8/13/2013 8:50	SO4		90.14	mg/L	EPA 300.0
7/23/2013 10:17	Sb	j	0.466	ug/L	EPA-200.8
7/30/2013 9:30	Sb	j	0.299	ug/L	EPA-200.8
8/6/2013 10:31	Sb	j	0.098	ug/L	EPA-200.8
8/13/2013 8:50	Sb	j	0.358	ug/L	EPA-200.8
8/20/2013 9:46	Sb	j	0.345	ug/L	EPA-200.8
7/23/2013 10:17	Se	<	0.66	ug/L	EPA-200.8
7/30/2013 9:30	Se	<	0.7275	ug/L	EPA-200.8
8/6/2013 10:31	Se	<	0.66	ug/L	EPA-200.8
8/13/2013 8:50	Se	<	0.66	ug/L	EPA-200.8
8/20/2013 9:46	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 10:17	Sn	<	0.178	ug/L	EPA-200.8
7/30/2013 9:30	Sn	<	0.178	ug/L	EPA-200.8
8/6/2013 10:31	Sn	j	0.332	ug/L	EPA-200.8
8/13/2013 8:50	Sn	<	0.178	ug/L	EPA-200.8
8/20/2013 9:46	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 10:17	Sr		295.144	ug/L	EPA-200.8
7/30/2013 9:30	Sr		317.2135	ug/L	EPA-200.8
8/6/2013 10:31	Sr		258.386	ug/L	EPA-200.8
8/13/2013 8:50	Sr		280.375	ug/L	EPA-200.8
8/20/2013 9:46	Sr		290.741	ug/L	EPA-200.8
7/23/2013 10:17	TDS		648	mg/L	SM2540C
7/30/2013 9:30	TDS		663	mg/L	SM2540C
8/6/2013 10:31	TDS		458	mg/L	SM2540C
8/13/2013 8:50	TDS		546	mg/L	SM2540C
8/20/2013 9:46	TDS		560	mg/L	SM2540C

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:17	TKN	j	0.254	mg/L	EPA-351.1
7/30/2013 9:30	TKN	j	0.2745	mg/L	EPA-351.1
8/6/2013 10:31	TKN	j	0.461	mg/L	EPA-351.1
8/13/2013 8:50	TKN	j	0.476	mg/L	EPA-351.1
8/20/2013 9:46	TKN	j	0.262	mg/L	EPA-351.1
7/23/2013 10:17	TMET		10.8	ug/L	EPA-200.8
7/30/2013 9:30	TMET	<	10	ug/L	EPA-200.8
8/6/2013 10:31	TMET	<	10	ug/L	EPA-200.8
8/13/2013 8:50	TMET	<	10	ug/L	EPA-200.8
8/20/2013 9:46	TMET	<	10	ug/L	EPA-200.8
7/23/2013 10:17	TS		688	mg/L	SM2540B
7/30/2013 9:30	TS		672	mg/L	SM2540B
8/6/2013 10:31	TS		516	mg/L	SM2540B
8/13/2013 8:50	TS		541	mg/L	SM2540B
8/20/2013 9:46	TS		612	mg/L	SM2540B
7/23/2013 10:17	TSS		1.7	mg/L	SM2540D
7/30/2013 9:30	TSS		1.2	mg/L	SM2540D
8/6/2013 10:31	TSS		1.8	mg/L	SM2540D
8/13/2013 8:50	TSS		1.2	mg/L	SM2540D
8/20/2013 9:46	TSS		8	mg/L	SM2540D
7/23/2013 10:17	Ti	j	0.755	ug/L	EPA-200.8
7/30/2013 9:30	Ti	j	0.6175	ug/L	EPA-200.8
8/6/2013 10:31	Ti	j	0.583	ug/L	EPA-200.8
8/13/2013 8:50	Ti	j	0.592	ug/L	EPA-200.8
8/20/2013 9:46	Ti	j	0.886	ug/L	EPA-200.8
7/23/2013 10:17	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 9:30	TI	<	0.6	ug/L	EPA-200.8
8/6/2013 10:31	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 8:50	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 9:46	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 10:17	Total-P		0.053	mg/L	EPA 365.1
7/30/2013 9:30	Total-P		0.047	mg/L	EPA 365.1
8/6/2013 10:31	Total-P		0.048	mg/L	EPA 365.1
8/13/2013 8:50	Total-P		0.049	mg/L	EPA 365.1
8/20/2013 9:46	Total-P		0.068	mg/L	EPA 365.1
7/23/2013 10:17	Turbidity		1.44	NTU	EPA 180.1

West Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 9:30	Turbidity		1.2	NTU	EPA 180.1
8/6/2013 10:31	Turbidity		1.45	NTU	EPA 180.1
8/13/2013 8:50	Turbidity		1.13	NTU	EPA 180.1
8/20/2013 9:46	Turbidity		1.9	NTU	EPA 180.1
7/23/2013 10:17	V	<	1.04	ug/L	EPA-200.8
7/30/2013 9:30	V	<	1.04	ug/L	EPA-200.8
8/6/2013 10:31	V	<	1.04	ug/L	EPA-200.8
8/13/2013 8:50	V	<	1.04	ug/L	EPA-200.8
8/20/2013 9:46	V	<	1.04	ug/L	EPA-200.8
7/23/2013 10:17	Zn	j	3.782	ug/L	EPA-200.8
7/30/2013 9:30	Zn	j	1.713	ug/L	EPA-200.8
8/6/2013 10:31	Zn	j	2.418	ug/L	EPA-200.8
8/13/2013 8:50	Zn	<	1.58	ug/L	EPA-200.8
8/20/2013 9:46	Zn	j	2.708	ug/L	EPA-200.8
7/23/2013 10:17	pH		8.61	S.U.	
7/30/2013 9:30	pH		8.56	S.U.	
8/6/2013 10:31	pH		8.55	S.U.	
8/13/2013 8:50	pH		8.12	S.U.	
8/20/2013 9:46	pH		8.48	S.U.	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)
 < = Result is less than the method detection limit (MDL)