

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 10:25	*CaCO3		197	mg/LCaCO3	EPA-200.8
6/21/2016 9:50	*CaCO3		214	mg/LCaCO3	EPA-200.8
6/28/2016 9:55	*CaCO3		224	mg/LCaCO3	EPA-200.8
7/5/2016 10:25	*CaCO3		198	mg/LCaCO3	EPA-200.8
7/12/2016 10:12	*CaCO3		193	mg/LCaCO3	EPA-200.8
6/15/2016 10:25	Ag	<	0.228	ug/L	EPA-200.8
6/21/2016 9:50	Ag	<	0.228	ug/L	EPA-200.8
6/28/2016 9:55	Ag	<	0.228	ug/L	EPA-200.8
7/5/2016 10:25	Ag	<	0.228	ug/L	EPA-200.8
7/12/2016 10:12	Ag	<	0.228	ug/L	EPA-200.8
6/15/2016 10:25	Al		25.16	ug/L	EPA-200.8
6/21/2016 9:50	Al		110.4	ug/L	EPA-200.8
6/28/2016 9:55	Al		32.99	ug/L	EPA-200.8
7/5/2016 10:25	Al		42.78	ug/L	EPA-200.8
7/12/2016 10:12	Al		27.11	ug/L	EPA-200.8
6/15/2016 10:25	Alkalinity		107.7	mg/LCaCO3	EPA-310.2
6/21/2016 9:50	Alkalinity		102.7	mg/LCaCO3	EPA-310.2
6/28/2016 9:55	Alkalinity		108.8	mg/LCaCO3	EPA-310.2
7/5/2016 10:25	Alkalinity		93.4	mg/LCaCO3	EPA-310.2
7/12/2016 10:12	Alkalinity		103.6	mg/LCaCO3	EPA-310.2
6/15/2016 10:25	As	<	2	ug/L	EPA-200.8
6/21/2016 9:50	As	<	2	ug/L	EPA-200.8
6/28/2016 9:55	As	<	2	ug/L	EPA-200.8
7/5/2016 10:25	As	<	2	ug/L	EPA-200.8
7/12/2016 10:12	As	<	2	ug/L	EPA-200.8
6/15/2016 10:25	Ba		26.3	ug/L	EPA-200.8
6/21/2016 9:50	Ba		36.1	ug/L	EPA-200.8
6/28/2016 9:55	Ba		31.15	ug/L	EPA-200.8
7/5/2016 10:25	Ba		28.33	ug/L	EPA-200.8
7/12/2016 10:12	Ba		27.97	ug/L	EPA-200.8
6/15/2016 10:25	Be	<	0.218	ug/L	EPA-200.8
6/21/2016 9:50	Be	<	0.218	ug/L	EPA-200.8
6/28/2016 9:55	Be	<	0.218	ug/L	EPA-200.8
7/5/2016 10:25	Be	<	0.218	ug/L	EPA-200.8
7/12/2016 10:12	Be	<	0.218	ug/L	EPA-200.8
6/15/2016 10:25	BOD	<	2	mg/L	SM 5210
6/21/2016 9:50	BOD	<	2	mg/L	SM 5210
7/5/2016 10:25	BOD	<	2	mg/L	SM 5210

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 10:25	Ca		55680	ug/L	EPA-200.8
6/21/2016 9:50	Ca		60430	ug/L	EPA-200.8
6/28/2016 9:55	Ca		61200	ug/L	EPA-200.8
7/5/2016 10:25	Ca		54890	ug/L	EPA-200.8
7/12/2016 10:12	Ca		56380	ug/L	EPA-200.8
6/15/2016 10:25	Cd	<	0.11	ug/L	EPA-200.8
6/21/2016 9:50	Cd	<	0.11	ug/L	EPA-200.8
6/28/2016 9:55	Cd	<	0.11	ug/L	EPA-200.8
7/5/2016 10:25	Cd	<	0.11	ug/L	EPA-200.8
7/12/2016 10:12	Cd	<	0.11	ug/L	EPA-200.8
6/15/2016 10:25	Chloride		197.1	mg/L	EPA 300.0
6/21/2016 9:50	Chloride		283.5	mg/L	EPA 300.0
6/28/2016 9:55	Chloride		223.4	mg/L	EPA 300.0
7/5/2016 10:25	Chloride		224.1	mg/L	EPA 300.0
7/12/2016 10:12	Chloride		198.3	mg/L	EPA 300.0
6/15/2016 10:25	Co	j	0.28	ug/L	EPA-200.8
6/21/2016 9:50	Co	j	0.372	ug/L	EPA-200.8
6/28/2016 9:55	Co	j	0.262	ug/L	EPA-200.8
7/5/2016 10:25	Co	j	0.257	ug/L	EPA-200.8
7/12/2016 10:12	Co	j	0.238	ug/L	EPA-200.8
6/15/2016 10:25	COD		44.4	mg/L	EPA 410.4
6/21/2016 9:50	COD		18.7	mg/L	EPA 410.4
6/28/2016 9:55	COD	j	2.8	mg/L	EPA 410.4
7/5/2016 10:25	COD		17.4	mg/L	EPA 410.4
7/12/2016 10:12	COD	<	2.1	mg/L	EPA 410.4
6/15/2016 10:25	Conduct	HT	1025	uS/cm	SM 2510B
6/21/2016 9:50	Conduct		1303	uS/cm	SM 2510B
6/28/2016 9:55	Conduct		1093	uS/cm	SM 2510B
7/5/2016 10:25	Conduct		1075	uS/cm	SM 2510B
7/12/2016 10:12	Conduct		1025	uS/cm	SM 2510B
6/15/2016 10:25	Cr	j	0.52	ug/L	EPA-200.8
6/21/2016 9:50	Cr		1.01	ug/L	EPA-200.8
6/28/2016 9:55	Cr	j	0.879	ug/L	EPA-200.8
7/5/2016 10:25	Cr		1.176	ug/L	EPA-200.8
7/12/2016 10:12	Cr	<	0.168	ug/L	EPA-200.8
6/15/2016 10:25	Cu		2.758	ug/L	EPA-200.8
6/21/2016 9:50	Cu		3.723	ug/L	EPA-200.8
6/28/2016 9:55	Cu		2.541	ug/L	EPA-200.8
7/5/2016 10:25	Cu		3.088	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 10:12	Cu		2.407	ug/L	EPA-200.8
6/15/2016 10:25	DRPhos		0.011	mg/L	EPA 365.1
6/21/2016 9:50	DRPhos		0.023	mg/L	EPA 365.1
6/28/2016 9:55	DRPhos		0.012	mg/L	EPA 365.1
7/5/2016 10:25	DRPhos		0.02	mg/L	EPA 365.1
7/12/2016 10:12	DRPhos		0.012	mg/L	EPA 365.1
6/15/2016 10:25	E. coli		275	MPN/100 mL	SM 9223 Colilert
6/21/2016 9:50	E. coli		9300	MPN/100 mL	SM 9223 Colilert
6/28/2016 9:55	E. coli		317	MPN/100 mL	SM 9223 Colilert
7/5/2016 10:25	E. coli		2889	MPN/100 mL	SM 9223 Colilert
7/12/2016 10:12	E. coli		176	MPN/100 mL	SM 9223 Colilert
6/15/2016 10:25	Fe		166	ug/L	EPA-200.8
6/21/2016 9:50	Fe		276.6	ug/L	EPA-200.8
6/28/2016 9:55	Fe		179	ug/L	EPA-200.8
7/5/2016 10:25	Fe		209.5	ug/L	EPA-200.8
7/12/2016 10:12	Fe		225	ug/L	EPA-200.8
6/15/2016 10:25	Field Cond		885	umhos/cm	SM 2510A
6/21/2016 9:50	Field Cond		1187	umhos/cm	SM 2510A
6/28/2016 9:55	Field Cond		1035	umhos/cm	SM 2510A
7/5/2016 10:25	Field Cond		963.8	umhos/cm	SM 2510A
7/12/2016 10:12	Field Cond		952	umhos/cm	SM 2510A
6/15/2016 10:25	Field Spec Cond		1003	umhos/cm	SM 2510B
6/21/2016 9:50	Field Spec Cond		1287	umhos/cm	SM 2510B
6/28/2016 9:55	Field Spec Cond		1091	umhos/cm	SM 2510B
7/5/2016 10:25	Field Spec Cond		1058	umhos/cm	SM 2510B
7/12/2016 10:12	Field Spec Cond		994	umhos/cm	SM 2510B
6/15/2016 10:25	Field DO		9.59	mg/L	SM 4500-0 G
6/21/2016 9:50	Field DO		7.71	mg/L	SM 4500-0 G
6/28/2016 9:55	Field DO		7.82	mg/L	SM 4500-0 G
7/5/2016 10:25	Field DO		8.35	mg/L	SM 4500-0 G
7/12/2016 10:12	Field DO		8.1	mg/L	SM 4500-0 G
6/15/2016 10:25	Field DO		101.8	%	
6/21/2016 9:50	Field DO		86.7	%	
6/28/2016 9:55	Field DO		90.1	%	
7/5/2016 10:25	Field DO		92.7	%	
7/12/2016 10:12	Field DO		94.2	%	
6/15/2016 10:25	Field Temp		18.9	C	EPA 170.1
6/21/2016 9:50	Field Temp		20.9	C	EPA 170.1

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 9:55	Field Temp		22.3	C	EPA 170.1
7/5/2016 10:25	Field Temp		20.3	C	EPA 170.1
7/12/2016 10:12	Field Temp		22.8	C	EPA 170.1
6/15/2016 10:25	Hg	<	0.005	ug/L	EPA 245.1
6/21/2016 9:50	Hg	<	0.005	ug/L	EPA 245.1
6/28/2016 9:55	Hg	<	0.005	ug/L	EPA 245.1
7/5/2016 10:25	Hg	<	0.005	ug/L	EPA 245.1
7/12/2016 10:12	Hg	<	0.005	ug/L	EPA 245.1
6/15/2016 10:25	K		3474	ug/L	EPA-200.8
6/21/2016 9:50	K		4206	ug/L	EPA-200.8
6/28/2016 9:55	K		4069	ug/L	EPA-200.8
7/5/2016 10:25	K		3582	ug/L	EPA-200.8
7/12/2016 10:12	K		3608	ug/L	EPA-200.8
6/15/2016 10:25	Mg		14100	ug/L	EPA-200.8
6/21/2016 9:50	Mg		15230	ug/L	EPA-200.8
6/28/2016 9:55	Mg		17270	ug/L	EPA-200.8
7/5/2016 10:25	Mg		14750	ug/L	EPA-200.8
7/12/2016 10:12	Mg		12590	ug/L	EPA-200.8
6/15/2016 10:25	Mn		21.1	ug/L	EPA-200.8
6/21/2016 9:50	Mn		25.6	ug/L	EPA-200.8
6/28/2016 9:55	Mn		20.12	ug/L	EPA-200.8
7/5/2016 10:25	Mn		20.22	ug/L	EPA-200.8
7/12/2016 10:12	Mn		15.82	ug/L	EPA-200.8
6/15/2016 10:25	Mo		3.322	ug/L	EPA-200.8
6/21/2016 9:50	Mo		4.02	ug/L	EPA-200.8
6/28/2016 9:55	Mo		9.146	ug/L	EPA-200.8
7/5/2016 10:25	Mo		4.513	ug/L	EPA-200.8
7/12/2016 10:12	Mo		5.462	ug/L	EPA-200.8
6/15/2016 10:25	Na		113000	ug/L	EPA-200.8
6/21/2016 9:50	Na		171300	ug/L	EPA-200.8
6/28/2016 9:55	Na		142500	ug/L	EPA-200.8
7/5/2016 10:25	Na		139500	ug/L	EPA-200.8
7/12/2016 10:12	Na		125700	ug/L	EPA-200.8
6/15/2016 10:25	NH3	<	0.009	mg/L	EPA-350.1
6/21/2016 9:50	NH3	j	0.011	mg/L	EPA-350.1
6/28/2016 9:55	NH3	j	0.009	mg/L	EPA-350.1
7/5/2016 10:25	NH3	<	0.009	mg/L	EPA-350.1
7/12/2016 10:12	NH3	<	0.009	mg/L	EPA-350.1

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 10:25	Ni	j	2.122	ug/L	EPA-200.8
6/21/2016 9:50	Ni	j	2.647	ug/L	EPA-200.8
6/28/2016 9:55	Ni	j	2.632	ug/L	EPA-200.8
7/5/2016 10:25	Ni	j	2.349	ug/L	EPA-200.8
7/12/2016 10:12	Ni	j	2.477	ug/L	EPA-200.8
6/15/2016 10:25	NO2	<	0.008	mg/L	SM 4500-NO2-B
6/21/2016 9:50	NO2	j	0.009	mg/L	SM 4500-NO2-B
6/28/2016 9:55	NO2	<	0.008	mg/L	SM 4500-NO2-B
7/5/2016 10:25	NO2	<	0.008	mg/L	SM 4500-NO2-B
7/12/2016 10:12	NO2	<	0.008	mg/L	SM 4500-NO2-B
6/15/2016 10:25	NO3		0.304	mg/L	EPA 353.2
6/21/2016 9:50	NO3		0.904	mg/L	EPA 353.2
6/28/2016 9:55	NO3		0.204	mg/L	EPA 353.2
7/5/2016 10:25	NO3		0.406	mg/L	EPA 353.2
7/12/2016 10:12	NO3		0.073	mg/L	EPA 353.2
6/15/2016 10:25	NO3+NO2		0.304	mg/L	EPA 353.2
6/21/2016 9:50	NO3+NO2		0.912	mg/L	EPA 353.2
6/28/2016 9:55	NO3+NO2		0.204	mg/L	EPA 353.2
7/5/2016 10:25	NO3+NO2		0.406	mg/L	EPA 353.2
7/12/2016 10:12	NO3+NO2		0.073	mg/L	EPA 353.2
6/15/2016 10:25	Pb	j	0.406	ug/L	EPA-200.8
6/21/2016 9:50	Pb		2.068	ug/L	EPA-200.8
6/28/2016 9:55	Pb	j	0.292	ug/L	EPA-200.8
7/5/2016 10:25	Pb	j	0.832	ug/L	EPA-200.8
7/12/2016 10:12	Pb	j	0.207	ug/L	EPA-200.8
6/15/2016 10:25	pH		8.07	S.U.	
6/21/2016 9:50	pH		7.83	S.U.	
6/28/2016 9:55	pH		7.87	S.U.	
7/5/2016 10:25	pH		7.98	S.U.	
7/12/2016 10:12	pH		7.96	S.U.	
6/15/2016 10:25	Sb	j	0.4	ug/L	EPA-200.8
6/21/2016 9:50	Sb	j	0.547	ug/L	EPA-200.8
6/28/2016 9:55	Sb	j	0.471	ug/L	EPA-200.8
7/5/2016 10:25	Sb	j	0.644	ug/L	EPA-200.8
7/12/2016 10:12	Sb	j	0.423	ug/L	EPA-200.8
6/15/2016 10:25	Se	<	1.034	ug/L	EPA-200.8
6/21/2016 9:50	Se	<	1.034	ug/L	EPA-200.8
6/28/2016 9:55	Se	<	1.034	ug/L	EPA-200.8
7/5/2016 10:25	Se	<	1.034	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 10:12	Se	<	1.034	ug/L	EPA-200.8
6/15/2016 10:25	Sn	<	0.336	ug/L	EPA-200.8
6/21/2016 9:50	Sn	<	0.336	ug/L	EPA-200.8
6/28/2016 9:55	Sn	<	0.336	ug/L	EPA-200.8
7/5/2016 10:25	Sn	<	0.336	ug/L	EPA-200.8
7/12/2016 10:12	Sn	<	0.336	ug/L	EPA-200.8
6/15/2016 10:25	SO4		62.93	mg/L	EPA 300.0
6/21/2016 9:50	SO4		66.2	mg/L	EPA 300.0
6/28/2016 9:55	SO4		62.04	mg/L	EPA 300.0
7/5/2016 10:25	SO4		51.8	mg/L	EPA 300.0
7/12/2016 10:12	SO4		54.57	mg/L	EPA 300.0
6/15/2016 10:25	Sr		285.924	ug/L	EPA-200.8
6/21/2016 9:50	Sr		322.202	ug/L	EPA-200.8
6/28/2016 9:55	Sr		325.203	ug/L	EPA-200.8
7/5/2016 10:25	Sr		285.976	ug/L	EPA-200.8
7/12/2016 10:12	Sr		281.086	ug/L	EPA-200.8
6/15/2016 10:25	TDS		549	mg/L	SM2540C
6/21/2016 9:50	TDS		714	mg/L	SM2540C
6/28/2016 9:55	TDS		619	mg/L	SM2540C
7/5/2016 10:25	TDS		610	mg/L	SM2540C
7/12/2016 10:12	TDS		560	mg/L	SM2540C
6/15/2016 10:25	Ti	<	0.692	ug/L	EPA-200.8
6/21/2016 9:50	Ti	j	1.372	ug/L	EPA-200.8
6/28/2016 9:55	Ti	j	0.936	ug/L	EPA-200.8
7/5/2016 10:25	Ti	j	1.113	ug/L	EPA-200.8
7/12/2016 10:12	Ti	j	1.252	ug/L	EPA-200.8
6/15/2016 10:25	TKN		0.556	mg/L	EPA-351.1
6/21/2016 9:50	TKN		0.921	mg/L	EPA-351.1
6/28/2016 9:55	TKN	<	0.242	mg/L	EPA-351.1
7/5/2016 10:25	TKN		0.567	mg/L	EPA-351.1
7/12/2016 10:12	TKN		0.54	mg/L	EPA-351.1
6/15/2016 10:25	TI	<	0.236	ug/L	EPA-200.8
6/21/2016 9:50	TI	<	0.236	ug/L	EPA-200.8
6/28/2016 9:55	TI	<	0.236	ug/L	EPA-200.8
7/5/2016 10:25	TI	<	0.236	ug/L	EPA-200.8
7/12/2016 10:12	TI	<	0.236	ug/L	EPA-200.8
6/15/2016 10:25	TMET	<	10	ug/L	EPA-200.8
6/21/2016 9:50	TMET		14.7	ug/L	EPA-200.8

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 9:55	TMET		13.2	ug/L	EPA-200.8
7/5/2016 10:25	TMET		13.9	ug/L	EPA-200.8
7/12/2016 10:12	TMET	<	10	ug/L	EPA-200.8
6/15/2016 10:25	Total-P		0.026	mg/L	EPA 365.1
6/21/2016 9:50	Total-P		0.054	mg/L	EPA 365.1
6/28/2016 9:55	Total-P		0.026	mg/L	EPA 365.1
7/5/2016 10:25	Total-P		0.043	mg/L	EPA 365.1
7/12/2016 10:12	Total-P		0.025	mg/L	EPA 365.1
6/15/2016 10:25	TS		628	mg/L	SM2540B
6/21/2016 9:50	TS		812	mg/L	SM2540B
6/28/2016 9:55	TS		668	mg/L	SM2540B
7/5/2016 10:25	TS		628	mg/L	SM2540B
7/12/2016 10:12	TS		664	mg/L	SM2540B
6/15/2016 10:25	TSS		1.2	mg/L	SM2540D
6/21/2016 9:50	TSS		9.7	mg/L	SM2540D
6/28/2016 9:55	TSS		2.1	mg/L	SM2540D
7/5/2016 10:25	TSS		5.6	mg/L	SM2540D
7/12/2016 10:12	TSS		1.3	mg/L	SM2540D
6/15/2016 10:25	Turbidity		1.22	NTU	EPA 180.1
6/21/2016 9:50	Turbidity		7.82	NTU	EPA 180.1
6/28/2016 9:55	Turbidity		1.46	NTU	EPA 180.1
7/5/2016 10:25	Turbidity		3.24	NTU	EPA 180.1
7/12/2016 10:12	Turbidity		1.33	NTU	EPA 180.1
6/15/2016 10:25	V	<	2.676	ug/L	EPA-200.8
6/21/2016 9:50	V	<	2.676	ug/L	EPA-200.8
6/28/2016 9:55	V	<	2.676	ug/L	EPA-200.8
7/5/2016 10:25	V	<	2.676	ug/L	EPA-200.8
7/12/2016 10:12	V	<	2.676	ug/L	EPA-200.8
6/15/2016 10:25	Zn	j	2.413	ug/L	EPA-200.8
6/21/2016 9:50	Zn	j	7.293	ug/L	EPA-200.8
6/28/2016 9:55	Zn	j	1.91	ug/L	EPA-200.8
7/5/2016 10:25	Zn	j	5.774	ug/L	EPA-200.8
7/12/2016 10:12	Zn	j	1.645	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:46	*CaCO3		208	mg/LCaCO3	EPA-200.8
6/21/2016 9:10	*CaCO3		176	mg/LCaCO3	EPA-200.8
6/28/2016 9:16	*CaCO3		223	mg/LCaCO3	EPA-200.8
7/5/2016 10:00	*CaCO3		194	mg/LCaCO3	EPA-200.8
7/12/2016 9:45	*CaCO3		207	mg/LCaCO3	EPA-200.8
6/15/2016 9:46	Ag	<	0.228	ug/L	EPA-200.8
6/21/2016 9:10	Ag	<	0.228	ug/L	EPA-200.8
6/28/2016 9:16	Ag	<	0.228	ug/L	EPA-200.8
7/5/2016 10:00	Ag	<	0.228	ug/L	EPA-200.8
7/12/2016 9:45	Ag	<	0.228	ug/L	EPA-200.8
6/15/2016 9:46	Al		26.92	ug/L	EPA-200.8
6/21/2016 9:10	Al		99.96	ug/L	EPA-200.8
6/28/2016 9:16	Al		36.56	ug/L	EPA-200.8
7/5/2016 10:00	Al		40.61	ug/L	EPA-200.8
7/12/2016 9:45	Al		31.69	ug/L	EPA-200.8
6/15/2016 9:46	Alkalinity		110.4	mg/LCaCO3	EPA-310.2
6/21/2016 9:10	Alkalinity		100.2	mg/LCaCO3	EPA-310.2
6/28/2016 9:16	Alkalinity		116.6	mg/LCaCO3	EPA-310.2
7/5/2016 10:00	Alkalinity		93.8	mg/LCaCO3	EPA-310.2
7/12/2016 9:45	Alkalinity		107.2	mg/LCaCO3	EPA-310.2
6/15/2016 9:46	As	<	2	ug/L	EPA-200.8
6/21/2016 9:10	As	<	2	ug/L	EPA-200.8
6/28/2016 9:16	As	<	2	ug/L	EPA-200.8
7/5/2016 10:00	As	<	2	ug/L	EPA-200.8
7/12/2016 9:45	As	<	2	ug/L	EPA-200.8
6/15/2016 9:46	Ba		29.64	ug/L	EPA-200.8
6/21/2016 9:10	Ba		29.58	ug/L	EPA-200.8
6/28/2016 9:16	Ba		32.99	ug/L	EPA-200.8
7/5/2016 10:00	Ba		28.18	ug/L	EPA-200.8
7/12/2016 9:45	Ba		30.6	ug/L	EPA-200.8
6/15/2016 9:46	Be	<	0.218	ug/L	EPA-200.8
6/21/2016 9:10	Be	<	0.218	ug/L	EPA-200.8
6/28/2016 9:16	Be	<	0.218	ug/L	EPA-200.8
7/5/2016 10:00	Be	<	0.218	ug/L	EPA-200.8
7/12/2016 9:45	Be	<	0.218	ug/L	EPA-200.8
6/21/2016 9:10	BOD	<	2	mg/L	SM 5210
6/28/2016 9:16	BOD		2.2	mg/L	SM 5210
7/5/2016 10:00	BOD	<	2	mg/L	SM 5210

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:46	Ca		58860	ug/L	EPA-200.8
6/21/2016 9:10	Ca		49890	ug/L	EPA-200.8
6/28/2016 9:16	Ca		60750	ug/L	EPA-200.8
7/5/2016 10:00	Ca		54000	ug/L	EPA-200.8
7/12/2016 9:45	Ca		59670	ug/L	EPA-200.8
6/15/2016 9:46	Cd	<	0.11	ug/L	EPA-200.8
6/21/2016 9:10	Cd	<	0.11	ug/L	EPA-200.8
6/28/2016 9:16	Cd	<	0.11	ug/L	EPA-200.8
7/5/2016 10:00	Cd	<	0.11	ug/L	EPA-200.8
7/12/2016 9:45	Cd	<	0.11	ug/L	EPA-200.8
6/15/2016 9:46	Chloride		221	mg/L	EPA 300.0
6/21/2016 9:10	Chloride		166	mg/L	EPA 300.0
6/28/2016 9:16	Chloride		237.8	mg/L	EPA 300.0
7/5/2016 10:00	Chloride		216.8	mg/L	EPA 300.0
7/12/2016 9:45	Chloride		212.9	mg/L	EPA 300.0
6/15/2016 9:46	Co	j	0.224	ug/L	EPA-200.8
6/21/2016 9:10	Co	j	0.295	ug/L	EPA-200.8
6/28/2016 9:16	Co	j	0.213	ug/L	EPA-200.8
7/5/2016 10:00	Co	j	0.226	ug/L	EPA-200.8
7/12/2016 9:45	Co	j	0.242	ug/L	EPA-200.8
6/15/2016 9:46	COD	j	6.8	mg/L	EPA 410.4
6/21/2016 9:10	COD		15.8	mg/L	EPA 410.4
6/28/2016 9:16	COD		14.6	mg/L	EPA 410.4
7/5/2016 10:00	COD		20.7	mg/L	EPA 410.4
7/12/2016 9:45	COD	j	8.7	mg/L	EPA 410.4
6/15/2016 9:46	Conduct	HT	1113	uS/cm	SM 2510B
6/21/2016 9:10	Conduct		894.3	uS/cm	SM 2510B
6/28/2016 9:16	Conduct		1159	uS/cm	SM 2510B
7/5/2016 10:00	Conduct		1045	uS/cm	SM 2510B
7/12/2016 9:45	Conduct		1082	uS/cm	SM 2510B
6/15/2016 9:46	Cr	j	0.534	ug/L	EPA-200.8
6/21/2016 9:10	Cr	j	0.928	ug/L	EPA-200.8
6/28/2016 9:16	Cr	j	0.842	ug/L	EPA-200.8
7/5/2016 10:00	Cr		1.176	ug/L	EPA-200.8
7/12/2016 9:45	Cr	<	0.168	ug/L	EPA-200.8
6/15/2016 9:46	Cu		2.597	ug/L	EPA-200.8
6/21/2016 9:10	Cu		3.587	ug/L	EPA-200.8
6/28/2016 9:16	Cu		2.249	ug/L	EPA-200.8
7/5/2016 10:00	Cu		3.019	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 9:45	Cu		2.431	ug/L	EPA-200.8
6/15/2016 9:46	DRPhos		0.01	mg/L	EPA 365.1
6/21/2016 9:10	DRPhos		0.02	mg/L	EPA 365.1
6/28/2016 9:16	DRPhos		0.012	mg/L	EPA 365.1
7/5/2016 10:00	DRPhos		0.018	mg/L	EPA 365.1
7/12/2016 9:45	DRPhos		0.015	mg/L	EPA 365.1
6/15/2016 9:46	E. coli		652	MPN/100 mL	SM 9223 Colilert
6/21/2016 9:10	E. coli		16275	MPN/100 mL	SM 9223 Colilert
6/28/2016 9:16	E. coli		628	MPN/100 mL	SM 9223 Colilert
7/5/2016 10:00	E. coli		4228	MPN/100 mL	SM 9223 Colilert
7/12/2016 9:45	E. coli		556	MPN/100 mL	SM 9223 Colilert
6/15/2016 9:46	Fe		212	ug/L	EPA-200.8
6/21/2016 9:10	Fe		259.8	ug/L	EPA-200.8
6/28/2016 9:16	Fe		205.3	ug/L	EPA-200.8
7/5/2016 10:00	Fe		215	ug/L	EPA-200.8
7/12/2016 9:45	Fe		289.2	ug/L	EPA-200.8
6/15/2016 9:46	Field Cond		978	umhos/cm	SM 2510A
6/21/2016 9:10	Field Cond		823.3	umhos/cm	SM 2510A
6/28/2016 9:16	Field Cond		1104	umhos/cm	SM 2510A
7/5/2016 10:00	Field Cond		950.2	umhos/cm	SM 2510A
7/12/2016 9:45	Field Cond		865	umhos/cm	SM 2510A
6/15/2016 9:46	Field Spec Cond		1088	umhos/cm	SM 2510B
6/21/2016 9:10	Field Spec Cond		885.3	umhos/cm	SM 2510B
6/28/2016 9:16	Field Spec Cond		1153	umhos/cm	SM 2510B
7/5/2016 10:00	Field Spec Cond		1040	umhos/cm	SM 2510B
7/12/2016 9:45	Field Spec Cond		884	umhos/cm	SM 2510B
6/15/2016 9:46	Field DO		8.7	mg/L	SM 4500-0 G
6/21/2016 9:10	Field DO		7.9	mg/L	SM 4500-0 G
6/28/2016 9:16	Field DO		7.27	mg/L	SM 4500-0 G
7/5/2016 10:00	Field DO		8.38	mg/L	SM 4500-0 G
7/12/2016 9:45	Field DO		7.91	mg/L	SM 4500-0 G
6/15/2016 9:46	Field DO		88.6	%	
6/21/2016 9:10	Field DO		89.4	%	
6/28/2016 9:16	Field DO		84.6	%	
7/5/2016 10:00	Field DO		93.4	%	
7/12/2016 9:45	Field DO		95.3	%	
6/15/2016 9:46	Field Temp		19.7	C	EPA 170.1
6/21/2016 9:10	Field Temp		21.3	C	EPA 170.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 9:16	Field Temp		22.8	C	EPA 170.1
7/5/2016 10:00	Field Temp		20.5	C	EPA 170.1
7/12/2016 9:45	Field Temp		23.9	C	EPA 170.1
6/15/2016 9:46	Hg	<	0.005	ug/L	EPA 245.1
6/21/2016 9:10	Hg	<	0.005	ug/L	EPA 245.1
6/28/2016 9:16	Hg	<	0.005	ug/L	EPA 245.1
7/5/2016 10:00	Hg	<	0.005	ug/L	EPA 245.1
7/12/2016 9:45	Hg	<	0.005	ug/L	EPA 245.1
6/15/2016 9:46	K		3757	ug/L	EPA-200.8
6/21/2016 9:10	K		3551	ug/L	EPA-200.8
6/28/2016 9:16	K		4148	ug/L	EPA-200.8
7/5/2016 10:00	K		3581	ug/L	EPA-200.8
7/12/2016 9:45	K		3924	ug/L	EPA-200.8
6/15/2016 9:46	Mg		14900	ug/L	EPA-200.8
6/21/2016 9:10	Mg		12470	ug/L	EPA-200.8
6/28/2016 9:16	Mg		17400	ug/L	EPA-200.8
7/5/2016 10:00	Mg		14410	ug/L	EPA-200.8
7/12/2016 9:45	Mg		14200	ug/L	EPA-200.8
6/15/2016 9:46	Mn		33.11	ug/L	EPA-200.8
6/21/2016 9:10	Mn		33.3	ug/L	EPA-200.8
6/28/2016 9:16	Mn		38.06	ug/L	EPA-200.8
7/5/2016 10:00	Mn		23.86	ug/L	EPA-200.8
7/12/2016 9:45	Mn		32.06	ug/L	EPA-200.8
6/15/2016 9:46	Mo		3.525	ug/L	EPA-200.8
6/21/2016 9:10	Mo		5.257	ug/L	EPA-200.8
6/28/2016 9:16	Mo		9.595	ug/L	EPA-200.8
7/5/2016 10:00	Mo		4.863	ug/L	EPA-200.8
7/12/2016 9:45	Mo		6.216	ug/L	EPA-200.8
6/15/2016 9:46	Na		128900	ug/L	EPA-200.8
6/21/2016 9:10	Na		105500	ug/L	EPA-200.8
6/28/2016 9:16	Na		150100	ug/L	EPA-200.8
7/5/2016 10:00	Na		133500	ug/L	EPA-200.8
7/12/2016 9:45	Na		135200	ug/L	EPA-200.8
6/15/2016 9:46	NH3	<	0.009	mg/L	EPA-350.1
6/21/2016 9:10	NH3		0.023	mg/L	EPA-350.1
6/28/2016 9:16	NH3	j	0.012	mg/L	EPA-350.1
7/5/2016 10:00	NH3	j	0.017	mg/L	EPA-350.1
7/12/2016 9:45	NH3	j	0.012	mg/L	EPA-350.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:46	Ni	j	2.183	ug/L	EPA-200.8
6/21/2016 9:10	Ni	j	2.128	ug/L	EPA-200.8
6/28/2016 9:16	Ni	j	2.651	ug/L	EPA-200.8
7/5/2016 10:00	Ni	j	2.29	ug/L	EPA-200.8
7/12/2016 9:45	Ni	j	2.598	ug/L	EPA-200.8
6/15/2016 9:46	NO2	<	0.008	mg/L	SM 4500-NO2-B
6/21/2016 9:10	NO2	j	0.012	mg/L	SM 4500-NO2-B
6/28/2016 9:16	NO2	<	0.008	mg/L	SM 4500-NO2-B
7/5/2016 10:00	NO2	<	0.008	mg/L	SM 4500-NO2-B
7/12/2016 9:45	NO2	<	0.008	mg/L	SM 4500-NO2-B
6/15/2016 9:46	NO3		0.17	mg/L	EPA 353.2
6/21/2016 9:10	NO3		0.662	mg/L	EPA 353.2
6/28/2016 9:16	NO3		0.111	mg/L	EPA 353.2
7/5/2016 10:00	NO3		0.388	mg/L	EPA 353.2
7/12/2016 9:45	NO3		0.052	mg/L	EPA 353.2
6/15/2016 9:46	NO3+NO2		0.17	mg/L	EPA 353.2
6/21/2016 9:10	NO3+NO2		0.675	mg/L	EPA 353.2
6/28/2016 9:16	NO3+NO2		0.111	mg/L	EPA 353.2
7/5/2016 10:00	NO3+NO2		0.388	mg/L	EPA 353.2
7/12/2016 9:45	NO3+NO2		0.052	mg/L	EPA 353.2
6/15/2016 9:46	Pb	j	0.314	ug/L	EPA-200.8
6/21/2016 9:10	Pb		1.785	ug/L	EPA-200.8
6/28/2016 9:16	Pb	j	0.313	ug/L	EPA-200.8
7/5/2016 10:00	Pb	j	0.635	ug/L	EPA-200.8
7/12/2016 9:45	Pb	j	0.281	ug/L	EPA-200.8
6/15/2016 9:46	pH		7.87	S.U.	
6/21/2016 9:10	pH		7.74	S.U.	
6/28/2016 9:16	pH		7.76	S.U.	
7/5/2016 10:00	pH		7.98	S.U.	
7/12/2016 9:45	pH		7.92	S.U.	
6/15/2016 9:46	Sb	j	0.474	ug/L	EPA-200.8
6/21/2016 9:10	Sb	j	0.615	ug/L	EPA-200.8
6/28/2016 9:16	Sb	j	0.537	ug/L	EPA-200.8
7/5/2016 10:00	Sb	j	0.722	ug/L	EPA-200.8
7/12/2016 9:45	Sb	j	0.504	ug/L	EPA-200.8
6/15/2016 9:46	Se	<	1.034	ug/L	EPA-200.8
6/21/2016 9:10	Se	<	1.034	ug/L	EPA-200.8
6/28/2016 9:16	Se	<	1.034	ug/L	EPA-200.8
7/5/2016 10:00	Se	<	1.034	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 9:45	Se	<	1.034	ug/L	EPA-200.8
6/15/2016 9:46	Sn	<	0.336	ug/L	EPA-200.8
6/21/2016 9:10	Sn	<	0.336	ug/L	EPA-200.8
6/28/2016 9:16	Sn	<	0.336	ug/L	EPA-200.8
7/5/2016 10:00	Sn	<	0.336	ug/L	EPA-200.8
7/12/2016 9:45	Sn	<	0.336	ug/L	EPA-200.8
6/15/2016 9:46	SO4		67.41	mg/L	EPA 300.0
6/21/2016 9:10	SO4		56.52	mg/L	EPA 300.0
6/28/2016 9:16	SO4		65.24	mg/L	EPA 300.0
7/5/2016 10:00	SO4		52.03	mg/L	EPA 300.0
7/12/2016 9:45	SO4		58.52	mg/L	EPA 300.0
6/15/2016 9:46	Sr		311.408	ug/L	EPA-200.8
6/21/2016 9:10	Sr		261.749	ug/L	EPA-200.8
6/28/2016 9:16	Sr		332.977	ug/L	EPA-200.8
7/5/2016 10:00	Sr		284.277	ug/L	EPA-200.8
7/12/2016 9:45	Sr		306.646	ug/L	EPA-200.8
6/15/2016 9:46	TDS		614	mg/L	SM2540C
6/21/2016 9:10	TDS		500	mg/L	SM2540C
6/28/2016 9:16	TDS		654	mg/L	SM2540C
7/5/2016 10:00	TDS		590	mg/L	SM2540C
7/12/2016 9:45	TDS		582	mg/L	SM2540C
6/15/2016 9:46	Ti	<	0.692	ug/L	EPA-200.8
6/21/2016 9:10	Ti	j	1.606	ug/L	EPA-200.8
6/28/2016 9:16	Ti	j	0.978	ug/L	EPA-200.8
7/5/2016 10:00	Ti	j	1.061	ug/L	EPA-200.8
7/12/2016 9:45	Ti	j	1.126	ug/L	EPA-200.8
6/15/2016 9:46	TKN		0.543	mg/L	EPA-351.1
6/21/2016 9:10	TKN		0.823	mg/L	EPA-351.1
6/28/2016 9:16	TKN	j	0.444	mg/L	EPA-351.1
7/5/2016 10:00	TKN		0.578	mg/L	EPA-351.1
7/12/2016 9:45	TKN		0.572	mg/L	EPA-351.1
6/15/2016 9:46	TI	<	0.236	ug/L	EPA-200.8
6/21/2016 9:10	TI	<	0.236	ug/L	EPA-200.8
6/28/2016 9:16	TI	<	0.236	ug/L	EPA-200.8
7/5/2016 10:00	TI	<	0.236	ug/L	EPA-200.8
7/12/2016 9:45	TI	<	0.236	ug/L	EPA-200.8
6/15/2016 9:46	TMET	<	10	ug/L	EPA-200.8
6/21/2016 9:10	TMET		15.3	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 9:16	TMET		13.1	ug/L	EPA-200.8
7/5/2016 10:00	TMET		13.5	ug/L	EPA-200.8
7/12/2016 9:45	TMET	<	10	ug/L	EPA-200.8
6/15/2016 9:46	Total-P		0.026	mg/L	EPA 365.1
6/21/2016 9:10	Total-P		0.061	mg/L	EPA 365.1
6/28/2016 9:16	Total-P		0.034	mg/L	EPA 365.1
7/5/2016 10:00	Total-P		0.04	mg/L	EPA 365.1
7/12/2016 9:45	Total-P		0.032	mg/L	EPA 365.1
6/15/2016 9:46	TS		664	mg/L	SM2540B
6/21/2016 9:10	TS		544	mg/L	SM2540B
6/28/2016 9:16	TS		724	mg/L	SM2540B
7/5/2016 10:00	TS		618	mg/L	SM2540B
7/12/2016 9:45	TS		692	mg/L	SM2540B
6/15/2016 9:46	TSS		1.8	mg/L	SM2540D
6/21/2016 9:10	TSS		9.2	mg/L	SM2540D
6/28/2016 9:16	TSS		3.2	mg/L	SM2540D
7/5/2016 10:00	TSS		4.6	mg/L	SM2540D
7/12/2016 9:45	TSS		2.5	mg/L	SM2540D
6/15/2016 9:46	Turbidity		3.11	NTU	EPA 180.1
6/21/2016 9:10	Turbidity		8.1	NTU	EPA 180.1
6/28/2016 9:16	Turbidity		1.74	NTU	EPA 180.1
7/5/2016 10:00	Turbidity		2.86	NTU	EPA 180.1
7/12/2016 9:45	Turbidity		1.44	NTU	EPA 180.1
6/15/2016 9:46	V	<	2.676	ug/L	EPA-200.8
6/21/2016 9:10	V	<	2.676	ug/L	EPA-200.8
6/28/2016 9:16	V	<	2.676	ug/L	EPA-200.8
7/5/2016 10:00	V	<	2.676	ug/L	EPA-200.8
7/12/2016 9:45	V	<	2.676	ug/L	EPA-200.8
6/15/2016 9:46	Zn	j	2.597	ug/L	EPA-200.8
6/21/2016 9:10	Zn	j	8.707	ug/L	EPA-200.8
6/28/2016 9:16	Zn	j	1.907	ug/L	EPA-200.8
7/5/2016 10:00	Zn	j	4.626	ug/L	EPA-200.8
7/12/2016 9:45	Zn	j	1.888	ug/L	EPA-200.8

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:40	*CaCO3		208	mg/LCaCO3	EPA-200.8
6/21/2016 9:25	*CaCO3		166	mg/LCaCO3	EPA-200.8
6/28/2016 9:33	*CaCO3		228	mg/LCaCO3	EPA-200.8
7/5/2016 9:42	*CaCO3		177	mg/LCaCO3	EPA-200.8
7/12/2016 9:30	*CaCO3		194.5	mg/LCaCO3	EPA-200.8
6/15/2016 9:40	Ag	<	0.228	ug/L	EPA-200.8
6/21/2016 9:25	Ag	<	0.228	ug/L	EPA-200.8
6/28/2016 9:33	Ag	<	0.228	ug/L	EPA-200.8
7/5/2016 9:42	Ag	j	0.249	ug/L	EPA-200.8
7/12/2016 9:30	Ag	<	0.228	ug/L	EPA-200.8
6/15/2016 9:40	Al		52.12	ug/L	EPA-200.8
6/21/2016 9:25	Al		116.2	ug/L	EPA-200.8
6/28/2016 9:33	Al		43.03	ug/L	EPA-200.8
7/5/2016 9:42	Al		171.8	ug/L	EPA-200.8
7/12/2016 9:30	Al		165.35	ug/L	EPA-200.8
6/15/2016 9:40	Alkalinity		115.8	mg/LCaCO3	EPA-310.2
6/21/2016 9:25	Alkalinity		91.5	mg/LCaCO3	EPA-310.2
6/28/2016 9:33	Alkalinity		112.5	mg/LCaCO3	EPA-310.2
7/5/2016 9:42	Alkalinity		86.3	mg/LCaCO3	EPA-310.2
7/12/2016 9:30	Alkalinity		108.55	mg/LCaCO3	EPA-310.2
6/15/2016 9:40	As	<	2	ug/L	EPA-200.8
6/21/2016 9:25	As	<	2	ug/L	EPA-200.8
6/28/2016 9:33	As	<	2	ug/L	EPA-200.8
7/5/2016 9:42	As	<	2	ug/L	EPA-200.8
7/12/2016 9:30	As	<	2	ug/L	EPA-200.8
6/15/2016 9:40	Ba		31.34	ug/L	EPA-200.8
6/21/2016 9:25	Ba		36.51	ug/L	EPA-200.8
6/28/2016 9:33	Ba		34.5	ug/L	EPA-200.8
7/5/2016 9:42	Ba		28.44	ug/L	EPA-200.8
7/12/2016 9:30	Ba		31.235	ug/L	EPA-200.8
6/15/2016 9:40	Be	<	0.218	ug/L	EPA-200.8
6/21/2016 9:25	Be	<	0.218	ug/L	EPA-200.8
6/28/2016 9:33	Be	<	0.218	ug/L	EPA-200.8
7/5/2016 9:42	Be	<	0.218	ug/L	EPA-200.8
7/12/2016 9:30	Be	<	0.218	ug/L	EPA-200.8
6/15/2016 9:40	BOD	<	2	mg/L	SM 5210
6/21/2016 9:25	BOD		3.5	mg/L	SM 5210
6/28/2016 9:33	BOD		2.6	mg/L	SM 5210

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:40	Ca		58330	ug/L	EPA-200.8
6/21/2016 9:25	Ca		47120	ug/L	EPA-200.8
6/28/2016 9:33	Ca		62240	ug/L	EPA-200.8
7/5/2016 9:42	Ca		50540	ug/L	EPA-200.8
7/12/2016 9:30	Ca		55685	ug/L	EPA-200.8
6/15/2016 9:40	Cd	<	0.11	ug/L	EPA-200.8
6/21/2016 9:25	Cd	<	0.11	ug/L	EPA-200.8
6/28/2016 9:33	Cd	<	0.11	ug/L	EPA-200.8
7/5/2016 9:42	Cd	<	0.11	ug/L	EPA-200.8
7/12/2016 9:30	Cd	<	0.11	ug/L	EPA-200.8
6/15/2016 9:40	Chloride		227.3	mg/L	EPA 300.0
6/21/2016 9:25	Chloride		162.5	mg/L	EPA 300.0
6/28/2016 9:33	Chloride		237	mg/L	EPA 300.0
7/5/2016 9:42	Chloride		197.3	mg/L	EPA 300.0
7/12/2016 9:30	Chloride		210.95	mg/L	EPA 300.0
6/15/2016 9:40	Co	j	0.325	ug/L	EPA-200.8
6/21/2016 9:25	Co	j	0.426	ug/L	EPA-200.8
6/28/2016 9:33	Co	j	0.256	ug/L	EPA-200.8
7/5/2016 9:42	Co	j	0.39	ug/L	EPA-200.8
7/12/2016 9:30	Co	j	0.437	ug/L	EPA-200.8
6/15/2016 9:40	COD	j	3.9	mg/L	EPA 410.4
6/21/2016 9:25	COD		16.4	mg/L	EPA 410.4
6/28/2016 9:33	COD		13.6	mg/L	EPA 410.4
7/5/2016 9:42	COD		23.6	mg/L	EPA 410.4
7/12/2016 9:30	COD		13.6	mg/L	EPA 410.4
6/15/2016 9:40	Cr	j	0.556	ug/L	EPA-200.8
6/21/2016 9:25	Cr		1.359	ug/L	EPA-200.8
6/28/2016 9:33	Cr		1.01	ug/L	EPA-200.8
7/5/2016 9:42	Cr		1.585	ug/L	EPA-200.8
7/12/2016 9:30	Cr	j	1.693	ug/L	EPA-200.8
6/15/2016 9:40	Cu		2.704	ug/L	EPA-200.8
6/21/2016 9:25	Cu		4.832	ug/L	EPA-200.8
6/28/2016 9:33	Cu		2.337	ug/L	EPA-200.8
7/5/2016 9:42	Cu		3.602	ug/L	EPA-200.8
7/12/2016 9:30	Cu		3.463	ug/L	EPA-200.8
6/15/2016 9:40	DRPhos	j	0.008	mg/L	EPA 365.1
6/21/2016 9:25	DRPhos		0.013	mg/L	EPA 365.1
6/28/2016 9:33	DRPhos		0.01	mg/L	EPA 365.1
7/5/2016 9:42	DRPhos		0.011	mg/L	EPA 365.1

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 9:30	DRPhos		0.0155	mg/L	EPA 365.1
6/15/2016 9:40	E. coli		558	MPN/100 mL	SM 9223 Colilert
6/21/2016 9:25	E. coli		27375	MPN/100 mL	SM 9223 Colilert
6/28/2016 9:33	E. coli		896	MPN/100 mL	SM 9223 Colilert
7/5/2016 9:42	E. coli		10240	MPN/100 mL	SM 9223 Colilert
7/12/2016 9:30	E. coli		827	MPN/100 mL	SM 9223 Colilert
6/15/2016 9:40	Fe		298.7	ug/L	EPA-200.8
6/21/2016 9:25	Fe		338.9	ug/L	EPA-200.8
6/28/2016 9:33	Fe		248	ug/L	EPA-200.8
7/5/2016 9:42	Fe		548.4	ug/L	EPA-200.8
7/12/2016 9:30	Fe		557	ug/L	EPA-200.8
6/15/2016 9:40	Field Cond		991	umhos/cm	SM 2510A
6/21/2016 9:25	Field Cond		807.1	umhos/cm	SM 2510A
6/28/2016 9:33	Field Cond		1109	umhos/cm	SM 2510A
7/5/2016 9:42	Field Cond		879.3	umhos/cm	SM 2510A
7/12/2016 9:30	Field Cond		992	umhos/cm	SM 2510A
6/15/2016 9:40	Field Spec Cond		1102	umhos/cm	SM 2510B
6/21/2016 9:25	Field Spec Cond		863.1	umhos/cm	SM 2510B
6/28/2016 9:33	Field Spec Cond		1151	umhos/cm	SM 2510B
7/5/2016 9:42	Field Spec Cond		963.3	umhos/cm	SM 2510B
7/12/2016 9:30	Field Spec Cond		1032	umhos/cm	SM 2510B
6/15/2016 9:40	Field DO		5.65	mg/L	SM 4500-0 G
6/21/2016 9:25	Field DO		6.17	mg/L	SM 4500-0 G
6/28/2016 9:33	Field DO		4.8	mg/L	SM 4500-0 G
7/5/2016 9:42	Field DO		6.33	mg/L	SM 4500-0 G
7/12/2016 9:30	Field DO		4.51	mg/L	SM 4500-0 G
6/15/2016 9:40	Field DO		61.9	%	
6/21/2016 9:25	Field DO		70	%	
6/28/2016 9:33	Field DO		56.3	%	
7/5/2016 9:42	Field DO		70.2	%	
7/12/2016 9:30	Field DO		52.6	%	
6/15/2016 9:40	Field Temp		19.7	C	EPA 170.1
6/21/2016 9:25	Field Temp		21.6	C	EPA 170.1
6/28/2016 9:33	Field Temp		23	C	EPA 170.1
7/5/2016 9:42	Field Temp		20.4	C	EPA 170.1
7/12/2016 9:30	Field Temp		23	C	EPA 170.1
6/15/2016 9:40	Hg	<	0.005	ug/L	EPA 245.1
6/21/2016 9:25	Hg	<	0.005	ug/L	EPA 245.1

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	Method	
6/28/2016 9:33	Hg	<	0.005	ug/L	EPA 245.1	
7/5/2016 9:42	Hg	<	0.005	ug/L	EPA 245.1	
7/12/2016 9:30	Hg	<	0.005	ug/L	EPA 245.1	
6/15/2016 9:40	K		3813	ug/L	EPA-200.8	
6/21/2016 9:25	K		3567	ug/L	EPA-200.8	
6/28/2016 9:33	K		4337	ug/L	EPA-200.8	
7/5/2016 9:42	K		3594	ug/L	EPA-200.8	
7/12/2016 9:30	K		3793.5	ug/L	EPA-200.8	
6/15/2016 9:40	Mg		15030	ug/L	EPA-200.8	
6/21/2016 9:25	Mg		11800	ug/L	EPA-200.8	
6/28/2016 9:33	Mg		17690	ug/L	EPA-200.8	
7/5/2016 9:42	Mg		12400	ug/L	EPA-200.8	
7/12/2016 9:30	Mg		13480	ug/L	EPA-200.8	
6/15/2016 9:40	Mn		68.64	ug/L	EPA-200.8	
6/21/2016 9:25	Mn		57.75	ug/L	EPA-200.8	
6/28/2016 9:33	Mn		78.61	ug/L	EPA-200.8	
7/5/2016 9:42	Mn		42.54	ug/L	EPA-200.8	
7/12/2016 9:30	Mn		93.67	ug/L	EPA-200.8	
6/15/2016 9:40	Mo		3.669	ug/L	EPA-200.8	
6/21/2016 9:25	Mo		7.338	ug/L	EPA-200.8	
6/28/2016 9:33	Mo		10.21	ug/L	EPA-200.8	
7/5/2016 9:42	Mo		5.126	ug/L	EPA-200.8	
7/12/2016 9:30	Mo		5.9765	ug/L	EPA-200.8	
6/15/2016 9:40	Na		133800	ug/L	EPA-200.8	
6/21/2016 9:25	Na		105100	ug/L	EPA-200.8	
6/28/2016 9:33	Na		152100	ug/L	EPA-200.8	
7/5/2016 9:42	Na		124800	ug/L	EPA-200.8	
7/12/2016 9:30	Na		129000	ug/L	EPA-200.8	
6/15/2016 9:40	NH3		0.041	mg/L	EPA-350.1	
6/21/2016 9:25	NH3		0.096	mg/L	EPA-350.1	
6/28/2016 9:33	NH3		0.034	mg/L	EPA-350.1	
7/5/2016 9:42	NH3		0.029	mg/L	EPA-350.1	
7/12/2016 9:30	NH3		0.039	mg/L	EPA-350.1	
6/15/2016 9:40	Ni	j	2.328	ug/L	EPA-200.8	
6/21/2016 9:25	Ni	j	2.433	ug/L	EPA-200.8	
6/28/2016 9:33	Ni	j	2.953	ug/L	EPA-200.8	
7/5/2016 9:42	Ni	j	2.916	ug/L	EPA-200.8	
7/12/2016 9:30	Ni	j	2.9615	ug/L	EPA-200.8	

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2016 9:40	NO3-NO2		0.156	mg/L	EPA 353.2
6/21/2016 9:25	NO3-NO2		0.546	mg/L	EPA 353.2
6/28/2016 9:33	NO3-NO2		0.094	mg/L	EPA 353.2
7/5/2016 9:42	NO3-NO2		0.58	mg/L	EPA 353.2
7/12/2016 9:30	NO3-NO2		0.0505	mg/L	EPA 353.2
6/15/2016 9:40	Pb	j	0.49	ug/L	EPA-200.8
6/21/2016 9:25	Pb		3.43	ug/L	EPA-200.8
6/28/2016 9:33	Pb	j	0.351	ug/L	EPA-200.8
7/5/2016 9:42	Pb		1.084	ug/L	EPA-200.8
7/12/2016 9:30	Pb		1.132	ug/L	EPA-200.8
6/15/2016 9:40	pH		7.62	S.U.	
6/21/2016 9:25	pH		7.6	S.U.	
6/28/2016 9:33	pH		7.63	S.U.	
7/5/2016 9:42	pH		6.55	S.U.	
7/12/2016 9:30	pH		7.62	S.U.	
6/15/2016 9:40	Sb	j	0.544	ug/L	EPA-200.8
6/21/2016 9:25	Sb		1.135	ug/L	EPA-200.8
6/28/2016 9:33	Sb	j	0.489	ug/L	EPA-200.8
7/5/2016 9:42	Sb	j	0.493	ug/L	EPA-200.8
7/12/2016 9:30	Sb	j	0.4495	ug/L	EPA-200.8
6/15/2016 9:40	Se	<	1.034	ug/L	EPA-200.8
6/21/2016 9:25	Se	<	1.034	ug/L	EPA-200.8
6/28/2016 9:33	Se	<	1.034	ug/L	EPA-200.8
7/5/2016 9:42	Se	<	1.034	ug/L	EPA-200.8
7/12/2016 9:30	Se	<	1.034	ug/L	EPA-200.8
6/15/2016 9:40	Sn	<	0.336	ug/L	EPA-200.8
6/21/2016 9:25	Sn	<	0.336	ug/L	EPA-200.8
6/28/2016 9:33	Sn	<	0.336	ug/L	EPA-200.8
7/5/2016 9:42	Sn	<	0.336	ug/L	EPA-200.8
7/12/2016 9:30	Sn	<	0.336	ug/L	EPA-200.8
6/15/2016 9:40	SO4		67.14	mg/L	EPA 300.0
6/21/2016 9:25	SO4		56.08	mg/L	EPA 300.0
6/28/2016 9:33	SO4		64.33	mg/L	EPA 300.0
7/5/2016 9:42	SO4		49.46	mg/L	EPA 300.0
7/12/2016 9:30	SO4		55.58	mg/L	EPA 300.0
6/15/2016 9:40	Sr		313.915	ug/L	EPA-200.8
6/21/2016 9:25	Sr		253.582	ug/L	EPA-200.8
6/28/2016 9:33	Sr		334.567	ug/L	EPA-200.8
7/5/2016 9:42	Sr		264.818	ug/L	EPA-200.8

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/12/2016 9:30	Sr		296.3585	ug/L	EPA-200.8
6/15/2016 9:40	TDS		588	mg/L	SM2540C
6/21/2016 9:25	TDS		470	mg/L	SM2540C
6/28/2016 9:33	TDS		644	mg/L	SM2540C
7/5/2016 9:42	TDS		572	mg/L	SM2540C
7/12/2016 9:30	TDS		596	mg/L	SM2540C
6/15/2016 9:40	Ti	j	0.86	ug/L	EPA-200.8
6/21/2016 9:25	Ti		3.375	ug/L	EPA-200.8
6/28/2016 9:33	Ti	j	0.905	ug/L	EPA-200.8
7/5/2016 9:42	Ti		2.646	ug/L	EPA-200.8
7/12/2016 9:30	Ti		2.513	ug/L	EPA-200.8
6/15/2016 9:40	TKN		0.56	mg/L	EPA-351.1
6/21/2016 9:25	TKN		0.885	mg/L	EPA-351.1
6/28/2016 9:33	TKN	j	0.495	mg/L	EPA-351.1
7/5/2016 9:42	TKN		0.756	mg/L	EPA-351.1
7/12/2016 9:30	TKN		0.645	mg/L	EPA-351.1
6/15/2016 9:40	TI	<	0.236	ug/L	EPA-200.8
6/21/2016 9:25	TI	<	0.236	ug/L	EPA-200.8
6/28/2016 9:33	TI	<	0.236	ug/L	EPA-200.8
7/5/2016 9:42	TI	<	0.236	ug/L	EPA-200.8
7/12/2016 9:30	TI	<	0.236	ug/L	EPA-200.8
6/15/2016 9:40	TMET	<	10	ug/L	EPA-200.8
6/21/2016 9:25	TMET		24.2	ug/L	EPA-200.8
6/28/2016 9:33	TMET		12.9	ug/L	EPA-200.8
7/5/2016 9:42	TMET		16.9	ug/L	EPA-200.8
7/12/2016 9:30	TMET		13.35	ug/L	EPA-200.8
6/15/2016 9:40	Total-P		0.03	mg/L	EPA 365.1
6/21/2016 9:25	Total-P		0.065	mg/L	EPA 365.1
6/28/2016 9:33	Total-P		0.033	mg/L	EPA 365.1
7/5/2016 9:42	Total-P		0.078	mg/L	EPA 365.1
7/12/2016 9:30	Total-P		0.0465	mg/L	EPA 365.1
6/15/2016 9:40	TS		688	mg/L	SM2540B
6/21/2016 9:25	TS		532	mg/L	SM2540B
6/28/2016 9:33	TS		736	mg/L	SM2540B
7/5/2016 9:42	TS		584	mg/L	SM2540B
7/12/2016 9:30	TS		650	mg/L	SM2540B
6/15/2016 9:40	TSS		5.2	mg/L	SM2540D
6/21/2016 9:25	TSS		11	mg/L	SM2540D

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 9:33	TSS		4.2	mg/L	SM2540D
7/5/2016 9:42	TSS		27.3	mg/L	SM2540D
7/12/2016 9:30	TSS		5.9	mg/L	SM2540D
6/15/2016 9:40	Turbidity		3.16	NTU	EPA 180.1
6/21/2016 9:25	Turbidity		14	NTU	EPA 180.1
6/28/2016 9:33	Turbidity		2.45	NTU	EPA 180.1
7/5/2016 9:42	Turbidity		8.07	NTU	EPA 180.1
7/12/2016 9:30	Turbidity		6.435	NTU	EPA 180.1
6/15/2016 9:40	V	<	2.676	ug/L	EPA-200.8
6/21/2016 9:25	V	<	2.676	ug/L	EPA-200.8
6/28/2016 9:33	V	<	2.676	ug/L	EPA-200.8
7/5/2016 9:42	V	<	2.676	ug/L	EPA-200.8
7/12/2016 9:30	V	<	2.676	ug/L	EPA-200.8
6/15/2016 9:40	Zn	j	3.473	ug/L	EPA-200.8
6/21/2016 9:25	Zn		15.58	ug/L	EPA-200.8
6/28/2016 9:33	Zn	j	2.001	ug/L	EPA-200.8
7/5/2016 9:42	Zn	j	6.716	ug/L	EPA-200.8
7/12/2016 9:30	Zn	j	5.242	ug/L	EPA-200.8